

Author Index

- Abbott RD, 532
 Abdelhak T, S27
 AbdelSalam H, S126
 Abele M, 444, S20
 Abi-Raad R, S130
 Abou-Sleiman PM, 311, 329
 Abramsky O, S31
 Abu-Elmagd K, S70
 Acevedo AM, S29
 Acharya AB, S71
 Achilli A, 631
 Achiron R, S93
 Achong AMY, S64
 Achonu C, S97
 Ackerley CA, S9
 Acosta MT, S99, S103, S120
 Acsadi G, S96
 Adachi Y, 670, 911
 Adams C, S100
 Adams H, S102, S127
 Adams M, S98, S121
 Adesina AM, 881
 Adler-Golden L, S123
 Agich GG, S43
 Agmon Y, S1, S4
 Agrawal PB, 86
 Ahlskog JE, 495
 Ahmadi KR, 311, 329
 Ahmed F, S128
 Ahmed M, S13
 Aihara T, 778
 Aiyagari V, 313
 Akman C, S112
 Al-Araji AH, S30
 Al-Asmi A, S44
 Albanese A, 336
 Albert MS, 27
 Al-Chalabi A, S22
 Alderman MH, S44
 AlEissa Y, S117
 Alesch F, 310
 Alfonso I, S115
 Alfred SE, S29, S85
 Ali U, S13
 Allan WC, S90
 Allen J, S106
 Almaguer LE, 444
 Almaguer M, S54
 Almqvist EW, 670, 911
 Alrifai MT, S117
 Alroy J, 342
 Al-Shubaily A, S68
 Alter M, S30
 Altmann DR, 407, S31, S58
 Alva G, S48
 Amarenco P, 389
 Amrami KK, S60
 AmSMART Group, S88
 An H, 604
 Anaki D, S45
 Anan K, S51
 Anch AM, S40
 Andermann E, S23, S44, S93
 Andermann F, S23, S44
 Andersen PM, S22
 Anderson C, S70
 Anderson KE, S54
 Anderson P, S97, S124
 Anderson PJ, S92
 Anderson SW, S50
 Ando S, S26
 Andorn A, S51
 Andreasson K, 240
 Andrew M, S98
 Andrews H, S25
 Angeles DM, S107
 Annoni JM, 787
 Ansorge O, 448
 Antonarakis SE, 382
 Antonelli D, 867
 Aoyagi J, S12, S21
 Appel SH, S37
 Arango PM, 290
 Araujo A, 10
 ARChER Trial Collaborators, S14
 Arends JBAM, S24
 Arendt T, 745
 Arimura K, 440
 Arisaka O, S102
 Armstrong D, S89, S97, S124
 Armstrong DL, 881
 Arnold S, 259
 Arnold SE, S19
 Aronica E, 478
 Arpino C, 307
 Arroyo HA, S10
 Artacho I, 342
 Arvanitakis Z, S16
 Arzel M, 650
 Asahina M, 424, 603
 Asakawa S, 424, 603
 Ashikian N, S57
 Ashizawa T, 670, 897, 911
 Ashwal S, 36, S88, S107, S121
 Askanas V, S33
 Atiya M, 27
 Atkinson RP, S14, S42
 Auberson YP, 723
 Auburger G, 444
 Avery LM, S118
 Avoni P, 455
 Awaad YM, S107
 Ayyar RD, S61
 Azakie A, S90
 Azen C, S124
 Aziz N, S46
 Azuma M, S36
 Baba Y, S12
 Babikian T, S88
 Babins L, S16
 Bachman DL, 312, 675
 Back SA, S89
 Backstrand KH, S88, S119
 Backus C, S20, S66
 Badhwar AP, S23, S44
 Bae C, S41, S101
 Baehring JM, S65
 Bagattin A, 455
 Bagic A, S42
 Bagnato F, S59
 Bagnoli S, 163
 Bai Y, 361
 Bak TH, 399
 Bakshi R, S30, S47, S58
 Balachandran S, S116
 Bale J, S111
 Ball KL, S125
 Bamford NS, S85
 Bamio DE, 503
 Bamonti F, 886
 Banati RB, 894
 Bandyopadhyay S, S84
 Banerjee PK, S48
 Bang JH, S68
 Bao X, S110
 Baram TZ, 709
 Barbas NR, S19
 Barber PA, 116
 Barbiroli B, 631, 719, S52
 Barboni P, 631, 719
 Barker GJ, 407, S31, S58
 Barker P, S45
 Barker PB, S101
 Barkovich AJ, S90
 Barlow K, S100
 Barnes MA, S97
 Barnett MH, 309
 Barohn RJ, S60
 Baron MS, S96
 Barone P, 311
 Barr R, S100
 Barrera JC, S23, S31
 Barrett JC, S87
 Barrowman N, S112, S124
 Barry SJE, S1, S15
 Barshop BA, S45
 Bartenstein P, 624
 Bartolucci A, S18
 Bartsch T, 371
 Baruzzi A, 631, 719
 Bascia V, S38
 Basheer SN, S119, S120, S123
 Bashir K, S58
 Bassan H, S118
 Bassetti CL, S83
 Bassuk AG, S101
 Bataller L, S75
 Bates JF, 27
 Bates S, S110
 Battaglia G, S55
 Battisti O, S96
 Baumann NA, S28
 Baumgartner WA, S15
 Bauminger ER, S67
 Baybis M, 478
 Baykal A, S96
 Bazhenov M, S23
 Beal MF, 171
 Bear MJ, S92
 Beblo S, 560
 Beers DR, S37
 Beggs AH, 86
 Behan PO, S25
 Behan W, S44
 Behen M, S91, S93
 Behen ME, S94, S95
 Bejjani BPW, S23, S68
 Bell JM, S49
 Bell R, S42
 Belman AL, S56
 Belzer M, S95
 Bénard M, 572, 579
 Benarroch EE, S16, S56
 Benazzouz A, 309
 Benedetti MD, S31
 Ben-Hur T, S31
 Benko WS, S99
 Bennett C, S13
 Bennett CF, S36
 Bennett DA, S16, S48
 Bennett JL, 97
 Bense S, 624
 Ben-Shalom E, 734
 Benson CB, S118
 Bentivoglio AR, 336
 Benton SB, 847
 Benveniste O, 867
 Berciano J, 311
 Berendse HW, 173
 Bergen HR, S29
 Bergethon PR, S66
 Bergey GK, S83
 Bergin AM, S112
 Berkenstadt M, S93
 Berkovic SF, 129
 Berl MM, S83
 Berry-Kravis E, S26
 Bessi V, S17
 Beszylko S, S106
 Beyersdorf N, 901
 Bezman L, S20, S38, S101, S127
 Bharathi V, S5
 Bhardwaj A, 167, S14
 Bhatia KP, 311, 329
 Bhise V, S113
 Bibat GM, S10
 Bidichandani SI, 897
 Bieber AJ, S57
 Bielecki B, S32
 Bienias JL, S16
 Biglan KM, S24
 Bilak M, 240
 Billiard M, 382
 Bilsky MH, S65
 Bingaman WE, S43
 Binns M, S45
 Bioulac B, 309
 Birbaumer N, 206
 Bird TD, 213, 670, 911

Author Index

Abbott RD, 532
 Abdelhak T, S27
 AbdelSalam H, S126
 Abele M, 444, S20
 Abi-Raad R, S130
 Abou-Sleiman PM, 311, 329
 Abramsky O, S31
 Abu-Elmagd K, S70
 Acevedo AM, S29
 Acharya AB, S71
 Achilli A, 631
 Achiron R, S93
 Achong AMY, S64
 Achonu C, S97
 Ackerley CA, S9
 Acosta MT, S99, S103, S120
 Acsadi G, S96
 Adachi Y, 670, 911
 Adams C, S100
 Adams H, S102, S127
 Adams M, S98, S121
 Adesina AM, 881
 Adler-Golden L, S123
 Agich GG, S43
 Agmon Y, S1, S4
 Agrawal PB, 86
 Ahlskog JE, 495
 Ahmadi KR, 311, 329
 Ahmed F, S128
 Ahmed M, S13
 Aihara T, 778
 Aiyagari V, 313
 Akman C, S112
 Al-Araji AH, S30
 Al-Asmi A, S44
 Albanese A, 336
 Albert MS, 27
 Al-Chalabi A, S22
 Alderman MH, S44
 AlEissa Y, S117
 Alesch F, 310
 Alfonso I, S115
 Alfred SE, S29, S85
 Ali U, S13
 Allan WC, S90
 Allen J, S106
 Almaguer LE, 444
 Almaguer M, S54
 Almqvist EW, 670, 911
 Alrifai MT, S117
 Alroy J, 342
 Al-Shubaily A, S68
 Alter M, S30
 Altmann DR, 407, S31, S58
 Alva G, S48
 Amarenco P, 389

Amrami KK, S60
 AmSMART Group, S88
 An H, 604
 Anaki D, S45
 Anan K, S51
 Anch AM, S40
 Andermann E, S23, S44, S93
 Andermann F, S23, S44
 Andersen PM, S22
 Anderson C, S70
 Anderson KE, S54
 Anderson P, S97, S124
 Anderson PJ, S92
 Anderson SW, S50
 Ando S, S26
 Andorn A, S51
 Andreasson K, 240
 Andrew M, S98
 Andrews H, S25
 Angeles DM, S107
 Annoni JM, 787
 Ansorge O, 448
 Antonarakis SE, 382
 Antonelli D, 867
 Aoyagi J, S12, S21
 Appel SH, S37
 Arango PM, 290
 Araujo A, 10
 ARChER Trial Collaborators, S14
 Arends JBAM, S24
 Arendt T, 745
 Arimura K, 440
 Arisaka O, S102
 Armstrong D, S89, S97, S124
 Armstrong DL, 881
 Arnold S, 259
 Arnold SE, S19
 Aronica E, 478
 Arpino C, 307
 Arroyo HA, S10
 Artacho I, 342
 Arvanitakis Z, S16
 Arzel M, 650
 Asahina M, 424, 603
 Asakawa S, 424, 603
 Ashikian N, S57
 Ashizawa T, 670, 897, 911
 Ashwal S, 36, S88, S107, S121
 Askas V, S33
 Atiya M, 27
 Atkinson RP, S14, S42
 Auberson YP, 723
 Auburger G, 444
 Avery LM, S118
 Avoni P, 455
 Awaad YM, S107
 Ayyar RD, S61
 Azakie A, S90
 Azen C, S124
 Aziz N, S46
 Azuma M, S36

Baba Y, S12
 Babikian T, S88
 Babins L, S16
 Bachman DL, 312, 675
 Back SA, S89
 Backstrand KH, S88, S119
 Backus C, S20, S66
 Badhwar AP, S23, S44
 Bae C, S41, S101
 Baehring JM, S65
 Bagattin A, 455
 Bagic A, S42
 Bagnato F, S59
 Bagnoli S, 163
 Bai Y, 361
 Bak TH, 399
 Bakshi R, S30, S47, S58
 Balachandran S, S116
 Bale J, S111
 Ball KL, S125
 Bamford NS, S85
 Bamio DE, 503
 Bamonti F, 886
 Banati RB, 894
 Bandyopadhyay S, S84
 Banerjee PK, S48
 Bang JH, S68
 Bao X, S110
 Baram TZ, 709
 Barbas NR, S19
 Barber PA, 116
 Barbiroli B, 631, 719, S52
 Barboni P, 631, 719
 Barker GJ, 407, S31, S58
 Barker P, S45
 Barker PB, S101
 Barkovich AJ, S90
 Barlow K, S100
 Barnes MA, S97
 Barnett MH, 309
 Barohn RJ, S60
 Baron MS, S96
 Barone P, 311
 Barr R, S100
 Barrera JC, S23, S31
 Barrett JC, S87
 Barrowman N, S112, S124
 Barry SJE, S1, S15
 Barshop BA, S45
 Bartenstein P, 624
 Bartolucci A, S18
 Bartsch T, 371
 Baruzzi A, 631, 719
 Bascia V, S38
 Basheer SN, S119, S120, S123
 Bashir K, S58
 Bassan H, S118
 Bassetti CL, S83
 Bassuk AG, S101
 Bataller L, S75
 Bates JF, 27
 Bates S, S110
 Battaglia G, S55
 Battisti O, S96
 Baumann NA, S28
 Baumgartner WA, S15
 Bauminger ER, S67
 Baybis M, 478
 Baykal A, S96
 Bazhenov M, S23
 Beal MF, 171
 Bear MJ, S92
 Beblo S, 560
 Beers DR, S37
 Beggs AH, 86
 Behan PO, S25
 Behan W, S44
 Behen M, S91, S93
 Behen ME, S94, S95
 Bejjani BPW, S23, S68
 Bell JM, S49
 Bell R, S42
 Belman AL, S56
 Belzer M, S95
 Bénard M, 572, 579
 Benarroch EE, S16, S56
 Benazzouz A, 309
 Benedetti MD, S31
 Ben-Hur T, S31
 Benko WS, S99
 Bennett C, S13
 Bennett CF, S36
 Bennett DA, S16, S48
 Bennett JL, 97
 Bense S, 624
 Ben-Shalom E, 734
 Benson CB, S118
 Bentivoglio AR, 336
 Benton SB, 847
 Benveniste O, 867
 Berciano J, 311
 Berendse HW, 173
 Bergen HR, S29
 Bergethon PR, S66
 Bergey GK, S83
 Bergin AM, S112
 Berkenstadt M, S93
 Berkovic SF, 129
 Berl MM, S83
 Berry-Kravis E, S26
 Bessi V, S17
 Beszylko S, S106
 Beyersdorf N, 901
 Bezman L, S20, S38, S101, S127
 Bharathi V, S5
 Bhardwaj A, 167, S14
 Bhatia KP, 311, 329
 Bhise V, S113
 Bibat GM, S10
 Bidichandani SI, 897
 Bieber AJ, S57
 Bielecki B, S32
 Bienias JL, S16
 Biglan KM, S24
 Bilak M, 240
 Billiard M, 382
 Bilsky MH, S65
 Bingaman WE, S43
 Binns M, S45
 Bioulac B, 309
 Birbaumer N, 206
 Bird TD, 213, 670, 911

- Birnbaum R, S126
 Bischof F, 727
 Bischof N, 886
 Bisulli F, 455
 Bittigau P, 351
 Black PM, S112
 Black SE, S5, S16, S17, S66
 Blackband SJ, S97
 Blacker D, 27
 Blaisdell B, S18
 Blanchette V, S97
 Blank CA, S10
 Blaser S, S39
 Blitshteyn S, S64
 Blixen CE, S43
 Blok JH, S113
 Blom HJ, S53
 Blouin JL, 382
 Blumen SC, S28
 Bobustuc G, S47
 Bocti C, S16
 Bodensteiner JB, S95, S105
 Boeve BF, S16
 Boggild M, S33
 Bogousslavsky J, 787
 Bolser DC, S46
 Bolton AE, S37
 Bon-Durand V, 867
 Boneh A, 139
 Bonifati V, 427
 Bonilla E, 881
 Bonwetsch R, S42
 Booij J, 173
 Borchelt D, S12
 Borja MC, 642
 Bormans G, S50
 Boros S, 307
 Borowicz LM, S1, S15
 Borrett DS, S23
 Bottiglieri T, S18, S120
 Bourgeois BFD, S112
 Bourgeois M, 890
 Bourke J, 738
 Boustany RM, 342
 Boutry S, 116
 Bowen JD, S19
 Bower JH, 495
 Bowman R, S101
 Boycott KM, S100
 Boyer L, S89
 Boyer O, 867
 Bracco L, S17
 Brace LD, S15
 Brady RO, S45
 Bragin A, 108
 Brand N, S93
 Brandel JP, 909
 Brandt T, 624
 Braswell RA, S69
 Braun E, S71
 Braverman N, S10
 Brecht DS, S84
 Breedveld G, 427
 Breen JC, 389
 Breidenbach A, S53
 Breitenstein C, 20
 Brem H, S91
 Brennan ML, S45
 Bresolin N, 886
 Bressman S, 283
 Bretthorst GL, S91
 Bridges LR, S13
 Briggs V, S112
 Broe M, 399
 Brooks DG, S51
 Brooks DJ, S22
 Brooks-Kayal AR, S84
 Brott TG, S16
 Brown K, S99
 Brown NC, S92
 Brown RD, S16
 Brown RD Jr., S46
 Brownell AL, 149
 Bruck W, 308
 Bruggimann L, 787
 Brumm VL, S124
 Brusa L, S24
 Brust N, S18
 Bucchi L, 631
 Buchan AM, 116
 Buchhalter JR, S98
 Bukelis I, S104
 Buldanlioglu U, 815
 Bulman D, S23
 Burack G, S113
 Burek C, 901
 Burger P, S89
 Burger PC, S10
 Burk K, 311
 Burnham MW, S23
 Burrows PE, S110
 Bushby K, 738
 Bushnell CD, S2
 Bushuven S, 20
 Busto UE, S5, S66
 Butler MM, S36
 Butters TD, 642
 Butz ML, S29
 Cadavid D, 361
 Cagnin A, 894
 Caillaud C, 68
 Calamoneri F, S38
 California Acute Stroke Pilot Registry Investigators, S3
 Camfield CS, S83
 Camfield PR, S83
 Canales N, 444
 Caparelli E, 259
 Caplan LR, 389
 Caplan R, S125
 Caplin D, S111
 Caputo V, 336
 Carasso RL, S28
 Caravati EM, S69
 Carbon M, 283
 Carelli V, 631, 719
 Carey M, S110
 Carlander B, 382, 905
 Carlson E, S110
 Carlson NG, 864
 Carpo M, 886
 Casanova MF, 453
 Case D, S16
 Casey B, 399
 Caspersen C, 51
 Cattaneo C, S55
 Caviness VS Jr., 757
 Cavus I, S43
 Cazacu AC, S122
 Cellini E, 163
 Cernak I, S128
 Cevoli S, S52
 Chakraverty S, 249
 Chalela JA, 468
 Chan AK, S98
 Chan EM, S9, S13
 Chan M, S59
 Chandana SR, S93, S94, S95
 Chang FLF, S17
 Chang HM, 389
 Chang L, 259
 Chang MH, S34
 Chang T, S94, S99, S128
 Chang Y, S14
 Chang YC, 165, 611
 Chao JY, S72
 Chapman SB, 847
 Chard DT, S31
 Charnet P, S9
 Charrow J, S101
 Chart H, S123
 Chatterjee A, S25
 Chaturvedi S, S3
 Chaudhry V, S36
 Chaudhuri A, S25, S44
 Chaves CJ, 389
 Cheema Z, S47
 Chen AF, S11
 Chen S, S12
 Cherian PJ, S113
 Cherry K, S71
 Chertkow HM, S16
 Chez MG, S109
 Chiang ACY, 510
 Childers ME, 416
 Chin K, S109
 Chinnock R, S88, S121
 Chmura T, S25
 Cho WM, S21
 Choi K, S35
 Chouinard S, S44
 Chow TW, S17
 Christianson TJH, S1, S4
 Christodoulou C, S56
 Christodoulou J, S110
 Chu K, S15, S42, S67
 Chugani DC, S91, S93, S94, S95
 Chugani HT, S91, S92, S93, S94, S95
 Chung SS, S117
 Chung WK, S104
 Churchill MJ, 873
 Ciano C, 133
 Ciccone PE, S108
 Cinque P, 307
 Cintas H, S94
 Ciric B, S57
 Claramonte B, S75
 Clark GD, S122
 Clarke CM, S19
 Clarke NF, 689
 Clarkson KB, S103
 Claussen GC, S64
 Clementi V, 719
 Cleveland DW, S36
 Coble C, S127
 Cocco GA, S19
 Cockerell C, 730
 Coenen MJH, S60
 Cohen J, S106
 Cohen JA, S20
 Cohen L, 890
 Cohen LG, 206
 Coleman L, S91
 Collins JS, 143
 Collura R, S87
 Colsch B, S28
 Comella CL, S25
 Comella CM, S48
 Comi AM, S86, S125, S130
 Comi GC, 886
 Conant K, 240, S70
 Condon TP, S36
 Connellan MM, 129
 Conry JA, S99
 Conry JC, S83
 Constable RT, S90
 Cook S, 767
 Cook TD, 221
 Cookson MR, 315
 Cookson N, S12
 Corbett JJ, S69
 Corey JM, S72
 Corfas G, S128
 Cornblath D, S36
 Cornelio F, 133
 Cortell R, S104
 Cortelli P, 427, S52
 Cortes J, S121
 Cortez MA, S9
 Coslett HB, 434
 Cossette P, 579
 Couce M, S70
 Counts SE, 520
 Covalt JL, S1, S4
 Cox C, S38, S101, S104
 Craft JM, 61
 Craig A, S89
 Craig D, 121
 Crain BJ, 457, 752
 Cras P, 591
 Crawford TO, 86
 Creighton J, S71
 Crino PB, 478
 Croen LA, S88, S119
 Crook J, 591
 Cruz MI, S128
 Cruz R, 749
 Cruz-Flores S, S13
 Cummings JL, S49
 Curgian L, S25

- Curtis R, S119
Czeisler C, S123
- Daga A, S29
Dagher A, 290
D'Agostino D, S23
Dai A, S47
Dail D, 361
Dalakas MC, S10, S60, S61, S63
Dale AM, 27
Dallapiccola B, 336
Danek A, 299, S44
Daniels G, 299
Danko CG, S86
Dantes M, S26
Danzeisen R, S21
d'Arminio Monforte A, 307
Das K, S33
Dash P, S19
Dashe JF, 389
Dauvilliers Y, 382, 905
Davidson M, 662
Davies GR, S31
Davies KJA, S33
Davies RA, 503
Davies RR, 399
D'Avino C, 886
Davis D, S32
Dawson J, S49
Dawson JD, S50
Dbaibo G, 342
De Ambroggi L, S35
De Biase I, 897
de Bleeck E, S102, S127
De Fossé L, 757
de Klerk N, S110, S111
De Pooter T, S91
De Vivo DC, S104
Deacon R, S51
DeAngelis LM, S65
Debus OM, 287
DeCarli CS, S19
Decker WW, S46
Degaonkar M, S45
Dehaene S, 890
Deiana L, S19
Delatycki MB, 897
Delivoria-Papadopoulos M, S84
Dellafave L, S62
Deming D, S107
Demmler GJ, S122
DeMong C, S10
Dempsey-Hall L, S5
Dennis M, S39
Deonandan R, S112, S124
Deotto L, S31
Der Kaloustian VM, 572
Desai C, S26
Desmaris N, 68
Destee A, S55
Detre JA, S13
deVeber G, S98, S119, S121, S124
Devito I, S52
- Dewitt LD, 389
DeYoung J, S102, S127
Dhamoon MS, S1
Dhar S, 342
Dhillon RJS, S14
Di Blasi C, 133
Di Rosa G, S38
Diamond AL, S61
Diaz-Arrastia R, S18
Dickerson BC, 27
Dickson DW, S12, S56
Dieterich M, 624
Dilks DD, 913
DiMauro S, S10
Dimitri D, 867
Dirks P, S124
diStefano L, S89
Dobson-Stone C, 299, S44
Dobyns WB, S93
Doi M, 741
Donato MLI, S14
Donnan GA, 695
Dorrucchi M, 307
Dotti MT, 299, 631
Dougherty PM, S52
Dowling MM, S10
Dowling P, 767
Downey K, S52
Doyle L, S91
Doyle LW, S92
Drachman DB, S63
D'Souza DN, S51
du Plessis AJ, S118
Dubé C, 709
Dubeau F, S23, S44, S93
Dubey N, S47
Dubey P, S20, S38, S101, S127
Duchowny M, S113
Duffy FH, S112
Duncan CC, S90
Duntley SP, S40, S68
Dupont P, S50
Dure LS, S102, S127
Durham L, S42
Dwek RA, 642
Dwyer MG, S59
Dwyer MJ, S59
Dyck PJB, S29, S60, S62
Dye DE, 689
Dystonia Study Group, S25
- Eagle M, 738
Eastwood J, S93
Eberle LP, S35
Eccleston E, S99
Edelman MJ, S70
Edgar TS, S103
Eguchi M, S102
Eichler F, S96, S105
Eidberg D, 283
Einstein O, S31
Eizenman M, S39
Ejima N, 77, S11
Elbaz A, 495
Elert O, 901
- ELGAN Neurological Examiners, S111
El-Gengaihy AE, S69
El-Gengaihy ME, S69
Elia AE, 336
Eliaou JF, 382
Elkabes S, 767
Elkind MSV, S1
Elkins JS, S2, S118
Elling N, S117
Ellis RJ, 416
Elpeleg O, 734
Endo G, 741
Engel CR, S18
Engel J Jr., 108
Engel WK, S33
Engelhardt B, 192
Epstein L, S101
Erberich SG, S95
Erdmann T, 299
Ergaz Z, 139
Erickson JC, S3
Ernst T, 259
Errigo A, S19
Escalante J, S116
Estanislao L, S56
Estol C, 389
Eyal E, S13
Eymard B, 650
Ezquerria M, 249
Ezzeddine MA, 468
- Fabiano AJ, S30
Facca AG, S61
Facchini SA, S10
Fadeel B, S64
Faden AI, S128
Fahn S, 670, 911, S25
Fakhoury T, S115
Falcao ALE, 695
Fallon JH, S48
Fan QW, S90
Fan W, S25, S48
Fananapazir L, 299
Fang J, S44
Fariello RG, S55
Farlow M, S17
Farrer MJ, S91
Farrugia ME, S63
Fatemi A, S20, S38, S101, S127
Faucheux BA, 909
Fazekas F, 273
Federico A, 299, 631
Fehlins MG, S41
Feichter J, S58
Feiz-Erfan I, S85
Felderhoff-Mueser U, 351
Feldman BM, S97
Feldman EL, S20, S60, S62, S64, S66, S72
Feng C, S114
Feng X, S40
Ferber R, S123
Fernandez G, S87
Ferrari MD, S53
- Ferriero DM, S88, S90, S119
Fetter M, 444
Filippi M, 273
Filippone LA, 299
Filloux F, S111
Finazzi-Agrò E, S24
Finwall J, S87
Fischer A, 815, S67
Fishback JL, S60
Fisher AC, S117
Fisher E, 548
Fitzgerald DA, S94
Fiumani A, S31
Flanagan S, S72
Fletcher CF, S9
Flöel A, 20, 206
Foldvary N, S101
Foldvary-Schaefer N, S41
Foniok T, 116
Fons FC, S116
Fontaine B, 650
Foo SH, S44
Ford B, S25
Ford PJ, S43
Forleo P, 163
Foster NL, S19
Foundas AL, 755
Fournier E, 650
Fowler K, 431
Fox J, S12
François A, S96
Frankel M, S16
Franz DN, 808, 913
Fratta P, S33
Frazier JA, 757
Frederiksen JL, 273
Free SL, 503
Freedman M, S5, S17, S45
Freier MC, S88
Fried I, 108
Friedman A, S67
Friefeld S, S119
Friez MJ, S29, S85
Fritz K, S84
Frosk P, 738
Frucht S, S25
Fujiki N, S22
Fujimura H, S21
Fujioka T, S33
Fujita N, 163
Fujiwara M, S100
Fukada K, S22
Fukazawa T, S33
Fukuda T, S38
Fulbright RK, S65
Fulleton HJ, S118
Fung K, S64
Furiya Y, S28, S65
Furlan JC, S41
Furuya H, S67
Futamura N, S28
Fyfe S, S110, S111
- Gabis L, S93
Gaffke JN, S62

- Gai WP, S27
 Gaillard WD, S42, S83, S99
 Gaitanis J, S116
 Gajjar A, S89
 Gajofatto A, S31
 Galazka-Friedman J, S67
 Galey D, S70
 Gamez J, S57
 Gamino JF, S47
 Gao FQ, S16
 Gao P, 221
 Garg BP, S123
 Garrett JH, S69
 Garwood MD, S32
 Gaudin AF, S55
 Gauthier S, S18
 Gazziero A, S29
 Gehrking TL, S9
 Geller D, S40
 Geoghegan D, S72
 Gerad L, S93
 Gerber L, S94
 Gergel I, S48, S49
 Gerloff C, S84
 Gersch W, S87
 Gertz HJ, S45
 Geschwind D, S10
 Ghelli A, 631
 Giavazzi A, 133
 Gibson KM, S103, S120
 Gilbert DL, 808
 Gilden DH, 97
 Gilkerson RW, 662
 Gilman S, 604
 Ginsberg L, 586
 Ginsberg SD, S20
 Gioia GA, S127
 Giordani B, 604
 Girard M, 730
 Giridhar S, S117
 Giunti P, 448
 Giza CC, S89
 Glabinski AR, S32
 Glass HC, S100
 Glass TA, 389
 Glatting M, 702
 Glauser T, S112
 Glauser TA, 808
 Gleeson JG, S97
 Glenister N, S59
 Glod J, S131
 Goadsby PJ, 371, 488, 751
 Goate AM, 249
 Godman M, S117
 Goebel A, S51
 Goetz CG, S25, S26
 Golabek AA, S85
 Golden JA, 478
 Goldenberg D, S90
 Goldfarb LG, S61
 Goldman JG, S26
 Goldman S, S106
 Goldstein DB, 311, 329
 Goldstein J, S60, S62, S115
 Goldstein LB, S2, S5, S46
 Goldszmit E, S52
 Golomb MR, S97, S123
 Gomez AC, S128
 Gomez CM, S9
 Gómez M, 897
 Gomez-Lira M, S31
 Gomori JM, 139
 Gong Y, 228
 Gonzalez LF, S117
 Gonzalez-Rothi L, S46
 Goossens M, 730
 Gorman M, S42
 Gorman MJ, S65
 Gorry PR, 873
 Gotham KO, S125
 Gourley L, 670, 911
 Gouvion CM, S37
 Gracely RH, S52
 Gracies JM, S72
 Grafton ST, 7
 Granholm AC, 675
 Granner MA, S32
 Grant E, S96
 Grant I, 416
 Grassini P, S55
 Graus F, S75
 Gray OM, S32
 Gray RM, S104
 Gray-Leithe L, S46
 Greenamyre JT, 723
 Greenberg C, 738
 Greenberg S, S59
 Greenberg SM, S18
 Greene DA, S83
 Greenhill LL, S107
 Greenlee JE, S71
 Greenough GP, S20
 Greenstein P, 670, 911
 Greenwood R, S93
 Grega MA, S1, S15
 Greve DN, 27
 Grid D, S13
 Griesbach GS, S89
 Griffin CM, S31
 Griffin J, S36
 Griffin JW, 228, S9
 Griffin WST, 61
 Grigoriadis N, S31
 Grodd W, 854
 Grop A, S59
 Gross CE, 309
 Grotta JC, 314
 Gruber-Baldini A, S54
 Grzeschik S, S87
 Guerra C, S107
 Guerra R, S29
 Guerrini R, S93, S112
 Guo Y, S126
 Gupta S, S45
 Gurol ME, S18
 Gutman A, 139
 Gutmann DH, 295
 Gutmann L, S40
 Guttman M, S22
 Guy J, 182
 Guzauskas GF, S103
 Haacke EM, 36
 Haas JT, S34
 Habib KG, S68
 Hagel C, 342
 Hagiwara T, 689
 Hahn JS, S120
 Haik S, 909
 Haipek CA, 295
 Hall S, S110
 Hall WW, 10
 Haller RG, S62
 Hallett JJ, S89
 Hallett M, S95
 Halliday GM, 399
 Halmal I, S65
 Hamm S, 192
 Hammer AE, S115
 Hammers A, S22
 Hammond CAS, S46
 Hamosh A, S10
 Hamrick SEG, S90
 Hanefeld F, S98
 Hanemann CO, S30
 Hansen LA, S50
 Hansen S, S44
 Hanten G, 847
 Haque R, S91
 Hara H, S34, S63
 Harden CL, 431, S23, S31
 Harding B, 448
 Hardison HH, S113, S116
 Hardman J, S32
 Hardy J, 316, S16
 Hariharan N, 221
 Hariharan S, S46
 Harnack D, 309
 Harp A, S93
 Harrell LE, S18
 Harris GJ, 757
 Harris J, 670, 911, S25
 Hart DJ, 121
 Harvey AS, 129
 Harvey H, S108
 Hassin-Baer S, 424, 603
 Hastings TG, S54
 Hatano Y, 424, 603
 Hatfield LA, S125
 Hathout Y, S99
 Hattori N, 424, 603, S27, S28
 Hattori T, 462
 Haubold K, 97
 Haughey N, 240
 Hauswirth WW, 182
 Hauw JJ, 909
 Hawkins SA, S32
 Hayashi T, 77, 311
 Hayden M, 670, 911
 Haykin M, S65
 Hazan M, S116
 Hazen SL, S45
 Head MW, 910
 Healey K, S32
 Healy DG, 311, 329
 Heard JM, 68
 Heaton RK, 416
 Heckman M, S91
 Heidebrink JL, S19
 Heidler J, S45
 Heilig C, S12
 Heilig K, S12
 Heiss J, S42
 Heiss WD, S20
 Helden C, S121
 Helgason CM, S15
 Henderson B, S111
 Henkel JS, S37
 Henning LH, S88, S119
 Henry C, 890
 Hensel A, 745
 Henter JL, 564
 Herbelin LL, S60
 Herbert MR, 454, 757, 914
 Herrmann N, S5, S66
 Hershey AD, 808
 Hershkovitz E, 734
 Herson S, 867
 Hertz-Pannier L, 890
 Herzog AG, 431
 Hess EJ, S86
 Heumann M, 604
 Hickey FJ, 808
 Hickman SJ, S58
 Higdon R, S19
 Hight BH, S86, S130
 Hilal T, S72
 Hildebrand ME, 213
 Hilker R, S20
 Hill A, S119, S120, S123
 Hillis AE, 605, S45
 Hills NK, S3
 Hilton-Jones D, 738
 Hines S, S9
 Hino H, S63
 Hirakawa M, 567, S34, S36
 Hirakawa M, S34
 Hirano M, 881, S28, S65
 Hirsch J, 796
 Hirsch LJ, S112
 HNRC Group, 416
 Ho CJ, 611
 Hodge SM, 757
 Hodges JR, 399
 Hoehn G, S10
 Hoerster F, 351
 Hoff-Lindquist J, S5
 Hoffman PN, 915
 Hoffmann C, S93
 Hoke A, 815, S9, S67
 Hol EM, S33
 Holden KR, 143, S103
 Holland KD, S117
 Holmes SE, 670, 911
 Holshouser BA, 36, S107
 Holthausen H, 854
 Homberg V, S30
 Hong JJ, S106, S129
 Hong SB, 437
 Hong SH, S68, S70
 Hong-Goka BC, S17
 Hoon AH, S97
 Hopkin RJ, 808

- Hopper JL, 129
 Horner RD, S5, S46
 Hosozawa K, S51
 Houlden H, S86, 730
 Hovda DA, S89
 Howard JR, S60, S62
 Howard K, S92
 Howells DW, 695
 Hoyte L, 116
 Hu J, S96
 Hu Y, S47
 Huang CC, 165, 611
 Huang R, S9
 Hugo FJ, S68
 Hulihan JF, S117
 Hulihan M, S91
 Hummel V, 901
 Humphreys P, S95, S112, S124, S125
 Hung PC, S109
 Hung WY, S62
 Hunt RW, S91, S92
 Hunter CL, 675
 Hunter JV, 847
 Huq AHMM, S99, S100, S101, S103, S105
 Hurteau J, S112
 Hutchison WD, 290
 Hutton G, S59
 Hynan LS, S88
- Ialongo T, 336
 Iannaccone ST, 86, S88
 Ianzano L, S9
 Ichikawa Y, S12, S21
 Ichinohe A, 139
 Ichord RN, S92, S122
 Igarashi O, S21
 Igarashi O, S12
 Iguchi H, S33
 Iida H, 77, 311
 Ikeda K, S12, S21, S33, S51
 Ikonomidou C, 351
 Imabayashi E, 77, 311
 Imataka G, S102
 Inder TE, S91, S92, S114
 Inenaga C, 163
 Ingram D, 730
 Inoue M, S34, S63
 International Seronegative Myasthenia Gravis Study Group, S63
 Inzelberg R, S28
 Ionete C, S32
 Iotti S, 719, S52
 Iranzo A, S99
 Irie T, S21
 Irizarry MC, S18
 Ironside JW, 910
 Isacson O, 319
 Ishii K, 741
 Ishii T, 741
 Ishizaki M, 741
 Iskandar BJ, 221
 Italian Seroconversion Study, 307
 Itin I, S26
 Itoh M, S38
 Iwanaga K, 778
 Iwasaki N, 741, S21
 Iwasaki Y, S12, S33, S51
 Iyer RB, S15
 Izumi M, S97
- Jabre MG, S23, S68
 Jack C, 815
 Jackson M, S53
 Jackson T, 540, 750
 Jackson-Lewis V, 51
 Jacob A, S33
 Jacob P, S125
 Jacobs AH, S20
 Jacobs BS, S45
 Jacobs S, S91
 Jaecle KA, S64
 Jagadeesan BD, S91, S94
 Jagust WJ, S19
 Jaisani Z, S30
 Jalili A, S101
 Jankovic J, S25, S54
 Jansen A, S93
 Jansen AC, S44
 Jansma C, S31
 Janusz J, S127
 Jarjour I, S122
 Jarjour L, S122
 Jarosz B, 351
 Jarrar MH, S86
 Jean L, 867
 Jengelley TA, 540, 750
 Jenkins ME, S104
 Jenner P, S53
 Jensen PH, S27
 Jeyakumar M, 642
 Jhung D, 108
 Jia D, S49
 Jiang H, S107
 Jiang P, S115
 Jimi T, S34, S63
 Jino H, 77, 311
 JnoBaptiste R, 540, 750
 Jody CB, S50
 Johkura K, 878
 Johnsen SD, S95, S105
 Johnson C, 221
 Johnson J, S99
 Johnson MI, S128
 Johnson NA, 750
 Johnston MV, S130
 Johnston SC, S2, S4, S118
 Jones JR, S29, S85
 Jones RO, S20, S127
 Joo EY, 437
 Jorgensen NW, 303, S57
 Josephs KA, S12
 Joyce JA, S85
 Juhasz C, S91, S93, S94, S95
 Junck L, 604
 Jung KH, S15, S42, S67
 Jurka J, S87
- Justinger T, S58
- Kabbani H, S105
 Kabbani MS, S117
 Kachuck NJ, S57
 Kagan VE, S129
 Kagawa K, S93
 Kahana E, S30
 Kaida K, S67, S34
 Kaji R, S26
 Kajiyama K, S47
 Kalbe E, S20
 Kalenga P, S96
 Kamakura K, S67, S34
 Kamen BA, S131
 Kameyama M, 440
 Kamiya H, 827
 Kamm C, 311
 Kamping S, 20
 Kanai K, 462
 Kanal E, S70
 Kang DW, 468
 Kanner R, S3
 Kanno S, S15
 Kanzaki M, S67, S34
 Kaplan AM, S126
 Kapustin A, 540, 750
 Karceski SC, S83
 Kariya S, S28, S65
 Karkare S, S92
 Karl T, S90
 Karussis D, S31
 Kasarskis EJ, S5
 Kashiara H, S51
 Kasner SE, S42
 Katayama M, S42
 Kato Y, S26
 Katsarava Z, S65
 Katsetos CD, S84
 Katz KK, S90
 Kau ASM, S104
 Kaufman Y, S45
 Kaufmann AM, S56
 Kaufmann P, S104
 Kaufmann WE, S86, S104
 Kaur P, 97
 Kavanaugh S, S18
 Kawabe K, S33
 Kawaguchi N, S102
 Keator DB, S48
 Keene D, S125
 Keldiyarova L, S20, S127
 Kelkar PM, S32
 Kelley K, S115
 Kellison I, S40, S49
 Kelner N, S16
 Kemner JE, S108
 Kennedy DN, 757
 Kennedy N, S70
 Kerkau T, 901
 Kern R, S52
 Kern RZ, S4
 Kernitsky L, S115
 Kerrigan JF, S85, S117
 Kesavadas C, S15
 Kesler S, S90
- Kessler JA, S20, S101
 Keswani SC, 815, S67
 Khandheria BK, S1, S4
 Khosla J, S70
 Khurana DS, S113, S116
 Ki CH, S29
 Kida E, S85
 Kidd DP, S69
 Kido D, 36
 Kiefer R, 901
 Kihara M, S35
 Kikkawa Y, 462
 Kikuchi H, S67
 Kikuchi S, S33
 Kikutani H, S21
 Killiany RJ, 27, S10
 Kim B, S66
 Kim BT, 437
 Kim G, S129
 Kim HJ, S21
 Kim JH, 437, S43
 Kim JM, S21
 Kim KS, S68, S70
 Kim M, S15, S21, S42, S67
 Kim NH, S35
 Kim S, S129
 Kim SU, S68, S70
 Kim WK, S68, S70
 King RHM, 586
 Kingsley PB, 283
 Kinoshita M, S47
 Kinsella LJ, S34
 Kira J, S33, S67
 Kirk D, 116
 Kirschner S, S109
 Kish SJ, S22
 Kitami T, S27
 Kitano Y, 462
 Kivipelto M, 745
 Klatzmann D, 867
 Kleeberg J, 787
 Klein CJ, S29
 Klein CM, S9
 Klockgether T, 444, S20, S27
 Knapp M, S121
 Knecht S, 20, 206
 Knight YE, 371
 Knowlton M, S19
 Kobayashi E, S23
 Kobayashi S, 424, 603
 Kobayashi Y, 689
 Koeppe RA, 604, S19
 Koeppe S, S65
 Koga M, 695
 Kohlschütter A, 342
 Kojan S, S47
 Kojima H, S63
 Kojima K, 139
 Koliatsos V, S12
 Koller W, S56
 Kolodgie M, S99
 Komiyama A, 878
 Kordasiewicz HB, S9
 Korman SH, 139
 Kosch A, 287

- Kossoff EH, S83, S125
 Kotagal P, S41, S101
 Kotagal S, 803, S100
 Kothare SV, S113, S116
 Kouprina N, S87
 Koziorowski D, S67
 Krägeloh-Mann I, 854
 Krahe R, S35
 Krailo M, S106
 Kraiss LW, S71
 Krakauer JW, 796
 Kraus J, 192
 Krause A, 670, 911
 Kraybill M, S19
 Kretzschmar HA, 702
 Kril JJ, 399
 Krishnamoorthy K, S96, S105
 Krishnan R, S93
 Kroenke CD, S91
 Krolak-Salmon P, 556
 Krupp LB, S56
 Krusz JC, S52
 Kryzer TJ, 715, S57
 Kuban K, S111
 Kugler SL, S104
 Kuhle S, S98
 Kukull WA, S19
 Kulikova-Schupak R, S104
 Kumagai T, S63
 Kumagai Y, 741
 Kumanogo A, S21
 Kumru H, 599
 Kunkel TJ, S13
 Kupsch A, 310
 Kure S, 139
 Kuroda Y, 778
 Kuroiwa Y, 878
 Kurono A, 440
 Kurt A, S30
 Kurtzke JF, 752
 Kustra R, S113
 Kusunoki S, 567, S34, S35, S36
 Kuwabara S, 462, S63
 Kuzuhara S, S26
 Kuzumoto Y, S35
 Kwan HC, S23

 Labar DR, S43
 LaFond D, S89
 Laforet P, 650
 Lafrenière RG, 572
 Lahaye M, S112
 Laing NG, 86, 689
 Lal L, S71
 Lallana EC, S65
 Lamantea E, 454
 Lancon JA, S108
 Lanctôt KL, S5, S66
 Landolfi J, S52
 Lang AE, 290, 299
 Langhendries JP, S96
 Langston D, S89
 Langston JW, 316
 Lantigua R, S49

 Laplanche JL, 909
 Larionov V, S87
 Larroque C, 890
 Larsen PD, S110
 Larson EB, S19
 Laskowitz DT, S42
 Lassmann H, 308
 Latchmann DS, 329
 Latour LL, 468
 Launer L, S32
 Launer LJ, S53
 Laurent S, 116
 Laux L, S115
 Lavery S, S114
 Lavon I, S31
 Law CR, S120
 Layton B, S58
 Lazar RM, 796
 Lazzaretto D, 416
 Leali L, S114
 Leary L, S112
 Leary M, 389
 Lee A, 478
 Lee HD, 611
 Lee J, S88, S119, S129
 Lee JC, S48
 Lee JD, S3
 Lee JH, S49
 Lee K, S15
 Lee KW, S21, S35
 Lee LV, S26
 Lee MSW, S5
 Lee S, S72
 Lee ST, S15, S42, S67
 Leenders KL, 299
 Lees AJ, 311, 329, 604
 Lefevre M, S28
 Legido A, S84, S113, S116
 Lehericy S, 890
 Leibovitch FS, S66
 Leigh PN, S22
 Leijten FSS, S24
 Leininger GM, S66
 Leitz GJ, 815
 Lemieux B, S107
 Lennon VA, 715, S57
 Lentz SI, S66
 Lenz FA, S52
 Lenz O, S20
 Leon TJ, S50
 Leonard H, S110, S111
 Leonard N, S111
 Lepore FE, S69
 Lerman-Sagie T, S116
 Leshner R, S88
 Letendre SL, 416
 Letocha AD, S94
 Leurgans SE, S25, S26, S48
 Leventer RJ, S93
 Leventhal F, S106
 Leverenz JB, S19
 Levin HS, 847
 Levine BD, S62
 Levisohn PM, S117
 Levy E, S102, S127
 Levy MJ, 488, 751
 Lewin AS, 182

 Lewis D, S108
 Li L, S128
 Li W, 767
 Li Y, 124, 424, 603, S43
 Liang H, 815
 Liang Q, S54
 Licht DJ, S92
 Lillakas L, S39
 Lim LT, S32
 Limbo K, S108
 Limperopoulos C, S118
 Lin DM, S10
 Lin DS, S72
 Lin J, S14
 Lin S, 342
 Lincoff N, S58
 Lincoln S, 591
 Lindan C, S88, S119
 Lindsey S, S126
 Ling AK, 192
 Liou HH, S55
 Liporace J, 431
 Lippa CF, S27, S48
 Little R, 604
 Liu E, S62
 Liu F, S107
 Liu H, S55
 Liyanage K, 689
 Lo Monaco M, S12
 Lobsiger CS, S36
 Locatelli L, S59
 Lochmann M, 624
 Lodi R, 631, 719, S52
 Loes DJ, S101
 Logan WJ, S97, S124
 Lohi H, S9, S29, S85
 Lombroso PJ, S89
 Longanesi L, 719
 Longo B, 307
 Lord CE, S125
 Lott IT, S87
 Lotze TE, S122
 Louis ED, S25
 Low PA, S9, S16, S60
 Lozano AM, 290
 Lozar C, 259
 Lu CS, 424, 603
 Lu Y, S51
 Lucchinetti CF, 308
 Ludolph AC, S21, S30
 Lugesesi A, 631
 Lund BT, S57
 Lundgren J, 307
 Luo NL, S89
 Lupski JR, 881
 Lupton BA, S119, S120, S123
 Lusis E, 295
 Luu LCT, S5
 Luxon LM, 503
 Lynch JK, S1
 Lynch JM, S108
 Lynch JR, S42

 Ma JH, S47
 MacAllister WS, S56

 MacArthur A, S52
 Maccabee PJ, S35
 MacDonald ME, 670, 911
 MacFall J, S93
 MacGregor D, S119
 Macke A, 351
 MacKinnon T, 894
 MacLeod PJM, S29, S85
 MacMore JP, S10
 Macura SI, S57
 Madsen JR, S112
 Maeda Y, 767
 Magdelaine C, S13
 Maggiore C, S59
 Magnifico F, S52
 Maier EM, 560
 Majersik JJ, S69
 Majnemer A, S100, S119, S121, S122, S126
 Makino S, S26
 Makki M, S91, S94
 Makori B, S131
 Makris N, 757
 Makuch RW, S90
 Malone NT, S13
 Malucelli E, 719
 Mandelbaum DE, S113
 Manfredi G, 171
 Manion I, S125
 Mann RK, S14
 Manning J, 591
 Maraganore DM, 495
 Maramattom BV, S65
 Maranon E, S26
 Marder KS, S25
 Margolis RL, 670, 911
 Maria BL, S97
 Maricich SM, S122
 Marini JC, S94
 Markand O, S4
 Markesbery W, 532
 Markopoulou K, S32
 Marks A, 61
 Markus R, 695
 Marongiu R, S36
 Marshall FJ, S102, S127
 Marshall RS, 796
 Martellato J, S15
 Martin DC, S72
 Martin M, S18
 Martinelli V, 886
 Martínez-Góngora E, 444
 Martini P, S114
 Martins E, 749
 Martinuzzi A, S29
 Marx A, 901
 Masaki K, 532
 Massicotte P, S98
 Matchar DB, S5
 Materek LA, 213
 Matharu MS, 488, 751
 Maton P, S96
 Matsuda H, 77, 311
 Matsuda K, S36
 Matsui A, 741
 Matsumoto S, S26
 Matsumura K, S26

- Matsumura R, 124, S28
Matsuzaki Y, S34
Matthews PM, 273
Matti MJ, 599
Matzinger MA, S112
Mayer L, S118
Mayeux R, S49
Mayr WT, 303, S57
Mazer B, S126
Mazzola S, S31
McArthur JC, S71
McClellan RL, 303, S57
McClintock W, S117
McCloskey M, 913
McClure C, S121
McCool K, 121
McCormick WC, S19
McCurnin D, S91
McCutchan JA, 416
McDermott M, S102
McDonald S, S48, S49
McDonnell SK, 495
McDonough T, S102
McGrath L, 757
McGregor M, S87
McIlroy SP, 121
McKeel D, 249
McKhann G II, 478
McKhann GM, S1, S15
McLean CA, 873
McLean LL, S20
McLeod DR, S100
McLone DG, S101
McMahan TD, S90
McNaught KStP, 149, 540, 750
McNeely M, S97
McQuillen PS, S90
McVey AL, S60
Meeran K, 488, 751
Megerian T, S123
Mehrotra V, S52
Mehta M, S106
Meijer IA, S79
Meissner I, S1, S4
Meissner W, 309
Mejia-Santana H, S25
Melms A, 727
Melville P, S56
Melvin JJ, S113, S116
Memon S, S109
Mendez IM, S53
Mendez O, S70
Ment L, S89
Ment LR, S90
Meola G, S35
Mercho S, S44
Merino J, S16
Meschia JF, S16
Messenheimer J, S113, S115
Messing S, S102
Mesulam MM, 750
Meucci G, 886
Meyer J, S17
Meyer T, S30
Mi R, S9
Mi ZP, S129
Michalik A, 448
Michaud J, S95
Michelucci R, 455
Michon AM, S107
Midgert C, 86
Mignault AA, S87
Mihai C, S59
Mikolaenko I, S10
Milazzo M, S56
Miles B, S97
Millefiorini E, S59
Miller A, S30
Miller C, 734
Miller DH, 273, 407, S31, S58
Miller J, S109
Miller SP, S90
Miller TM, S4, S36
Miller VM, S37
Mills KR, S22
Milne RL, 129
Milonas I, S31
Minarik SG, S107
Minassian BA, S9, S13, S29, S85
Mink JW, S89, S102, S104, S108, S127
Minkeviciene R, S48
Minnerop M, S27
Miotto K, S120
Mirnics ZK, S129
Misawa S, 462
Mishra OP, S84
Mishra SK, S37
Misra V, S37
Mitchell L, S98
Mitchell WG, S95, S118, S124
Mithal A, S5
Mitsui Y, S35
Miyagishi R, S33
Miyata H, S10
Miyazaki Y, S36
Mizrahi-Kol R, S31
Mizuno Y, 424, 603, S27, S28
Mizusawa H, 124
Mnatzakanian GN, S29, S85
Mochida GH, S87
Mocroft A, 307
Modoni A, S12
Moghadaszadeh B, 133
Moghekar A, S36
Mohiddin SA, 299
Moller JC, 311
Monaco AP, 299, S44
Monia BP, S36
Montagna P, 427, S52
Montalban X, 273
Montejo Y, S29
Montine TJ, S19
Moons KGM, S24
Moore A, 503
Moore DF, S45
Moore H, S110, S111
Moore R, S71
Moore TL, S10
Moorjani B, S83
Moosa S, S66
Mora M, 133
Morales A, 86
Morandi L, 133
Moretto G, S31
Morgan K, S100
Morgello S, S56
Mori H, S48
Mori S, S97
Morita D, 567, S34, S36
Morita M, 163
Moriya M, S21
Morley CJ, S91
Morley JE, S71
Moro E, 290
Morris EB, S98
Morrissey MJ, S40, S68
Mortelmans L, S50
Moschella V, S24
Moser HW, S10, S20, S38, S101, S127
Mosier DR, S59
Moss MB, S10
Motomura M, S63
Motoyoshi K, 567, S34
Muddiman DC, S29
Muddle JR, S86
Muench C, S30
Mufson EJ, S20
Muller RN, 116
Müller-Hermelink HK, 901
Muniz R, S107
Muñoz E, S99
Munschauer F, S58
Muntau AC, S60
Munteanu I, S29, S85
Muntoni F, 738
Muqit MMK, 329
Murakami T, S36
Murata K, S36
Murman DL, S1
Murumägi A, 901
Musiek FE, 503
Muzik O, S91, S93, S94, S95
Mysore J, 670, 911
Nabi R, S99, S100, S101, S103, S105
Nacmias B, 163, S17
Nadeem M, S20
Nagado T, 440
Nagae-Poetscher LM, S97
Nagai A, S68
Nagano S, S22
Nägele T, 727
Nagorsen U, 206
Naidu SR, S10
Naito Y, S26
Najm H, S117
Nakabayashi H, S97
Nakagawa Y, S26
Nakamuro T, S28
Nakanishi T, S22
Nakashima K, 670, 911
Nakatsuji Y, S21
Nalcioğlu O, 709
Naldi I, 455
Nammour N, S59
Naqvi S, S115
Narayan K, 361
Narayan T, 808
Narayanan JT, S43
Narita Y, S26
Nass R, S106
Nath A, S70
Neary AC, S108
Nee L, S27
Neft RA, S105
Negri T, 133
Neidhart E, 382
Neil JJ, S91
Nelson A, 221
Nelson J, S32
Nelson MD, S95
Nemoto Y, S63
Nennesmo I, S64
Nepomuceno AI, S29
Ness JM, S120
Neul JL, S122
Neville DCA, 642
Newburger DE, 86
Newhart M, S45
Newman M, 431
Newman T, S32
Newsom-Davis J, S63
Ng AR, 424, 603
Ng K, S42
Ng Y, S85, S117
Nichelli P, 167
Nicholas R, S33
Nickerson JP, 36
Nicolle MW, S61
Niemann G, 854
Nigro M, S96
Niino M, S33
Nijtmans LGJ, 560
Nikolov B, 431
Nishimura M, S26
Nishino I, 689
Nisipeanu P, S28
Nitta A, S102
Nix W, 901
Nobile C, 455
Noda K, S27
Nohra G, S23, S68
Nonaka I, 689
Nonaka Y, 77, 311
Noonan JP, S116
Nordli D, S115
Nørgaard MG, 279
North KN, 689
Norton J, 249
Noseworthy JH, 303, S57
Novotny E, S103, S120
Nowak-Göttl U, 287
Nuttin C, S96
Nylander KD, S54

- Oakley C, S108
 O'Brien JF, S29
 O'Brien PC, S9
 O'Brien R, S12
 Ochi H, S33
 O'Dell C, S109
 Oelrichs RB, 873
 Ogata T, 741
 Ogawara K, 462
 Oger J, S30
 Oh SJ, S64
 Oh SS, S66
 O'Hara K, S115
 Ohara S, S52
 Ohayon EL, S23
 O'Hearn E, 670, 911
 Ohnishi T, 77, 311
 Ohta Y, 77, 311
 Okabe S, 77, 311
 Okuno T, S21
 Olanow CW, 149, 540, 750
 Olin JT, S49
 Olson LL, S97
 O'Mara S, 912
 Omer S, S13
 Omuro AMP, S65
 Ondo W, S54
 O'Neill BP, S60
 O'Neill FJ, S71
 Ono S, S21
 Onodera O, 163
 Oosawa Y, S36
 Oostra BA, 427
 Ørngreen MC, 279
 Orrell RW, 586
 Orso G, S29
 Ortel T, S2
 Osame M, 440
 Oschmann P, 192
 Osei-Lah A, S22
 O'Shea M, S111
 Oskoui M, S126
 Osoegawa M, S33
 Osterdock RJ, 36
 Otsuka F, 741
 Otsuka R, 440
 Ott BR, S49
 Ottaviani S, S31
 Ottman R, S25
 O'Tuama LA, S96
 Ouvrier R, 689
 Owada M, S97
 Owens GP, 97
 Ozawa T, 311

 Pachner AR, 361
 Packer RJ, S89, S106
 Padgett KR, 61, S97
 Padula M, S32
 Pak L, 361
 Pal DK, S104
 Palmiter RD, S85
 Pals P, S91
 Pan H, S110
 Pan S, S54

 Pan Y, S71
 Pandey D, S15
 Pandian JD, S14
 Pandya DP, S37
 Panet A, S71
 Papa SM, 723
 Pardo CA, S86, S106, S129
 Parisi JE, S16, S98
 Park H, S15
 Park IH, S68, S70
 Park JH, S21
 Park M, S48
 Park SH, S35
 Park YD, S83
 Parra J, S24
 Partridge S, S90
 Pascual JM, S104
 Pasik P, 540, 750
 Pasinetti GM, S27
 Pasnoor M, S60
 Passmore AP, 121
 Pastor P, 249
 Patel SH, S52
 Patrick K, S58
 Patrick PH, S71
 Patterson BJ, 808
 Patterson KE, S124
 Paul S, S94
 Paulson HL, S37
 Pavlicek A, S87
 Pawar GV, S40
 Pazdera L, 389
 Pazzi A, S35
 Pearce DA, S102, S127
 Pearce W, S107
 Pearl PL, S83, S99, S103, S117, S120
 Pediatric MS Study Group, S56
 Pekar JJ, 912
 Pellock JM, S115
 Peltier A, S62
 Peltier AC, S60
 Pennell P, 431
 Peoc'h K, 909
 Peracchi M, 886
 Peraus G, S30
 Perez JC, 249
 Pérez-González R, 444
 Perier C, 51
 Perl DP, 149, 540, 750
 Perlmutter JS, 249
 Perry R, S106
 Perry VH, S32
 Persad C, 604
 Pes G, S19
 Peskind ER, S49
 Pessin MS, 389
 Peterman P, S125
 Peterson BS, S90
 Peterson M, S72
 Peterson P, 901
 Petroff OA, S43
 Petrovitch H, S32
 Petta F, S24
 Petterson TM, S1, S4
 Pettigrew LC, S42

 Phan KL, S94
 PHAROS Investigators, S24
 Piacentini S, 163
 Piccini C, S17
 Piemonte F, S12
 Pierangeli G, S52
 Pietras T, S49
 Pigeon WR, S20
 Pineda J, 61
 Pirko I, S57
 Pisani F, S114
 Pittock SJ, 303, 715, S57
 Pizzinelli S, 886
 Plant GT, S58
 Planter M, S59
 Platt FM, 642
 Platt RW, S119, S121, S122, S126
 Plioplys AV, S125
 Poças F, 749
 Poduri A, S112
 Pohl D, S98
 Polley M, 815
 Polman CH, 273
 Polowetzky D, S56
 Polston DW, S60
 Polydefkis M, S36
 Pomara N, S49
 Pomeroy SL, S123
 Pomper M, S12
 Ponsen MM, 173
 Poommipanit N, S130
 Poon YYW, 290
 Poppe M, 738
 Poser S, 702
 Poskitt K, S119, S120, S123
 Posner JB, 609
 Potkin SG, S48, S49
 Potter N, 670, 911
 Poulos MA, 86
 Price D, S12
 Prineas JW, 309
 Pringsheim T, S52
 Privat N, 909
 Prudlo J, S30
 Pruskil S, 351
 Przedborski S, 51
 Puech JP, 68
 Purdy MB, S53
 Pustorino G, S38

 Qi X, 182
 Qiao Y, S47
 Quanxiang, S128
 Quarg P, S17
 Qui SK, S125
 Quinn NP, 311, 329

 Rabadi MH, S72
 Racacho L, S23
 Racette BA, 249
 Radhakrishnan VV, S15
 Radoeva PD, 796
 Rafay MF, S124
 Rafiq S, S52

 Raiké RS, S9
 Rajamani K, S45
 Rajesh BJ, S15
 Raju R, S10, S60, S61, S63
 Rakocvic G, S10, S61
 Ramachandran AC, S53
 Ramanathan M, S58
 Ramazzotti A, S93
 Ramirez-Montealegre D, S127
 Ransohoff RM, 548, S32
 Rao CV, S38, S61
 Rao J, S111
 Rao S, S2
 Raol YH, S84
 Rascol O, S55
 Rashid W, S31
 Rasmussen A, 670, 911
 Ratan RR, 607
 Ravindran S, 206
 Ray RJ, S37
 Raymond GV, S20, S38, S101, S127
 Read SJ, 695
 Reaman G, S106
 Rebagliati MR, S37
 Rebiero I, S89
 Reed DA, 750
 Reed N, 815, S67
 Reger M, S89
 Reiber H, S98
 Reich D, S87
 Reich SG, S54, S70
 Reiher AK, S51
 Reilly MM, 586, 730
 Reiss A, S90
 Rekate HL, S85, S117
 Rengo C, 631
 Resnick D, 221
 Reutens DC, 695
 Revel-Vilk S, S97
 Reynolds J, S94
 Rezza G, 307
 Rhead WJ, S45
 Ricci E, S12
 Rich SS, S16
 Richard H, S50
 Richardson MS, S87
 Rickert MH, S59
 Rieckmann P, 901
 Ringel SP, 605
 Ringelstein EB, 20
 Ringer SA, S118
 Rippel CA, S106, S129
 Rippon GA, S49
 Ris D, S89
 Ritchie AM, 97
 Ritzl EK, S83
 Rivera V, S59
 Riviello JJ Jr., S112
 Rivier F, 905
 Rivière JB, S72
 Rivkees SA, S89
 Rizzo M, S40, S49, S50
 Rizzuto N, S31
 Robertson L, S110
 Robertson WC Jr., S39

- Robertson-Murasko P, S89
 Robinson S, S85
 Roby DS, S37
 Rocca WA, 495
 Rochon PA, S5
 Rodnitzky RL, S50
 Rodriguez J, S124
 Rodriguez M, 303, S57
 Rogers JM, S42
 Roh JK, S15, S42, S67
 Rohé CF, 427
 Roland EH, S119, S120, S123
 Romito L, 336
 Roos A, S68
 Rorke L, S89
 Rosales RL, 424, 603
 Rosati G, S19
 Rose JW, 864
 Rose M, S40
 Rose S, S53
 Rosenberg S, S10
 Rosenberg M, S46
 Rosenblatt A, 670, 911
 Rosene DL, S10
 Rosenfield DB, S59
 Rosenwald A, 901
 Ross CA, 670, 911
 Ross GW, S32
 Rosser T, S99, S117, S127
 Rossetto M, S29
 Rossi R, 287
 Rossor M, 894
 Rossor MN, 604
 Rostasy K, S98
 Rothermel R, S94, S95
 Rothner AD, S87, S126
 Rothstein J, S91, S129
 Rouleau GA, S72, S79
 Roussel J, S79
 Roy TK, S64
 Rudick R, S58
 Rudick RA, S48
 Rudolf J, S20
 Ruggeri S, S55
 Rumbaugh JA, S70
 Ruocco AC, S97
 Russek SJ, S84
 Russell J, S62
 Russell JW, S60
 Russman B, S88
 Ruvalo M, S87
 Ryan MM, 86
 Rylova S, S42
 Rzeski W, S51
- Saada A, 734
 Saadia D, S61
 Sabatelli M, S12
 Sabater L, S75
 Sacchetti M, 279
 Sacco RL, S1
 Sachinidis J, 695
 Sadikot A, S55
 Saha A, S51
 Saha S, S39
- Said RR, S112
 Saifi GM, 881
 Sainte-Rose C, 890
 Saiz A, S75
 Sajed M, S46
 Sakai F, S51
 Sakamoto T, S21
 Sakoda S, S21, S22
 Saku K, S50
 Salajegheh M, S61
 Salanova V, S4
 Salat DH, 27
 Salman MS, S39
 Salmon DP, S50
 Salomon B, 867
 Salvi S, S36
 Salvati A, S12, S31
 Salzman PM, S13
 Sampson EL, 894
 Samsa GP, S5
 Sánchez-Cruz G, 444
 Sanders DB, S63
 Sandman CA, S87
 Sandroni P, S9
 Sanger TD, S53
 Sansone V, S35
 Santamaria J, S99
 Santiago M, S69
 Santoro MP, S38
 Santos R, S58
 Santos-Falcón N, 444
 Santra S, 662
 Saperstein DS, S60
 Saragovi HU, S20, S129
 Sargent M, S119, S120, S123
 Sarma PS, S15
 Sasaki H, S22
 Sato K, 139, 424, 603
 Sato S, S42
 Sato T, S22
 Saul RA, 143
 Savonenko A, S12
 Sawada T, 77, 311
 Sayed MA, S41, S101
 Scalabrino G, 886
 Scalais E, S96
 Scaravilli F, 407, 448
 Schaid DJ, 495
 Schalke B, 901
 Schanen CN, S29, S85
 Schapiro MB, 808
 Schaul N, S43
 Scheffer IE, 129
 Scheithauer BW, S32
 Scheller DK, S53, S54
 Schenck JF, S51
 Scher AI, S53
 Scherer SW, S9, S13, S29, S85
 Scherl W, S56
 Schiffmann R, S45, S99
 Schimpf S, 719
 Schlindwein P, 624
 Schluep M, 787
 Schmammann JD, S10
 Schmeichel AM, S16
- Schmidt D, S24
 Schmidt J, S63
 Schmierer K, 407
 Schmitt FA, S49
 Schnaar RL, 228
 Schneider KC, S90
 Schoels L, S20
 Schomer DL, 431
 Schon EA, 662
 Schor NF, S54, S129
 Schorry EK, 808
 Schott JM, 604
 Schulz A, 342
 Schulz-Schaeffer W, 702
 Schwab TS, S64
 Schwalenstoecker B, S21
 Schwartz GL, S1, S4
 Sciacca RR, S1
 Scott J, S100
 Scott SK, 836
 Scudellaro E, 455
 Sebiere G, S107
 Sechi GP, S19
 Sedlmeier R, S30
 Seifried C, 444
 Sejnowski TJ, S23
 Selhorst JB, S38
 Selnes OA, 753, S1, S15
 Seltzer WK, 670, 911
 Sen S, S46
 Seo H, 319
 Sepkuty J, S12
 Serajee FJ, S99, S100, S101, S103, S105
 Serra C, S75
 Sethi V, S14
 Sforza A, S17
 Sgro DL, S38
 Shaag A, 734
 Shabtai N, 734
 Shah D, S114
 Shanahan T, S123
 Shannon P, S9
 Shao L, S40
 Shapiro SM, S96
 Sharma J, S30
 Sharma KR, S61
 Sharma PB, S5
 Sharma R, 897
 Sharp DJ, 836
 Sharp FR, 808
 Sharp G, S110
 Sharpe JA, S39
 Shashidharan P, 540, 750
 Shastri P, S59
 Shatunov A, S61
 Shaul N, 734
 Shaw CE, S22
 Shbaklo Z, S72
 Sheikh KA, 228
 Sheikh Z, S47
 Shekarabi M, S72
 Shellhaas RA, S92
 Shepherd M, S106
 Sheps SG, S1, S4
 Sherman DL, S130
 Sherr EH, S84
- Shevell MI, S119, S121, S122, S123, S126
 Shi Q, S49, S50
 Shibuya S, S34, S63
 Shimakawa S, 689
 Shimizu A, S22
 Shimizu N, 424, 603, S21
 Shimizu Y, S47
 Shimohata M, 163
 Shimohata T, 670, 911
 Shimojo N, 741
 Shimpi AV, S58
 Shin K, 741
 Shinnoh N, S67
 Shioyama M, S35
 Shiraishi H, S21
 Shirodaria C, 738
 Shoesmith CL, S61
 Shoji S, 741
 Shokat K, S90
 Shroff M, S124
 Shulman LM, S54
 Shuman S, 431
 Shustik C, S44
 Shutter LA, 36
 Siddique T, S62
 Silay YS, S54
 Silber MH, 803
 Sillanpää N, 901
 Silliman S, S16
 Silver B, S14
 Silvestre DW, S92
 Silvestri G, S12
 Sima AAF, 459, 827
 Simon J, S48
 Simon PM, S20
 Simpson DM, S72
 Simpson RK, S54
 Singer HS, S89, S106, S109, S129
 Singer W, S9
 Singh B, S30
 Singh G, S5
 Singh TP, S3
 Singh YP, S14
 Singleton JR, S60
 Singleton R, S62
 Sisodiya SM, 503
 Sivaswamy L, S96
 Skene JHP, 221
 Skinner SM, S59
 Skipper L, S91
 Skolasky R, S71, S86
 Slevin R, S70
 Slezak JM, S9
 Small G, S17
 Small SL, 5
 Smeitink JAM, 560
 Smith AD, S54
 Smith AG, S60, S62
 Smith AK, S131
 Smith BE, S62
 Smith DA, 642
 Smith EE, S18
 Smith EM, S128
 Smith GS, 283
 Smith L, S53

- Smith RA, S36
 Smith SA, S88
 Smith TW, S27
 Smith WB, S42
 Smith-Arena L, S72
 Snutch TP, 213
 Sobeih MM, S128
 Sohn YH, S95
 Solodow W, S106
 Solomon G, S87
 Solomon GE, S31
 Solomon K, S94
 Soma H, S22
 Sondey M, 361
 Song H, S118
 Sonntag KC, 319
 Sonoda Y, 440
 Sorbi S, 163, S17
 Soul JS, S118
 Sowers L, S107
 Spacey SD, 213
 Spano M, S38
 Sparrow JC, 689
 Specht K, S27, S90
 Spence SJ, S125
 Spencer DD, S43
 Sperfeld AD, S30
 Sperling M, 431
 Sperling RA, 27
 Spetsieris P, 283
 Spinner RJ, S60
 Sposto R, S89
 Sprotte G, S51
 Squarcia A, S114
 Squier WM, S93
 Srinivasaraghavan B, S59
 Srivastava AK, 143, S103
 St. Hillaire C, 240, S70
 St. Jacques PL, S17
 St. Louis EK, S32
 Staba RJ, 108
 Stain AM, S97
 Stallings-Roberson G, 847
 Stanard P, S104
 Stanzione P, S24
 Starr HL, S108
 Stashinko E, S97
 Staudt M, 854
 Stead LG, S46
 Steele S, 757
 Steffens JD, S69
 Stefovskya V, 351
 Steinbach M, S39
 Steiner I, S71
 Steiner RD, S45
 Steinhoff BJ, 702
 Stensaas SS, S110
 Sterjovski J, 873
 Stern CE, 27
 Stern DM, 51
 Stern MB, 169
 Sternberg D, 650
 Stevens R, S96
 Stevenson R, S54
 Stewart M, S91
 Stief E, S83
 Stierman L, S40
 Stocchi F, S55
 Stock M, S51
 Stoffers D, 173
 Storch A, 299
 Strafella AP, 290, S55
 Strain KJ, 495
 Sträter R, 287
 Straub V, 738
 Strickland CD, 86
 Stringer WA, S96
 Ströbel P, 901
 Stumm G, S30
 Sturtz F, S13
 Su PC, S55
 Su S, 283
 Suarez GA, S9
 Subramony SH, S62
 Sueoka E, 778
 Sueoka N, 778
 Sugai F, S22
 Sule N, 881
 Sullivan AEN, S125
 Sullivan P, S42
 Sun L, 182
 Sunada Y, S36
 Sunbulli MF, S3, S45
 Sung JJ, S21
 Surace EI, 295
 Sutula TP, 164
 Suzuki M, S21
 Suzumura H, S102
 Swarte RMC, S113
 Swartz RH, S4
 Szigeti K, 881
 Ta HQ, S57
 Tabri N, 650
 Tabuena D, S26
 Tae WS, 437
 Tafti M, 382, 905
 Tager-Flusberg H, 757
 Taira K, 124
 Taivassalo T, S62
 Takahashi H, 163
 Takamure M, S36
 Takeda K, S26
 Takei A, S22
 Takeshita S, S17
 Tamada Y, S36
 Tamaoka A, 741
 Tamiya G, S26
 Tamura M, S51
 Tanaka K, S27
 Tandon R, S51
 Tang LL, S11
 Tang MX, S49
 Tang W, S42
 Tang Y, 808
 Tang-Wai R, S123, S126
 Tanila H, S48
 Tanner CM, S32
 Tanzi S, S114
 Tapia J, 389
 Tariot PN, S49
 Tay SKH, S112
 Tazir M, S13
 Teal P, 389
 Tedde A, 163
 Teismann P, 51
 Temudo T, 749
 ten Brinke M, 560
 Teramoto N, 77, 311
 Terwindt GM, S53
 Tettenborn B, 389
 Thakor NV, S130
 Theodore WH, S42, S83
 Thibodeau SN, S29
 Thomas A, S20
 Thomas FP, S34, S38, S61
 Thomas S, S5
 Thomas SV, S15
 Thompson AJ, S31, S58
 Thompson C, 750
 Thompson KA, 873
 Thompson RM, S9
 Thomson J, S19
 Tierney E, S104
 Tieru K, 51
 Tift C, S99
 Tilikete C, 556
 Timofeev I, S23
 Tintner R, S54
 Tinuper P, 455
 Tippin J, S40
 Tiraboschi P, S24, S50
 Tison F, S55
 To T, S39
 Tochon-Danguy H, 695
 Toda T, 424, 603
 Tolosa E, 249, 311, 599
 Tomanek B, 116
 Tomasi D, 259
 Tomczak KK, 86
 Tomé FMS, S63
 Tomimitsu H, 440
 Tomiyama H, 424, 603
 Tomizawa M, S26
 Tonali PA, S12
 Tong J, S22
 Tong KA, 36
 Tonon C, 719, S52
 Toosy AT, S58
 TOP-INT-51 Investigators Group, S112
 Torroni A, 631
 Tortorella G, S38
 Tosun H, S72
 Touchette PE, S87
 Touchon J, 905
 Toung TJK, S14
 Toupin S, 579
 Toyoshima Y, 163
 Tran P, S51
 Trébeden-Nègre H, 867
 Trefz FK, 727
 Trescher W, S130
 Trijbels FJM, 560
 Trottenberg T, 310
 Troupin A, S19
 Truy E, S56
 Tsang C, S84
 Tsang PW, S23
 Tse W, S56
 Tseng H, S55
 Tsuang DW, S19
 Tsuboi Y, S12, S56
 Tsuji S, 163, 670, 911, S34, S36
 Tuck M, S117
 Tuor UI, 116
 Tupler L, S93
 Turchan-Cholewo J, S70
 Turk O, S3
 Turman JE, S39
 Turner MR, S22
 Turner RS, S19
 Turpin JC, S28
 Turri E, S31
 Tyer-Reeves P, S42
 Tyler B, S91
 Tyurina YY, S129
 Tziperman B, S116
 Uc EY, S50
 Uchino M, S63
 Ueno S, S28, S36, S65
 Ugalde C, 560
 Ugawa Y, 77, 311
 Uhler MD, S66
 Uijl SG, S24
 Ukadike KC, 143
 Unaki A, S34
 Unwin HD, S47
 Uyama E, S63
 Uyeki TM, S122
 Uzel G, S101
 Vacca L, S55
 Vadlamudi L, 129
 Vaisbuch E, S93
 Vaisleib II, S105
 Valencia I, S84, S113, S116
 Valente EM, S36
 Valentino ML, 631, 719
 Vallat JM, S13
 Valldeoriola F, 599
 Van Broeckhoven C, 448, 591
 Van den Broeck M, 591
 van den Heuvel LP, 560
 Van Dine TL, S86
 van Eck-Smit BLF, 173
 Van Eldik LJ, 61
 van Engelen BGM, 279
 van Golen CM, S64, S66
 van Golen KL, S64
 van Heyningen V, 503
 Van Hirtum-Das M, S118
 Van Horn G, 314
 Van Huffelen AC, S24
 Van Laere K, S50
 Van Leeuwen FW, S33
 van Lierop AE, S110
 van Melle G, 787
 Van Oene J, S112
 Van Orman C, S111
 Van Stavern RB, S3, S45
 Vancor M, S108
 Vandenberghe RR, S50

- Vandenbulcke M, S50
 Vanderleest R, S40
 Vanderver AL, S94, S99
 Vanderver G, S94
 Vanderwerf Y, S55
 Vanier MT, 68
 Varland MR, S85, S117
 Vattemi G, S33
 Vaughan CG, S54
 Vedanarayanan VV, S62, S108
 Velayos-Baeza A, 299
 Velázquez-Manresa M, 444
 Velázquez-Pérez L, 444
 Vemmos K, 389
 Verbruggen A, S50
 Verhoeff NPLG, S17
 Verlaan DJ, S72
 Verot L, 68
 Verschuren MWMM, S53
 Vervoort VS, 143
 Vezina G, S89
 Vezina LG, S83, S99
 Vicart S, 650
 Vidailhet M, S55
 Viebahn B, 444
 Vierhile A, S108
 Vighetto A, S56
 Vila M, 51
 Vilarinho L, 749
 Vincent A, S51, S63
 Vincent AM, S20
 Vincent JB, S29, S85
 Vink R, S128
 Vinters HV, S10
 Visconti K, S118
 Visser GH, S113
 Vissing J, 279
 Vitek M, S42
 Vohr B, S90
 Voigt K, 192
 Voit T, 738
 Volpe JJ, S118
 von Stuckrad-Barre S, 444
 Voss JG, S63
 Vuong A, S115
 Vuong KD, S54

 Waibel S, S21
 Wailke S, 20
 Wainwright MS, 61
 Wakayama K, S21
 Wakayama Y, S34, S63
 Walker KR, 689
 Walker RH, 670, 911
 Walker RWH, 730
 Wall CJ, 36
 Wallace E, S112
 Walsh CA, S87
 Walsh DM, S87
 Walti CC, S107
 Walus M, S85
 Wanders RJA, 727
 Wang CH, S87

 Wang H, S42, S92
 Wang J, S37, S92
 Wang JS, S86
 Wang LY, 611
 Wang M, S102
 Wang Q, 240
 Wang ST, 611
 Waninger A, S51
 Warach S, 468
 Waranch HR, S109
 Warner DS, S42
 Warner TT, S86
 Warnock C, S113
 Wasay M, S47
 Watabe H, 77, 311
 Watabe K, S21
 Watabe Y, S102
 Watanabe O, 440
 Waternberg N, S116
 Waters C, S25
 Watson BV, S61
 Watson JC, S44
 Watt HE, 864
 Watts KL, S59
 Weaver AL, S46
 Weaver K, S91
 Webster CJ, S87
 Webster R, S121
 Webster RI, S119, S122, S123, S126
 Weiner H, 478
 Weiner WJ, S54
 Weinshenker BG, 303, S57
 Weinstein S, S83, S99
 Weinstock-Guttman B, S58
 Weintraub S, 750
 Weiss W, S90
 Weisz CJC, S86, S130
 Wells WJ, S118
 Werhahn KJ, 206
 Wernette K, 604
 Wernicke JF, S51
 Wesselingh SL, 873, S71
 Westall C, S39
 Westbury S, 299
 Westerveld M, S90
 Wheless JW, S109
 Whisnant JP, S1, S4
 White AT, 864
 White LR, S32
 Whiteside A, S44
 Whiting S, S112, S124, S125
 Whitt K, S93
 Wiebers DO, S1, S4
 Wieck G, S93
 Wijdicks EFM, S44, S64, S65
 Wilfong A, S114
 Wilkinson MF, S56
 Willer JC, 650
 Williams IM, 642
 Williams LS, S123
 Williams MA, 457

 Williamson S, S110
 Wilson CL, 108
 Wilson MA, S130
 Wilson RS, S16, S48
 Winblad B, 745
 Winner P, S87
 Winter C, 310
 Wirrell E, S100
 Wise RJS, 836
 Wisniewski KE, S85
 Wissinger B, 719
 Withofs L, S96
 Wittman J, S112
 Wityk RJ, 389
 Wolf H, 745
 Wolfe JH, S84
 Wolk DA, 434
 Wollack JB, S131
 Wolters ECh, 173
 Wong B, S88
 Wong C, S114
 Wong K, S5
 Wong M, S27
 Wood NW, 311, 329, 448, 730
 Woods CG, S87
 Woods SP, 416
 Worrall BB, S16
 Worth R, S4
 Wright-Talamante CL, S126
 Wroe SJ, 299
 Wrogemann K, 738
 Wszolek ZK, S12, S56
 Wu C, S116
 Wu L, 240
 Wu S, S40
 Wu X, S110
 Wu YW, S88, S118, S119
 Wujek P, S85
 Wullner U, 311
 Wu J, S20, S25
 Wycliffe N, S107
 Wydra J, 796
 Wylie M, 808
 Wylie E, S43

 Xiang M, S12
 Xie P, S43
 Xie Y, S49
 Xu B, S83
 Xuan Y, S96
 Xuereb JH, 399

 Yabe I, S22
 Yagui K, 462
 Yakupov R, 259
 Yamada M, 163
 Yamada T, S29, S50, S56, S67, S85
 Yamamoto S, S47
 Yamamoto Y, S22
 Yamamura Y, 424, 603
 Yamanaka K, S36

 Yamanouchi H, S102
 Yamashita S, S63
 Yamazaki H, S97
 Yamazaki T, S21
 Yan C, S129
 Yan SD, 51
 Yaylali I, S115
 Ye F, S45
 Yen RF, S55
 Yenari MA, S47
 Yoder B, S91
 Yohay K, S91, S129
 Yokota T, 124
 Yoon DY, S129
 Yoon YH, S87
 Yoshida CK, S88, S119
 Yoshino H, 424, 603
 Yu H, 709, S2
 Yu J, 478
 Yuan RR, 767
 Yukitake M, 778
 Yum SS, S116
 Yum SW, S102

 Zaldivar T, S29
 Zambrano GJ, S47
 Zamrini E, S18
 Zang B, S50
 Zang YCQ, S59
 Zapple DN, S128
 Zarahn E, 796
 Zarny S, S52
 Zeger SL, S1, S15
 Zehavi L, S116
 Zeldenrust SR, S29
 Zerr I, 702
 Zeviani M, 454
 Zhan RY, S11
 Zhang C, S90
 Zhang G, 228, S84
 Zhang H, S47, S71
 Zhang HP, 51
 Zhang JZ, S59
 Zhang L, 847
 Zhang W, 827
 Zhao W, S37
 Zheng C, 564
 Zheng JS, S11
 Zhong H, S99, S100, S101, S103, S105
 Zhou C, 815
 Zhou L, S26
 Zhou YQ, S11
 Ziegler DA, 454, 757
 Ziemann U, 444
 Zilber N, S30
 Zimmerman EA, S51
 Zivadinov R, S30, S59
 Zivkovic S, S70
 Zorzon M, S59
 Zwitserlood P, 20

Subject Index

Acanthocytosis

chorein detection for the diagnosis of chorea-acanthocytosis (Dobston-Stone et al) 2004;56:299

ACCULINK device

final 1-year composite endpoint results for the ARCHEr Trials: ACCULINK for revascularization of carotids in high-risk patients (Atkinson and ARCHEr Trial Collaborators) 2004;56:S14

Aceruloplasminemia

aceruloplasminemia presenting with dementia: high field MR evidence for extremely high levels of brain iron (Zimmerman et al) 2004;56:S51

Acetylcholinesterase

voxel-based parametric mapping of acetylcholinesterase activity using [¹¹C]PMP positron emission tomography in mild cognitive impairment (Vandenberghe et al) 2004;56:S50

Acidemia, methylmalonic

methylmalonic acidemia (Robertson, Jr.) 2004;56:S39

Acquired immunodeficiency syndrome

combined antiretroviral therapy and the incidence of acquired immunodeficiency syndrome-related central nervous system diseases (Dorrucchi et al) 2004;56:307 (Letter)
combined antiretroviral therapy and the incidence of acquired immunodeficiency syndrome-related central nervous system diseases (Mocroft et al) 2004;56:307 (Reply)

Actin

actin mutations are one cause of congenital fibre type disproportion (Laing et al) 2004;56:689

α-Actin

heterogeneity of nemaline myopathy cases with skeletal muscle α-actin gene mutations (Agrawal et al) 2004;56:86

Activities of daily living

changes in activities of daily living among dementia patients treated with galantamine (Gauthier et al) 2004;56:S18
subjective patient-report versus objective performance-based measurement of activities of daily living in Parkinson's disease (Shulman et al) 2004;56:S54

Adaptive skills

profiles of executive functioning, behavior, and adaptive skills in children with neurofibromatosis type 1 (Rosser et al) 2004;56:S127

Addenbrooke's Cognitive Examination (ACE)

the Q&E is more sensitive than the clock draw, Mini-Cog, and six-item screener in the detection of mild dementia (Dash et al) 2004;56:S19

Adenosine-1 receptor

adenosine-1-receptor blockade by caffeine attenuates cerebral myelination disturbances induced by chronic hypoxia in the perinatal mouse (Back et al) 2004;56:S89

Adenosine triphosphate

deficit of in vivo mitochondrial ATP production in OPA1-related dominant optic atrophy (Lodi et al) 2004;56:719
effect of humanin on ATP production: therapeutic candidate for mitochondrial disorders (Kariya et al) 2004;56:S65

Adolescents

adolescent migraine: sumatriptan nasal spray is effective and well tolerated (Rothner et al) 2004;56:S87
comparison of the delayed-release and sprinkle formulations versus the extended-release formulation of dival-

proex: results of a 14-day, randomized, open-label, cross-over study in child and adolescent outpatients with epilepsy (Kernitsky et al) 2004;56:S115

conversion to lamotrigine monotherapy from valproate monotherapy in adolescent patients with epilepsy (Fakhoury et al) 2004;56:S115

gender differences in passive listening: fMRI study comparing male and female adults and adolescents (Mitchell et al) 2004;56:S95

memantine experience in children and adolescents with autistic spectrum disorders (Chez et al) 2004;56:S109
new daily persistent headache in children and adolescents (AbdelSalam et al) 2004;56:S126

switching from immediate-release to extended-release carbamazepine: evaluation of safety, efficacy, and tolerability in adolescents with epilepsy (Wheless) 2004;56:S109
use of an external responsive neurostimulator device in adolescents with epilepsy (Kossoff et al) 2004;56:S83

Adrenoleukodystrophy, X-linked

MRI correlates of early cognitive dysfunction in asymptomatic boys with X-linked adrenoleukodystrophy: prospective evaluation (Dubey et al) 2004;56:S101

neuropsychological profile of asymptomatic boys with X-linked adrenoleukodystrophy who had normal brain MRI (Dubey et al) 2004;56:S38

therapeutic effects of normal cells on ABCD1-deficient cells in vitro and hematopoietic cell transplantation on the X-ALD mouse model (Furuya et al) 2004;56:S67

Adrenomyeloneuropathy

severity and rate of progression of clinical disability in adrenomyeloneuropathy patients (Dubey et al) 2004;56:S20, S127

Age

age-related influences on the clinical characteristics of new-onset hallucinations in Parkinson's disease patients (Goetz et al) 2004;56:S25

Age at death

effects of tau and ApoE genotypes on age at onset and age at death in progressive supranuclear palsy (Baba et al) 2004;56:S12

Age at onset

effects of tau and ApoE genotypes on age at onset and age at death in progressive supranuclear palsy (Baba et al) 2004;56:S12

Aging

androgen receptor distribution in hippocampal subfields in aging and Alzheimer's disease (Chang and Hong-Goka) 2004;56:S17

Akt

IGF-I protects hyperglycemic neurons from apoptosis via Akt activation and caspase inhibition (Leininger et al) 2004;56:S66

Allergic encephalomyelitis, experimental

beneficial effect of erythropoietin on experimental allergic encephalomyelitis (Li et al) 2004;56:767

ALSEATS

ALSEATS, a more comprehensive instrument for assessing the multidimensional nature of eating in amyotrophic lateral sclerosis patients (Luu et al) 2004;56:S5

Alternating hemiplegia of childhood

case of alternating hemiplegia of childhood successfully treated with topiramate: follow-up of 12 months (Di Rosa et al) 2004;56:S38

Alzheimer's dementia

the interleukin 1β gene promoter polymorphism (-511) acts as a risk factor for psychosis in Alzheimer's dementia (Craig et al) 2004;56:121

Alzheimer's disease

- β -amyloid burden in Alzheimer's and Pick's disease: what is the relationship to α -synuclein aggregation? (Lippa and Mori) 2004;56:S48
- androgen receptor distribution in hippocampal subfields in aging and Alzheimer's disease (Chang and Hong-Goka) 2004;56:S17
- an ApoE-based therapeutic improves outcome and reduces Alzheimer's disease pathology after head injury (Lynch et al) 2004;56:S42
- association among plasma lipoprotein subfractions as characterized by analytical isotachopheresis, apolipoprotein E phenotype, Alzheimer's disease, and mild cognitive impairment (Yamada et al) 2004;56:S50
- association of sleep abnormalities and parkinsonism in Alzheimer's disease (Park et al) 2004;56:S48
- diagnostic confidence in the clinical diagnosis of frontotemporal dementia and Alzheimer's disease (Heidebrink et al) 2004;56:S19
- homocysteine, brain atrophy, and white matter disease in Alzheimer's disease and cerebral amyloid angiopathy (Gurol et al) 2004;56:S18
- increased rivastigmine response with more rapid rate of change in Alzheimer's disease (Farlow et al) 2004;56:S17
- memantine monotherapy increases brain metabolism and effectively treats mild to moderate Alzheimer's disease (Potkin et al) 2004;56:S48
- memantine monotherapy is effective and safe for the treatment of mild to moderate Alzheimer's disease: randomized, controlled trial (Peskind et al) 2004;56:S49
- neuroanatomical correlates of apathy associated with Alzheimer's disease by means of statistical parametric mapping (Moosa et al) 2004;56:S66
- persistence patterns of treatment with rivastigmine versus donepezil in a Medicaid population (Singh et al) 2004;56:S5
- plaques, stops, and virtual cops (Rizzo et al) 2004;56:S49
- presenilin-1 Alzheimer's disease mutations: do synaptophysin disturbances play a role in the pathophysiology? (Abdelhak et al) 2004;56:S27
- rate of cognitive decline in Alzheimer's disease and spirituality/religiosity (Kaufman et al) 2004;56:S45
- route-following in drivers with Parkinson's disease vs. Alzheimer's disease (Uc et al) 2004;56:S50
- serum lipids and hippocampal volume: the link to Alzheimer's disease? (Wolf et al) 2004;56:745

Alzheimer's disease, early-stage

- reduction of cortical TrkA but not p75^{NTR} protein in early-stage Alzheimer's disease (Counts et al) 2004;56:520

Alzheimer's disease, familial

- interaction between stroke and apolipoprotein-E ϵ 4 and risk of familial Alzheimer's disease among Caribbean Hispanics (Rippon et al) 2004;56:S49

Ambulatory dementia care

- characteristics of ambulatory dementia care in the United States, 1993–2001 (Murman and Lynch) 2004;56:S1

Amebic encephalitis, granulomatous

- granulomatous amebic encephalitis in a transplant patient: case report (Mendez et al) 2004;56:S70

Ammonia

- ammonia increases interleukin-1 β -induced inducible nitric oxide synthase expression in C6 glioma cells (Feng et al) 2004;56:S40

Amnesia

- frequency and severity of subcortical ischemic hyperintensities in amnesic mild cognitive impairment (Bocti et al) 2004;56:S16

Amplitude EEG

- nurses observation versus amplitude EEG in the detection of neonatal seizures (Naqvi et al) 2004;56:S115

β -Amyloid

- β -amyloid burden in Alzheimer's and Pick's disease: what is the relationship to α -synuclein aggregation? (Lippa and Mori) 2004;56:S48
- effect of immunotherapy on expression of cytokines and chemokines in relation to β -amyloid and ubiquitin in the muscle of patients with sporadic inclusion body myositis (Schmidt et al) 2004;56:S63

Amyloid angiopathy

- homocysteine, brain atrophy, and white matter disease in Alzheimer's disease and cerebral amyloid angiopathy (Gurol et al) 2004;56:S18
- non-hemorrhagic mass lesion as presentation of amyloid angiopathy: a case report (Ali and Cruz-Flores) 2004;56:S13

Amyloidotic transthyretin neuropathy

- accurate and expedited diagnosis of amyloidotic transthyretin neuropathy: proteomic and genomic approach (Klein et al) 2004;56:S29

Amyotrophic lateral sclerosis

- ALSEATS, a more comprehensive instrument for assessing the multidimensional nature of eating in amyotrophic lateral sclerosis patients (Luu et al) 2004;56:S5
 - differences in cortical excitability and selective neuronal vulnerability between sporadic and homozygous D90A *SOD1* amyotrophic lateral sclerosis (Turner et al) 2004;56:S22
 - increased expression of vascular endothelial growth factor in skin biopsies of patients with amyotrophic lateral sclerosis (Ono et al) 2004;56:S21
 - initial evaluation of the frequency of the restless legs syndrome and sleep complaints among patients with amyotrophic lateral sclerosis (Greenough et al) 2004;56:S20
 - PGE₂ receptors rescue motor neurons in a model of amyotrophic lateral sclerosis (Bilak et al) 2004;56:S240
 - phospholipid microparticles incorporating phosphatidylglycerol inhibit microglial activation, rescue motoneurons, and slow disease in ALS mice (Beers et al) 2004;56:S37
 - point mutations of the p150 subunit of dynactin (DCTN1) gene in amyotrophic lateral sclerosis (Muench et al) 2004;56:S30
 - protective effect of copaxone in mouse models of ALS depends on genetic background and gender (Ludolph et al) 2004;56:S21
 - role of CD40 in amyotrophic lateral sclerosis (Okuno et al) 2004;56:S21
 - vascular endothelial growth factor prolongs survival in a transgenic mouse model of ALS (Zheng et al) 2004;56:564
- ## **Amyotrophic lateral sclerosis, familial**
- familial amyotrophic lateral sclerosis due to a Gly41Ser mutation in the SOD 1 gene: confirmation of severe phenotype (Subramony et al) 2004;56:S62
 - molecular therapy for familial amyotrophic lateral sclerosis (Miller et al) 2004;56:S36
 - ratio of mutant/normal SOD1 is an indicator for the progression of familial ALS (Yamamoto et al) 2004;56:S22

Analgesics

effect of opioid analgesics on magnetic resonance imaging scores in asphyxiated term infants (Angeles et al) 2004; 56:S107

Ancient history

neurology in the pharaonic era (El-Gengaihy and El-Gengaihy) 2004;56:S69

Androgen receptor

androgen receptor distribution in hippocampal subfields in aging and Alzheimer's disease (Chang and Hong-Goka) 2004;56:S17

Aneurysms, infectious

intracranial infectious aneurysms: clinical features, management, and outcome (Kanno et al) 2004;56:S15

Angina

postoperative depression predicts the return of angina 1 and 3 years after coronary artery bypass grafting (Borowicz et al) 2004;56:S1

Angiogenesis

granulocyte colony-stimulating factor promotes angiogenesis leading to the long-term functional recovery in focal cerebral ischemia (Lee et al) 2004;56:S15

Angiopathy, amyloid

homocysteine, brain atrophy, and white matter disease in Alzheimer's disease and cerebral amyloid angiopathy (Gurol et al) 2004;56:S18

non-hemorrhagic mass lesion as presentation of amyloid angiopathy: a case report (Ali and Cruz-Flores) 2004; 56:S13

Animal models

adenosine-1-receptor blockade by caffeine attenuates cerebral myelination disturbances induced by chronic hypoxia in the perinatal mouse (Back et al) 2004;56:S89

is the microinfusion of antineuronal antibodies into rodent striatum a valid method to evaluate autoimmunity in pediatric movement disorders? (Singer et al) 2004; 56:S89

sleep in the cuttlefish (Duntley and Morrissey) 2004;56: S68

Anithrombotics

use of anithrombotics after TIA and ischemic stroke (Hills and California Acute Stroke Pilot Registry Investigators) 2004;56:S3

Annals of Neurology

message from the editor (Johnson) 2004;56:1

Antibodies

an anti-ganglioside antibody-secreting hybridoma induces neuropathy in mice (Sheikh et al) 2004;56:228

anti-Hu antibodies and sensorimotor polyneuropathy associated with carcinoid tumorlet of lung (Pasnoor et al) 2004;56:S60

anti-neuronal antibodies in patients with cancer (Posner) 2004;56:609 (Editorial)

autoantibodies against heterogeneous nuclear ribonucleoprotein B1 in CSF of MS patients (Sueoka et al) 2004; 56:778

comparison of anti-basal ganglia antibodies in PANDAS and Tourette syndrome (Hong et al) 2004;56:S129

dynamics of interferon- β -modulated biomarkers in multiple sclerosis patients with persistent anti-interferon- β -neutralizing antibodies (Weinstock-Guttman et al) 2004;56:S58

effects of phospholipids on the activity of anti-GM1 IgM antibodies in autoimmune neuropathies (Hirakawa et al) 2004;56:S34

human antibody that promotes remyelination enters the central nervous system and decreases lesion load as de-

tected by T2-weighted spinal cord magnetic resonance imaging in a virus-induced murine model of multiple sclerosis (Pirko et al) 2004;56:S57

inoculation with lipids from *Mycoplasma pneumoniae*-induced production of antibodies against a major myelin glycolipid, galactocerebroside (Morita et al) 2004; 56:S36

is the microinfusion of antineuronal antibodies into rodent striatum a valid method to evaluate autoimmunity in pediatric movement disorders? (Singer et al) 2004; 56:S89

mechanism of action of voltage-gated K⁺ channel antibodies in acquired neuromyotonia (Tomimitsu et al) 2004;56:440

methodological factors are important in the study of anti-basal ganglia antibodies (Rippel et al) 2004;56:S106

multicenter study of clinical, geographical, and ethnic features of MuSK-antibody-associated myasthenia gravis (Vincent et al) 2004;56:S63

a novel anti-GAD-antibody-positive neurological syndrome of generalized dystonia responding to immunotherapy (Chaudhuri and Behan) 2004;56:S25

paraneoplastic antibodies coexist and predict cancer, not neurological syndrome (Pittock et al) 2004;56:715

paraneoplastic autoantibodies commonly coexist as complementary predictors of cancer (Pittock et al) 2004;56: S57

Antibodies, monoclonal

treatment of multiple sclerosis with an anti-interleukin-2 receptor monoclonal antibody (Rose et al) 2004;56:864

Antibodies, pathogenic

response to intravenous immunoglobulins and experimental evidence for pathogenic antibodies in a case of complex regional pain syndrome (Goebel et al) 2004;56:S51

Anticancer agents

anticancer agents are potent neurotoxins in vitro and in vivo (Rzeski et al) 2004;56:S31

α -1-Antichymotrypsin gene

α -1-antichymotrypsin gene polymorphism and susceptibility to multiple system atrophy (Furiya et al) 2004;56: S28

Anticonvulsant therapy

effects of anticonvulsant therapy on cognition and attention in children with new-onset, idiopathic epilepsy: prospective study (Mandelbaum et al) 2004; 56:S113

Antiepileptic drugs

long-term seizure control of AEDs after epilepsy surgery (Schmidt) 2004;56:S24

tapering of antiepileptic drugs in 2-year, seizure-free patients with partial and secondarily generalized epilepsy (Barrera and Harden) 2004;56:S23

worst fear when AED treatment is discontinued is that seizures recur and are intractable — fortunately this "recurrent" nightmare is rare (Camfield and Camfield) 2004;56:S83

Antioxidants

TEMPOL/PNA: recycling antioxidant in dopaminergic mesencephalic systems (Liang et al) 2004;56:S54

Antiplatelet drugs

cost reduction strategy for secondary prevention of stroke using cost-minimization analysis of antiplatelet drugs (Lourdes et al) 2004;56:S14

Antiretroviral therapy

antiretroviral exposure is a risk factor for HIV-associated sensory neuropathies (McArthur et al) 2004;56:S71

- combined antiretroviral therapy and the incidence of acquired immunodeficiency syndrome-related central nervous system diseases (Dorrucchi et al) 2004;56:307 (Letter)
- combined antiretroviral therapy and the incidence of acquired immunodeficiency syndrome-related central nervous system diseases (Mocroft et al) 2004;56:307 (Reply)
- enhancing antiretroviral therapy for human immunodeficiency virus cognitive disorders (Letendre et al) 2004;56:416
- Anxiety**
- benefit of selective serotonin reuptake inhibitors is greater for comorbid anxiety than for obsessive-compulsive behaviors in Tourette syndrome (Neary et al) 2004;56:S108
- learning-enhancing and anxiolytic effects of memantine in nontransgenic and transgenic mice over-expressing APPswe and PS1 (Tanila et al) 2004;56:S48
- Apathy**
- apathy and psychosis in early onset Parkinson's disease (Chatterjee et al) 2004;56:S25
- neuroanatomical correlates of apathy associated with Alzheimer's disease by means of statistical parametric mapping (Moosa et al) 2004;56:S66
- Aphasia, primary progressive**
- a clinical trial of bromocriptine for treatment of primary progressive aphasia (Reed et al) 2004;56:750 (Letter)
- Apolipoprotein E**
- an ApoE-based therapeutic improves outcome and reduces Alzheimer's disease pathology after head injury (Lynch et al) 2004;56:S42
- association among plasma lipoprotein subfractions as characterized by analytical isotachopheresis, apolipoprotein E phenotype, Alzheimer's disease, and mild cognitive impairment (Yamada et al) 2004;56:S50
- effects of tau and ApoE genotypes on age at onset and age at death in progressive supranuclear palsy (Baba et al) 2004;56:S12
- Apolipoprotein-E $\epsilon 4$**
- interaction between stroke and apolipoprotein-E $\epsilon 4$ and risk of familial Alzheimer's disease among Caribbean Hispanics (Rippon et al) 2004;56:S49
- Apoptosis**
- differential regulation of insulin receptor substrate-1 degradation during apoptosis (Kim et al) 2004;56:S66
- glutamate release inhibitor riluzole reduces cerebellar apoptosis in the immature rat cerebellum after radiation exposure (Yohay et al) 2004;56:S129
- IGF-I protects hyperglycemic neurons from apoptosis via Akt activation and caspase inhibition (Leininger et al) 2004;56:S66
- impaired cell adhesion and apoptosis in a novel CLN9 Batten disease variant (Schulz et al) 2004;56:S42
- requirement for caspase 3 expression for Bcl-2-dependent potentiation of neocarzinostatin-induced apoptosis (Mi et al) 2004;56:S129
- short-term hyperglycemia produces oxidative damage and apoptosis in neurons (Vincent et al) 2004;56:S20
- APPswe gene**
- learning-enhancing and anxiolytic effects of memantine in nontransgenic and transgenic mice over-expressing APPswe and PS1 (Tanila et al) 2004;56:S48
- Aprataxin-related ataxia**
- alternative splicing may contribute to tissue-specific phenotype in aprataxin-related ataxia (Hirano et al) 2004;56:S28
- Aqueductal stenosis**
- developmental brain anomalies secondary to intra-uterine hydrocephalus with aqueductal stenosis (Humphreys and Michaud) 2004;56:S95
- ARChER Trials**
- final 1-year composite endpoint results for the ARChER Trials: ACCULINK for revascularization of carotids in high-risk patients (Atkinson and ARChER Trial Collaborators) 2004;56:S14
- Arnold-Chiari type II malformation**
- cerebellar vermis morphology in children with Arnold-Chiari type II malformation (Salman et al) 2004;56:S39
- saccadic adaptation in children with Arnold-Chiari type II malformation (Salman et al) 2004;56:S39
- Arterial spin labeling**
- perfusion magnetic resonance imaging in childhood central nervous system vasculopathy and stroke (Shellhaas et al) 2004;56:S92
- Arterial stroke, perinatal**
- predictors of outcome in perinatal arterial stroke (Lee et al) 2004;56:S119
- twin gestation without fetal demise may be a risk for perinatal arterial ischemic stroke in term neonates (Golomb et al) 2004;56:S123
- Arundic acid**
- arundic acid in acute ischemic stroke: pharmacokinetics and coagulation effects (Pettigrew et al) 2004;56:S42
- Ascorbate**
- effect of intravenous ascorbate infusion on normal and Fabry cerebral vasculature (Moore et al) 2004;56:S45
- Asphyxia**
- effect of opioid analgesics on magnetic resonance imaging scores in asphyxiated term infants (Angeles et al) 2004;56:S107
- Aspiration, post-stroke**
- improved prediction of post-stroke aspiration with measures of voluntary cough (Hammond et al) 2004;56:S46
- Aspirin**
- development of inhibition of platelet recruitment over time with clopidogrel added to aspirin in prevention of recurrent stroke (Brace et al) 2004;56:S15
- ASPM gene**
- accelerated evolution of human microcephaly genes may have led to evolutionary expansion of the human brain (Mochida et al) 2004;56:S87
- Assessments, early neurobehavioral**
- clinical validity of early neurobehavioral assessments of very preterm infants (Brown et al) 2004;56:S92
- Astrocytes**
- astrocyte specific viral strains in HIV dementia (Thompson et al) 2004;56:873
- microglia potentiate astrocyte injury: reversal by inducible heat shock protein 70 (Zambrano et al) 2004;56:S47
- Ataxia**
- longitudinal neurodevelopmental evaluation of children with opoclonus-ataxia (Mitchell et al) 2004;56:S124
- spinocerebellar ataxia type 17 repeat in patients with Huntington's disease-like and ataxia (Cellini et al) 2004;56:163 (Letter)
- spinocerebellar ataxia type 17 repeat in patients with Huntington's disease-like and ataxia (Toyoshima et al) 2004;56:163 (Reply)
- Ataxia, aprataxin-related**
- alternative splicing may contribute to tissue-specific phenotype in aprataxin-related ataxia (Hirano et al) 2004;56:S28

Ataxia, cerebellar

West Nile encephalitis presenting as opsoclonus-myoclonus-cerebellar ataxia (Khosla et al) 2004;56:S70

Ataxia, episodic

dominantly inherited episodic ataxia in mice caused by truncated $\alpha 1A$ subunit causing reduced P/Q calcium currents (Raiké et al) 2004;56:S9

functional implications of a novel EA2 mutation in the P/Q-type calcium channel (Spacey et al) 2004;56:213

Ataxia, Friedreich

Friedreich ataxia in carriers of unstable borderline GAA triplet-repeat alleles (Sharma et al) 2004;56:897

Ataxia, spinocerebellar

ataxin-7 aggregation and ubiquitination in infantile SCA7 with 180 CAG repeats (Ansorge et al) 2004;56:448

saccade velocity is controlled by polyglutamine size in spinocerebellar ataxia 2 (Velázquez-Pérez et al) 2004;56:444

spinocerebellar ataxia type 17 repeat in patients with Huntington's disease-like and ataxia (Cellini et al) 2004;56:163 (Letter)

spinocerebellar ataxia type 17 repeat in patients with Huntington's disease-like and ataxia (Toyoshima et al) 2004;56:163 (Reply)

uncoupling between glucose metabolism and cerebral blood flow in patients with spinocerebellar ataxia (Kato et al) 2004;56:S26

Ataxin-2

saccade velocity is controlled by polyglutamine size in spinocerebellar ataxia 2 (Velázquez-Pérez et al) 2004;56:444

Ataxin-3

sequence-dependent and independent inhibition specific for mutant ataxin-3 by small interfering RNA (Li et al) 2004;56:124

Ataxin-7

ataxin-7 aggregation and ubiquitination in infantile SCA7 with 180 CAG repeats (Ansorge et al) 2004;56:448

Atherosclerosis

atherosclerosis of the aorta: risk factor, risk marker, or innocent bystander? population-based transesophageal echocardiographic study (Meissner et al) 2004;56:S4

Atlastin gene

molecular and functional analyses of *Drosophila* homologues of autosomal-dominant hereditary spastic paraplegia genes spastin and atlastin (Martinuzzi et al) 2004;56:S29

Atomoxetine

OROS MPH provides greater attention-deficit/hyperactivity disorder core symptom response than atomoxetine (Kemner et al) 2004;56:S108

Atrial fibrillation

use of heparin for atrial fibrillation-related stroke: can neurologists learn to practice evidence-based medicine? (Sunbulli et al) 2004;56:S3

Atrophy, brain

homocysteine, brain atrophy, and white matter disease in Alzheimer's disease and cerebral amyloid angiopathy (Gurol et al) 2004;56:S18

quantitative evaluation of accuracy with different brain atrophy techniques (Dwyer et al) 2004;56:S59

Atrophy, grey matter

measurement of cerebral grey and white matter atrophy in patients with multiple sclerosis (Watts et al) 2004;56:S59

Atrophy, multiple system

$\alpha 1$ -antichymotrypsin gene polymorphism and susceptibility to multiple system atrophy (Furiya et al) 2004;56:S28

clinical features of multiple system atrophy in Japan: MSA-C is the most common manifestation of MSA in Japan (Soma et al) 2004;56:S22

voxel-based relaxometry: application to multiple system atrophy (Klockgether et al) 2004;56:S27

Atrophy, optic

deficit of in vivo mitochondrial ATP production in OPA1-related dominant optic atrophy (Lodi et al) 2004;56:719

poison and antidote: a novel model to study pathogenesis and therapy of LHON (Manfredi and Beal) 2004;56:171 (Editorial)

Atrophy, spinal muscular

carrier testing for spinal muscular atrophy: gene dosage analysis may not be sufficient (Kulikova-Schupak et al) 2004;56:S104

hydroxyurea induces SMN2 gene expression in SMA cells (Wang and Grzeschik) 2004;56:S87

molecular studies of infant spinal muscular atrophy in Cuba (Montejo et al) 2004;56:S29

muscle magnetic resonance imaging and ^1H -MRS in spinal muscular atrophy (Acsadi et al) 2004;56:S96

randomized creatine trial in childhood spinal muscular atrophy (Iannaccone et al) 2004;56:S88

Atrophy, white matter

measurement of cerebral grey and white matter atrophy in patients with multiple sclerosis (Watts et al) 2004;56:S59

Attention

effects of anticonvulsant therapy on cognition and attention in children with new-onset, idiopathic epilepsy: prospective study (Mandelbaum et al) 2004;56:S113

Attention, spatial

hemispheric mediation of spatial attention: pseudoneglect after callosal stroke (Wolk and Coslett) 2004;56:434

Attention-deficit disorder

efficacy and safety of once-daily dexamethylphenidate extended-release capsules in pediatric patients with attention-deficit disorder (Greenhill et al) 2004;56:S107

Attention-deficit/hyperactivity disorder

OROS MPH provides greater attention-deficit/hyperactivity disorder core symptom response than atomoxetine (Kemner et al) 2004;56:S108

Attention network

adaptation of the attention network in human immunodeficiency virus brain injury (Chang et al) 2004;56:259

Auditory evoked potentials, brainstem

visual evoked potentials and brainstem auditory evoked potentials in patients with multiple sclerosis and cerebral periventricular white matter small vessel ischemic disease (Barrera et al) 2004;56:S31

Auditory features

a de novo LGI1 mutation in sporadic partial epilepsy with auditory features (Bisulli et al) 2004;56:455 (Letter)

Auditory hallucinations

absence of LGI1 mutations in familial mesial temporal lobe epilepsy patients with or without auditory hallucinations (Badhwar et al) 2004;56:S23

Auditory interhemispheric transfer

deficient auditory interhemispheric transfer in patients with *PAX6* mutations (Bamiou et al) 2004;56:S03

Autism

altered brain growth in children with tuberous sclerosis complex and autism (Kagawa et al) 2004;56:S93

association analyses of 50 candidate genes for autism from 7q21-36 region (Nabi et al) 2004;56:S100

- association of chromosome 15 GABA_A receptor subunit genes with autism (Serajee et al) 2004;56:S103
- association of Reelin gene polymorphisms with autism (Serajee et al) 2004;56:S99
- autism spectrum disorder in boys with Fragile X: serial evaluation (Cortell et al) 2004;56:S104
- brain lumps and bumps: a neural risk for autism (Fouldas) 2004;56:755 (Editorial)
- distribution and heritability of phenotypic traits in autism (Nabi et al) 2004;56:S105
- genetics of phosphatidylinositol signaling in autism (Nabi et al) 2004;56:S103
- immunogenetic studies in autism: association with IL4R and ICAM5 genes (Serajee et al) 2004;56:S101
- language-association cortex asymmetry in autism and specific language impairment (De Fossé et al) 2004;56:757
- lateralized cortical serotonergic abnormalities in autistic children are associated with social subtypes (Behen et al) 2004;56:S95
- role of GABA in autism: new clues from hyper-GABAergic states (Acosta et al) 2004;56:S103
- serotonergic abnormalities in caudate nucleus in autism (Chandana et al) 2004;56:S94
- serotonin neurotransmitter system in autism: association with HTR4, HTR6, and TDO2 polymorphisms (Nabi et al) 2004;56:S99
- white matter volume increase and minocolumns in autism (Casanova) 2004;56:453 (Letter)
- white matter volume increase and minocolumns in autism (Herbert and Ziegler) 2004;56:454 (Reply)
- Autistic spectrum disorders**
- memantine experience in children and adolescents with autistic spectrum disorders (Chez et al) 2004;56:S109
- relationship of epilepsy and IQ in autism spectrum disorders and non-spectrum developmental delay (Spence et al) 2004;56:S125
- Autoantibodies**
- autoantibodies against heterogeneous nuclear ribonucleoprotein B1 in CSF of MS patients (Sueoka et al) 2004;56:778
- paraneoplastic autoantibodies commonly coexist as complementary predictors of cancer (Pittock et al) 2004;56:S57
- Autoimmune encephalomyelitis, experimental**
- attenuation of chronic experimental autoimmune encephalomyelitis by intraventricular transplantation of neural spheres (Ben-Hur et al) 2004;56:S31
- Autoimmune myasthenia gravis**
- inflammation in muscle biopsy in acute myasthenia gravis mimicking "inflammatory myopathy" in the acute phase of the experimental autoimmune myasthenia gravis (Achong et al) 2004;56:S64
- Autoimmune neuropathy**
- quantitative sudomotor axon reflex test in patients with autoimmune neuropathies (Kuzumoto et al) 2004;56:S35
- Autoimmune neuropsychiatric disorders, pediatric**
- comparison of anti-basal ganglia antibodies in PANDAS and Tourette syndrome (Hong et al) 2004;56:S129
- Autoimmunity**
- is the microinfusion of antineuronal antibodies into rodent striatum a valid method to evaluate autoimmunity in pediatric movement disorders? (Singer et al) 2004;56:S89
- Axonal degeneration**
- a novel endogenous erythropoietin mediated pathway prevents axonal degeneration (Keswani et al) 2004;56:815
- Axonal excitability**
- the acute effects of glycemic control on axonal excitability in human diabetics (Kitano et al) 2004;56:462
- Axotomy**
- neuroprotective effect of insulin-like growth factor-I against glutamate- and axotomy-induced motor neuron death (Iwasaki et al) 2004;56:S12
- B lymphocytes**
- B-lymphocyte and plasma cell clonal expansion in monosymptomatic optic neuritis cerebrospinal fluid (Haubold et al) 2004;56:97
- Babinski sign**
- toes up or down? study of the reliability and validity of the Babinski sign (Miller and Johnson) 2004;56:S4
- Baclofen**
- role of diazepam rectal gel in an emergency treatment plan for patients with intrathecal baclofen (van Lierop et al) 2004;56:S110
- Basal forebrain cholinergic neurons**
- minocycline prevents cholinergic loss in a mouse model of Down's syndrome (Hunter et al) 2004;56:675
- Basal ganglia**
- comparison of anti-basal ganglia antibodies in PANDAS and Tourette syndrome (Hong et al) 2004;56:S129
- methodological factors are important in the study of anti-basal ganglia antibodies (Rippel et al) 2004;56:S106
- Basal language area**
- retrieving meaning after temporal lobe infarction: the role of the basal language area (Sharp et al) 2004;56:836
- Basilar invagination**
- neurologic outcome in osteogenesis imperfecta patients with basilar invagination (Vanderver et al) 2004;56:S94
- Batten disease**
- impaired cell adhesion and apoptosis in a novel CLN9 Batten disease variant (Schulz et al) 2004;56:342
- obsessive/compulsive symptoms in juvenile neuronal ceroid lipofuscinosis (Batten disease) 2004;56:S127
- Unified Batten Disease Rating Scale: description and reliability (Marshall et al) 2004;56:S102
- Bcl-2**
- inverse relationship between intra-striatal distribution of Bcl-2 protein in normal human brain and the pattern of dopamine loss in Parkinson's disease (Tong et al) 2004;56:S22
- requirement for caspase 3 expression for Bcl-2-dependent potentiation of neocarzinostatin-induced apoptosis (Mi et al) 2004;56:S129
- Bedside Cognitive Assessment Battery (BCAB)**
- validation of a rating scale for bedside cognitive assessment (Roos and Hugo) 2004;56:S68
- Bedside EEG tools**
- utility of bedside EEG tools in term encephalopathic infants (Inder et al) 2004;56:S114
- Behavior problems**
- are behavior problems more common in children with epilepsy? (Keene et al) 2004;56:S125
- profiles of executive functioning, behavior, and adaptive skills in children with neurofibromatosis type 1 (Rosser et al) 2004;56:S127
- Behavior therapy**
- behavior therapy for the treatment of serotypic movements in non-autistic children (Miller et al) 2004;56:S109
- Behavioral neurology**
- therapeutics in cognitive and behavioral neurology (Small) 2004;56:5 (Editorial)

Behavioral sleep

sleep in the cuttlefish (Duntley and Morrissey) 2004;56:S68

Behçet's syndrome

United Kingdom study of the natural history of neurological complications of Behçet's syndrome (Kidd) 2004;56:S69

Bilevel positive airway pressure (BiPAP)

BiPAP and early Guillain-Barré syndrome (Wijdicks and Roy) 2004;56:S64

Bioinformatics

InterRett — application of bioinformatics to international Rett syndrome research (Moore et al) 2004;56:S111

Biopsy, muscle

congenital myopathy: does timing of muscle biopsy matter? (Johnsen and Bodensteiner) 2004;56:S105

inflammation in muscle biopsy in acute myasthenia gravis mimicking "inflammatory myopathy" in the acute phase of the experimental autoimmune myasthenia gravis (Achong et al) 2004;56:S64

Biopsy, skin

increased expression of vascular endothelial growth factor in skin biopsies of patients with amyotrophic lateral sclerosis (Ono et al) 2004;56:S21

Birth weight, low

magnetic resonance imaging findings in children surviving extremely premature delivery and extremely low birth weight with cerebral palsy (Bodensteiner and Johnsen) 2004;56:S95

Bladder function

differential impact of D1 and D2 dopamine receptor stimulation on bladder function in Parkinson's disease (Brusa et al) 2004;56:S24

Blood

blood expression profiles for tuberous sclerosis complex 2, neurofibromatosis type 1, and Down's syndrome (Tang et al) 2004;56:808

Blood vessel fibronectin

Sturge-Weber syndrome: altered blood vessel fibronectin expression and decreased circumference of leptomeningeal blood vessels (Comi et al) 2004;56:S86

Blood vessels, leptomeningeal

Sturge-Weber syndrome: altered blood vessel fibronectin expression and decreased circumference of leptomeningeal blood vessels (Comi et al) 2004;56:S86

Blood-brain barrier

early blood-brain barrier disruption in human focal brain ischemia (Latour et al) 2004;56:468

increased blood-brain barrier permeability with thymidine phosphorylase deficiency (Szigeti et al) 2004;56:881

interferon- β stabilizes barrier characteristics of brain endothelial cells in vitro (Kraus et al) 2004;56:192

study of a concurrent blood-brain barrier disrupting agent and carboplatin with radiation therapy for children with newly diagnosed brain stem gliomas: Children's Oncology Group study (Packer et al) 2004;56:S106

Bone marrow mesenchymal stem cells

immortalized human bone marrow mesenchymal stem cell lines with neurogenic potentials (Kim et al) 2004;56:S68

Bone marrow transplantation

seizures after bone marrow transplantation: etiologies and implications (Watson and Wijdicks) 2004;56:S44

Bone superior canal dehiscence

pulse-synchronous eye oscillations revealing bone superior canal dehiscence (Tilikete et al) 2004;56:S56

Book reviews

Alzheimer's Disease: A Physician's Guide to Practical Management, edited by Richter and Zoeller (O'Brien) 2004;56:312

Autistic Spectrum Disorders in Children, edited by Gupta (Herbert) 2004;56:914

Complementary Therapies in Neurology: An Evidence-Based Approach, edited by Oken (Ringel) 2004;56:605

Escourolle & Poirier Manual of Basic Neuropathy, 4th ed, edited by Gray et al (Crain) 2004;56:752

Ethical Issues in Neurology, Second Edition, by Bernat (Williams) 2004;56:457

Filling-In: From Perceptual Completion to Cortical Reorganization, edited by Pessoa and De Weerd (Dilks) 2004;56:913

Functional and Neural Mechanisms of Interval Timing, edited by Meck (Nichelli) 2004;56:167

Functional Magnetic Resonance Imaging, by Huettel et al (Pekar) 2004;56:912

A History of Nerve Functions: From Animal Spirits to Molecular Mechanisms, by Ochs (Hoffman) 2004;56:915

Hypothermia and Cerebral Ischemia: Mechanisms and Clinical Applications, edited by Maier and Steinberg (Bhardwaj) 2004;56:167

Mechanisms of Memory, by Sweatt (O'Mara) 2004;56:912

Neuroepidemiology. From Principles to Practice, edited by Nelson et al (Kurtzke) 2004;56:752

Neurology of Breathing, by Bolton et al (Aiyagari) 2004;56:312

Neurology of Cognitive and Behavioral Disorders, by Devinsky and D'Esposito (Selnes) 2004;56:753

Neuroradiology: The Requisites, by Grossman and Yousem (Detre) 2004;56:313

The Parietal Lobes, Advances in Neurology, Volume 93, edited by Siegel et al (Hillis) 2004;56:605

Principles and Practice of Neuropathology, Second Edition, edited by Nelson et al (Crain) 2004;56:457

Tuberous Sclerosis Complex: From Basic Science to Clinical Phenotypes, edited by Curatolo (Franz) 2004;56:913

Vascular Cognitive Impairment: Preventable Dementia, edited by Bowler and Hachinski (Bachman) 2004;56:312

Borreliosis

genotype determines phenotype in experimental Lyme borreliosis (Pachner et al) 2004;56:361

Botulinum toxin

botulinum toxin serotype A compared to B in cervical dystonia: randomized, double-blind, parallel study (Comella et al) 2004;56:S25

functional changes in the hemiplegic upper limb after botulinum toxin type A injection into one elbow flexor: single-blind study (Chao et al) 2004;56:S72

improvement in upper limb function in children with obstetrical brachial plexopathy after intramuscular botulinum toxin injections (Limbo et al) 2004;56:S108

Brain

magnetic resonance imaging of the brain in early treated patients with phenylketonuria (Izumi et al) 2004;56:S97

Brain atrophy

homocysteine, brain atrophy, and white matter disease in Alzheimer's disease and cerebral amyloid angiopathy (Gurol et al) 2004;56:S18

quantitative evaluation of accuracy with different brain atrophy techniques (Dwyer et al) 2004;56:S59

Brain checkpoint

epidemiology of migraine on a survey of Japanese brain checkpoint (Ikeda et al) 2004;56:S51

Brain connectivity

abnormal brain connectivity in children with early severe social deprivation: diffusion tensor imaging study (Jagadeesan et al) 2004;56:S91

Brain-derived neurotrophic factor

neuroprotective effects of brain-derived neurotrophic factor on brain neurons in experimental pneumococcal meningitis (Li and Quanxiang) 2004;56:S128

Brain development

accelerated evolution of human microcephaly genes may have led to evolutionary expansion of the human brain (Mochida et al) 2004;56:S87

characterization of diffusion anisotropy during development in fixed baboon brain (Neil et al) 2004;56:S91

developmental brain anomalies secondary to intra-uterine hydrocephalus with aqueductal stenosis (Humphreys and Michaud) 2004;56:S95

effects of active sleep deprivation on the developing brain (Morrissey et al) 2004;56:S40

hypoxia- or kainic acid-induced seizures alter neuronal nuclear $^{45}\text{Ca}^{2+}$ influx in the newborn rat brain: implications for apoptotic neuronal damage (Valencia et al) 2004;56:S84

reorganization in congenital hemiparesis acquired at different gestational ages (Staudt et al) 2004;56:854

Brain functional volume

quantitative evaluation of accuracy with different brain atrophy techniques (Dwyer et al) 2004;56:S59

Brain growth

altered brain growth in children with tuberous sclerosis complex and autism (Kagawa et al) 2004;56:S93

Brain immune-mediated inflammation

chemokines in a novel model of brain immune-mediated inflammation (Glabinski et al) 2004;56:S32

Brain injury

brain lumps and bumps: a neural risk for autism (Fouldas) 2004;56:755 (Editorial)

molecular mechanism of ischemic preconditioning on experimental brain injury (Zhang and Hu) 2004;56:S47

seizures and brain injury in a new model of pediatric stroke: strain-related differences in vulnerability in postnatal day 12 C3HeB/FeJ mice compared to CD1 mice (Comi et al) 2004;56:S130

timing of brain injury in newborns with congenital heart disease (Miller et al) 2004;56:S90

Brain injury, human immunodeficiency virus

adaptation of the attention network in human immunodeficiency virus brain injury (Chang et al) 2004;56:259

Brain injury, hypoxic-ischemic

changing profile of intrapartum hypoxic-ischemic brain injury in term newborns from 1986 to 2001 (Basheer et al) 2004;56:S119

epilepsy following acute near-total hypoxic-ischemic brain injury in the term newborn: predictive factors and seizure pattern (Basheer et al) 2004;56:S123

outcome following intrapartum hypoxic-ischemic insult of the acute near-total type in the term newborn: pattern of head growth, cerebral palsy, and brainstem dysfunction (Basheer et al) 2004;56:S120

Brain injury, traumatic

different bioenergetic responses to injury in immature rodents after diffuse traumatic brain injury (Chang et al) 2004;56:S128

timing of environmental enrichment is critical for recovery after traumatic brain injury in the developing rat (Giza et al) 2004;56:S89

verbal selective learning after traumatic brain injury in children (Hanten et al) 2004;56:847

Brain iron

acreruloplasminemia presenting with dementia: high field MR evidence for extremely high levels of brain iron (Zimmerman et al) 2004;56:S51

Brain ischemia

early blood-brain barrier disruption in human focal brain ischemia (Latour et al) 2004;56:468

Brain metabolism

memantine monotherapy increases brain metabolism and effectively treats mild to moderate Alzheimer's disease (Potkin et al) 2004;56:S48

Brain volume

brain volume and cognition in children with neurofibromatosis type 1 (Grewnwood et al) 2004;56:S93

quantitative evaluation of accuracy with different brain atrophy techniques (Dwyer et al) 2004;56:S59

Brainstem

brainstem pathology in DYT1 primary torsion dystonia (McNaught et al) 2004;56:540, 750 (Correction)

Brainstem auditory evoked potentials

visual evoked potentials and brainstem auditory evoked potentials in patients with multiple sclerosis and cerebral periventricular white matter small vessel ischemic disease (Barrera et al) 2004;56:S31

Brainstem dysfunction

outcome following intrapartum hypoxic-ischemic insult of the acute near-total type in the term newborn: pattern of head growth, cerebral palsy, and brainstem dysfunction (Basheer et al) 2004;56:S120

Brainstem glioma

study of a concurrent blood-brain barrier disrupting agent and carboplatin with radiation therapy for children with newly diagnosed brain stem gliomas: Children's Oncology Group study (Packer et al) 2004;56:S106

Bromocriptine

a clinical trial of bromocriptine for treatment of primary progressive aphasia (Reed et al) 2004;56:750 (Letter)

1-Bromopropane

chronic exposure to 1-bromopropane associated with spastic paraparesis and distal neuropathy: report of six foam-cushion gluers (Majersik et al) 2004;56:S69

Burning body syndrome, acute

acute burning body syndrome: expanding spectrum of small fiber neuropathy/neuronopathy (Moghekar et al) 2004;56:S36

N-Butyldeoxynojirimycin

NSAIDs increase survival in the Sandhoff disease mouse: synergy with N-butyldeoxynojirimycin (Jeyakumar et al) 2004;56:642

C-peptide

C-peptide prevents nociceptive sensory neuropathy in type 1 diabetes (Kamiya et al) 2004;56:827

CACNA1A gene

functional implications of a novel EA2 mutation in the P/Q-type calcium channel (Spacey et al) 2004;56:213

Caffeine

adenosine-1-receptor blockade by caffeine attenuates cerebral myelination disturbances induced by chronic hypoxia in the perinatal mouse (Back et al) 2004;56:S89

Calcium

hypoxia- or kainic acid-induced seizures alter neuronal nuclear $^{45}\text{Ca}^{2+}$ influx in the newborn rat brain: implications

- tions for apoptotic neuronal damage (Valencia et al) 2004;56:S84
- Calcium channels**
functional implications of a novel EA2 mutation in the P/Q-type calcium channel (Spacey et al) 2004;56:213
- Calpain**
calpain cleaves α -fodrin during muscle fiber regeneration in inflammatory myopathy (Murata et al) 2004;56:S36
- Cancer**
anti-neuronal antibodies in patients with cancer (Posner) 2004;56:609 (Editorial)
paraneoplastic antibodies coexist and predict cancer, not neurological syndrome (Pittock et al) 2004;56:715
paraneoplastic autoantibodies commonly coexist as complementary predictors of cancer (Pittock et al) 2004;56:S57
- Carbamazepine**
switching from immediate-release to extended-release carbamazepine: evaluation of safety, efficacy, and tolerability in adolescents with epilepsy (Wheless) 2004;56:S109
- Carbonic anhydrase-related protein VIII**
carbonic anhydrase-related protein VIII: autoantigen in paraneoplastic cerebellar degeneration (Bataller et al) 2004;56:575
- Carboplatin**
study of a concurrent blood-brain barrier disrupting agent and carboplatin with radiation therapy for children with newly diagnosed brain stem gliomas: Children's Oncology Group study (Packer et al) 2004;56:S106
- Carcinoid tumorlet of lung**
anti-Hu antibodies and sensorimotor polyneuropathy associated with carcinoid tumorlet of lung (Pasnoor et al) 2004;56:S60
- Cardiac conduction abnormalities**
low frequency of cardiac conduction abnormalities in myotonic dystrophy type 2: 10-year follow-up study (Meola et al) 2004;56:S35
- Cardiac failure**
cardiac and respiratory failure in limb-girdle muscular dystrophy 21 (Poppe et al) 2004;56:738
- Cardiac transplantation**
postmortem intracranial findings in children who have undergone cardiac transplantation (McClure et al) 2004;56:S121
- Cardiac transplantation, infant**
predictors of neuropsychological outcome following infant heart transplantation (Freier et al) 2004;56:S88
- Cardiovascular events**
midlife cognitive function and susceptibility to cardiovascular events (Elkins and Johnston) 2004;56:S2
- Caribbean Hispanics**
interaction between stroke and apolipoprotein-E $\epsilon 4$ and risk of familial Alzheimer's disease among Caribbean Hispanics (Rippon et al) 2004;56:S49
- Carotid artery stenting**
final 1-year composite endpoint results for the ARCHER Trials: ACCULINK for revascularization of carotids in high-risk patients (Atkinson and ARCHER Trial Collaborators) 2004;56:S14
- Carotid ligation, unilateral**
electrographic seizures after unilateral carotid ligation in postnatal day 12 CD1 mice (Comi et al) 2004;56:S130
- Carpal tunnel syndrome**
comparison of motor transcarpal conduction velocity with sensory conduction techniques in diagnosis of carpal tunnel syndrome (Chang) 2004;56:S34
- Carrier testing**
carrier testing for spinal muscular atrophy: gene dosage analysis may not be sufficient (Kulikova-Schupak et al) 2004;56:S104
- Caspase**
IGF-I protects hyperglycemic neurons from apoptosis via Akt activation and caspase inhibition (Leininger et al) 2004;56:S66
- Caspase 3**
requirement for caspase 3 expression for Bcl-2-dependent potentiation of neocarcinostatin-induced apoptosis (Mi et al) 2004;56:S129
- Casting, serial**
forced use treatment of hemiparesis: serial casting (Gloss et al) 2004;56:S132
- Catamenial seizures**
frequency of catamenial seizure exacerbation in women with localization-related epilepsy (Herzog et al) 2004;56:431
- Cataplexy**
successful management of cataplexy with intravenous immunoglobulins at narcolepsy onset (Dauvilliers et al) 2004;56:905
- Caudate nucleus**
serotonergic abnormalities in caudate nucleus in autism (Chandana et al) 2004;56:S94
- CD40**
role of CD40 in amyotrophic lateral sclerosis (Okuno et al) 2004;56:S21
- CD45**
case-control study of myelin oligodendrocyte glycoprotein and CD45 polymorphisms in multiple sclerosis in Verona, Italy (Gomez-Lira et al) 2004;56:S31
- Cell adhesion**
impaired cell adhesion and apoptosis in a novel CLN9 Batten disease variant (Schulz et al) 2004;56:342
- Cell differentiation**
regulation of differentiation and functional properties of monocytes and monocyte-derived dendritic cells by interferon- β in multiple sclerosis (Zang et al) 2004;56:S59
- Cell migration**
identification of a glial-secreted protein responsible for the initiation of neuronal migration (Sobeih and Corfas) 2004;56:S128
- Cell restorative therapy**
cell restorative therapy in the rat model of Parkinson's disease: employing a multiple-target strategy to improve motor outcomes 2004;56:S53
- Cell therapy**
generation of stable immortalized human neural stem cell lines via tetracycline-responsive oncogene activation for cell therapy in neurological disorders (Kim et al) 2004;56:S70
- Central nervous system**
expression of peripheral myelin protein 22 in human central nervous system (Murakami et al) 2004;56:S36
folic acid supplementation enhances repair of the adult central nervous system (Iskandar et al) 2004;56:221
human antibody that promotes remyelination enters the central nervous system and decreases lesion load as detected by T2-weighted spinal cord magnetic resonance

- imaging in a virus-induced murine model of multiple sclerosis (Pirko et al) 2004;56:S57
- Central nervous system disease**
- combined antiretroviral therapy and the incidence of acquired immunodeficiency syndrome-related central nervous system diseases (Dorrucci et al) 2004;56:307 (Letter)
- combined antiretroviral therapy and the incidence of acquired immunodeficiency syndrome-related central nervous system diseases (Mocroft et al) 2004;56:307 (Reply)
- Central nervous system disease, metastatic**
- nonconvulsive status epilepticus in metastatic central nervous system disease (Blitshteyn and Jaekle) 2004;56:S64
- Central nervous system vasculopathy, childhood**
- perfusion magnetic resonance imaging in childhood central nervous system vasculopathy and stroke (Shellhaas et al) 2004;56:S92
- Cerebellar ataxia**
- West Nile encephalitis presenting as opsoclonus-myoclonus-cerebellar ataxia (Khosla et al) 2004;56:S70
- Cerebellar degeneration, paraneoplastic**
- carbonic anhydrase-related protein VIII: autoantigen in paraneoplastic cerebellar degeneration (Battaller et al) 2004;56:S75
- Cerebellar hypoplasia, autosomal-recessive**
- dysequilibrium syndrome in Hutterites: autosomal-recessive cerebellar hypoplasia (Glass et al) 2004;56:S100
- Cerebellar infarction**
- follow-up of infants with cerebellar infarction and born with history of severe prematurity (Scalais et al) 2004;56:S96
- Cerebellar vermis**
- cerebellar vermis morphology in children with Arnold-Chiari type II malformation (Salman et al) 2004;56:S39
- Cerebellum**
- cerebellar dentate nucleus lesions impair cognitive flexibility but not motor function in monkeys (Schmahmann et al) 2004;56:S10
- cerebellar nuclei afferents and efferents in Joubert syndrome (Maria et al) 2004;56:S97
- glutamate release inhibitor riluzole reduces cerebellar apoptosis in the immature rat cerebellum after radiation exposure (Yohay et al) 2004;56:S129
- Cerebral amyloid angiopathy**
- homocysteine, brain atrophy, and white matter disease in Alzheimer's disease and cerebral amyloid angiopathy (Gurol et al) 2004;56:S18
- Cerebral blood flow**
- uncoupling between glucose metabolism and cerebral blood flow in patients with spinocerebellar ataxia (Kato et al) 2004;56:S26
- Cerebral cortex**
- cortical architectural study of a model mouse of Rett syndrome (Itoh and Fukuda) 2004;56:S38
- functional abnormalities of cerebral cortex in children with spastic diplegic cerebral palsy (Karkare and Chugani) 2004;56:S92
- Cerebral hypoxic-ischemic injury**
- evolution of paroxysmal discharges in the neonatal rat following cerebral hypoxic-ischemic injury (Abi-Raad et al) 2004;56:S130
- Cerebral ischemia**
- patterns of cerebral ischemia in children with moyamoya (Rafay et al) 2004;56:S124
- Cerebral ischemia, focal**
- granulocyte colony-stimulating factor promotes angiogenesis leading to the long-term functional recovery in focal cerebral ischemia (Lee et al) 2004;56:S15
- Cerebral myelination disturbances**
- adenosine-1-receptor blockade by caffeine attenuates cerebral myelination disturbances induced by chronic hypoxia in the perinatal mouse (Back et al) 2004;56:S89
- Cerebral organization**
- functional cerebral organization in patients with hemophilia who have had an intracranial hemorrhage (Ruocco et al) 2004;56:S97
- Cerebral palsy**
- effect of government regulations on death rates of severely disabled, cerebral palsy children (Plioplys and Peterman) 2004;56:S125
- hyperornithinemia-hyperammonemia-homocitrullinuria syndrome: treatable metabolic disease mimicking cerebral palsy (Walti et al) 2004;56:S107
- magnetic resonance imaging findings in children surviving extremely premature delivery and extremely low birth weight with cerebral palsy (Bodensteiner and Johnsen) 2004;56:S95
- outcome following intrapartum hypoxic-ischemic insult of the acute near-total type in the term newborn: pattern of head growth, cerebral palsy, and brainstem dysfunction (Basheer et al) 2004;56:S120
- Cerebral palsy, spastic diplegic**
- functional abnormalities of cerebral cortex in children with spastic diplegic cerebral palsy (Karkare and Chugani) 2004;56:S92
- Cerebral periventricular white matter small vessel ischemic disease**
- visual evoked potentials and brainstem auditory evoked potentials in patients with multiple sclerosis and cerebral periventricular white matter small vessel ischemic disease (Barrera et al) 2004;56:S31
- Cerebral vasculature**
- effect of intravenous ascorbate infusion on normal and Fabry cerebral vasculature (Moore et al) 2004;56:S45
- Cerebral venous thrombosis**
- cerebral venous thrombosis in adults: multi-center cohort from the United States (Wasay et al) 2004;56:S47
- ischemic injury from cerebral venous thrombosis in children preferentially affects subcortical white matter and deep gray nuclei (Ichord) 2004;56:S122
- Cerebrospinal fluid**
- high tumor necrosis factor- α in levels in cerebrospinal fluid of cobalamin-deficient patients (Scalabrino et al) 2004;56:886
- autoantibodies against heterogeneous nuclear ribonucleoprotein B1 in CSF of MS patients (Sueoka et al) 2004;56:778
- B-lymphocyte and plasma cell clonal expansion in monosymptomatic optic neuritis cerebrospinal fluid (Haubold et al) 2004;56:97
- cerebrospinal fluid biomarkers in patients with multiple sclerosis and significant cognitive impairment (Ionete et al) 2004;56:S32
- cerebrospinal fluid characteristics in early onset multiple sclerosis: tool for early diagnosis (Pohl et al) 2004;56:S97
- detection of disease-associated biomarkers in cerebrospinal fluid in vanishing white matter disease (Vanderver et al) 2004;56:S99

Ceroid lipofuscinosis, neuronal

abundant secretion of misfolded tripeptidyl peptidase I associated with the classic late-infantile neuronal ceroid lipofuscinosis in mammalian cells (Wisniewski et al) 2004;56:S85

obsessive/compulsive symptoms in juvenile neuronal ceroid lipofuscinosis (Batten disease) 2004;56:S127

Cervical dystonia

botulinum toxin serotype A compared to B in cervical dystonia: randomized, double-blind, parallel study (Comella et al) 2004;56:S25

Cervical radiculomyelopathy

cervical radiculomyelopathy and Parkinson's disease: does an added neurological comorbidity affect UPDRS and Hoehn and Yahr scores? (Itin et al) 2004;56:S26

Charcot-Marie-Tooth disease

autosomal recessive forms of Charcot-Marie-Tooth disease: histological phenotypes and genotypes (Vallat et al) 2004;56:S13

Charcot-Marie-Tooth disease, early-onset

a novel neurofilament light gene (NEFL) mutation glu210stop causes early onset Charcot-Marie-Tooth disease with an autosomal recessive inheritance (Yum) 2004;56:S102

Charcot-Wilbrand syndrome

total dream loss: a distinct neuropsychological dysfunction after bilateral PCA stroke (Bischof and Bassetti) 2004;56:S83

Chemical weapons

diphenylarsinic acid poisoning from chemical weapons in Kamisu, Japan (Ishii et al) 2004;56:S741

Chemokines

chemokines in a novel model of brain immune-mediated inflammation (Glabinski et al) 2004;56:S32

Chemotherapy

preliminary results of a prospective randomized study of "reduced" craniospinal radiotherapy followed by one of two adjuvant chemotherapy regimens for children with medulloblastoma: Children's Oncology Group study (Packer et al) 2004;56:S89

Chemotherapy-related leukoencephalopathy, subacute

diffusion-weighted MRI correlates of subacute chemotherapy-related leukoencephalopathy (Haykin et al) 2004;56:S65

Childhood central nervous system vasculopathy

perfusion magnetic resonance imaging in childhood central nervous system vasculopathy and stroke (Shellhaas et al) 2004;56:S92

Childhood epilepsy

are behavior problems more common in children with epilepsy? (Keene et al) 2004;56:S125

clinical epidemiology of epileptic children with periventricular leukomalacia (Deonandan et al) 2004;56:S124

comparison of the delayed-release and sprinkle formulations versus the extended-release formulation of divalproex: results of a 14-day, randomized, open-label, cross-over study in child and adolescent outpatients with epilepsy (Kernitsky et al) 2004;56:S115

effects of anticonvulsant therapy on cognition and attention in children with new-onset, idiopathic epilepsy: prospective study (Mandelbaum et al) 2004;56:S113

efficacy and tolerability of topiramate as monotherapy in epilepsy: pediatric experience (Kothare et al) 2004;56:S116

evidence base for evaluation and care in pediatric epilepsy (Caplin et al) 2004;56:S111

factors predictive of outcome in children with cryptogenic epilepsy (Tang-Wai et al) 2004;56:S126

myoclonic-astatic epilepsy is diagnosed as commonly as Lennox-Gastaut syndrome in a pediatric epilepsy monitoring unit (Laux et al) 2004;56:S115

neuroradiological correlates of epilepsy in children with periventricular leukomalacia (Humphreys et al) 2004;56:S112

utility of theoretical models in outcome and quality of life research: example from childhood epilepsy outcome research (Ronen et al) 2004;56:S6

Childhood-onset restless legs syndrome

childhood-onset restless legs syndrome (Kotagal and Silber) 2004;56:S803

clinical spectrum of childhood-onset restless legs syndrome (Kotagal) 2004;56:S100

restless legs syndrome in children (Sayed et al) 2004;56:S41

Childhood spinal muscular atrophy

randomized creatine trial in childhood spinal muscular atrophy (Iannaccone et al) 2004;56:S88

Childhood stroke

clinical challenges in pediatric ischemic stroke: data on over 1000 children with stroke from the 1-800-NO-CLOTS consultation service (Kuhle et al) 2004;56:S97

health-related quality of life and its relationship to neurological outcome in child survivors of stroke (Friefeld et al) 2004;56:S119

pediatric stroke: cost of illness study (Helden et al) 2004;56:S121

Pediatric Stroke Belt: geographic variations in stroke mortality in U.S. children (Fullerton et al) 2004;56:S118

perfusion magnetic resonance imaging in childhood central nervous system vasculopathy and stroke (Shellhaas et al) 2004;56:S92

seizures and brain injury in a new model of pediatric stroke: strain-related differences in vulnerability in postnatal day 12 C3HeB/FeJ mice compared to CD1 mice (Comi et al) 2004;56:S130

Children; see also Pediatrics

abnormal brain connectivity in children with early severe social deprivation: diffusion tensor imaging study (Jagadeesan et al) 2004;56:S91

altered brain growth in children with tuberous sclerosis complex and autism (Kagawa et al) 2004;56:S93

autism spectrum disorder in boys with Fragile X: serial evaluation (Cortell et al) 2004;56:S104

brain activation during emotional face recognition in children with early social deprivation (Behen et al) 2004;56:S94

case of alternating hemiplegia of childhood successfully treated with topiramate: follow-up of 12 months (Di Rosa et al) 2004;56:S38

cerebellar vermis morphology in children with Arnold-Chiari type II malformation (Salman et al) 2004;56:S39

diagnostic value of magnetic resonance imaging in children with new onset seizures and normal computed tomography (Benko et al) 2004;56:S99

diffuse axonal injury in children: clinical correlation with hemorrhagic lesions (Tong et al) 2004;56:S36

disrupted circadian rhythms in children treated for cranio-pharyngioma (Megerian et al) 2004;56:S123

effect of government regulations on death rates of severely disabled, cerebral palsy children (Pliplys and Peterman) 2004;56:S125

efficacy and tolerability of topiramate in children younger than 2 years of age (Fons et al) 2004;56:S116

- functional abnormalities of cerebral cortex in children with spastic diplegic cerebral palsy (Karkare and Chugani) 2004;56:S92
- improvement in upper limb function in children with obstetrical brachial plexopathy after intramuscular botulinum toxin injections (Limbo et al) 2004;56:S108
- ischemic injury from cerebral venous thrombosis in children preferentially affects subcortical white matter and deep gray nuclei (Ichord) 2004;56:S122
- kinematic and EMG analysis of limb movement in children with dystonia (Jenkins and Mink) 2004;56:S104
- longitudinal neurodevelopmental evaluation of children with opsochonus-ataxia (Mitchell et al) 2004;56:S124
- magnetic resonance imaging findings in children surviving extremely premature delivery and extremely low birth weight with cerebral palsy (Bodensteiner and Johnsen) 2004;56:S95
- memantine experience in children and adolescents with autistic spectrum disorders (Chez et al) 2004;56:S109
- migraine and recurrent epistaxis in children: case-control study (Jarjour and Jarjour) 2004;56:S122
- neurologic complications associated with influenza A in children during the 2003–2004 influenza season in Houston, Texas (Maricich et al) 2004;56:S122
- neuropsychological profile of asymptomatic boys with X-linked adrenoleukodystrophy who had normal brain MRI (Dubey et al) 2004;56:S38
- new daily persistent headache in children and adolescents (AbdelSalam et al) 2004;56:S126
- onset of action of lamotrigine in children with partial seizures (Duchowny et al) 2004;56:S113
- outcome of children diagnosed with transverse myelitis (Ness et al) 2004;56:S120
- outcome of chronic daily headache in childhood (Lewis et al) 2004;56:S108
- patterns of cerebral ischemia in children with moyamoya (Rafay et al) 2004;56:S124
- post-operative seizures in children undergoing open-heart surgery for repair of heart defects (Alrifai et al) 2004;56:S117
- postmortem intracranial findings in children who have undergone cardiac transplantation (McClure et al) 2004;56:S121
- preliminary results of a prospective randomized study of "reduced" craniospinal radiotherapy followed by one of two adjuvant chemotherapy regimens for children with medulloblastoma: Children's Oncology Group study (Packer et al) 2004;56:S89
- preterm subjects at age 12 years show structural and functional MRI findings similar to children with developmental dyslexia (Ment et al) 2004;56:S90
- profiles of executive functioning, behavior, and adaptive skills in children with neurofibromatosis type 1 (Rosser et al) 2004;56:S127
- progressive cystic leukoencephalopathy: new familial childhood disorder (Naidu et al) 2004;56:S10
- restless legs syndrome in children (Sayed et al) 2004;56:S101
- role of levetiracetam in prophylaxis of migraine headaches in childhood (Vaisleib and Nefti) 2004;56:S105
- saccadic adaptation in children with Arnold-Chiari type II malformation (Salman et al) 2004;56:S39
- serotonergic abnormalities in caudate nucleus in autism (Chandana et al) 2004;56:S94
- speech and language problems in children with neurofibromatosis type I (Wright-Talamante et al) 2004;56:S126
- study of a concurrent blood-brain barrier disrupting agent and carboplatin with radiation therapy for children with newly diagnosed brain stem gliomas: Children's Oncology Group study (Packer et al) 2004;56:S106
- usefulness of short-term video-EEG in the differential diagnosis of paroxysmal events in children (Tziperman et al) 2004;56:S116
- verbal selective learning after traumatic brain injury in children (Hanten et al) 2004;56:S87
- Children, preschool**
- developmental and functional outcomes in preschool children diagnosed with either global developmental delay or developmental language impairment: comparative study (Shevell et al) 2004;56:S122
- Children, school-age**
- child health and parental stress in school-age children with a preschool diagnosis of developmental delay (Webster et al) 2004;56:S121
- rehabilitation service utilization at school age in children with developmental delay (Mazer et al) 2004;56:S126
- school-age language outcomes of children with global developmental delay and developmental language impairment diagnosed before school entry (Webster et al) 2004;56:S119
- Children's Oncology Group**
- study of a concurrent blood-brain barrier disrupting agent and carboplatin with radiation therapy for children with newly diagnosed brain stem gliomas: Children's Oncology Group study (Packer et al) 2004;56:S106
- Cholinergic neurons**
- minocycline prevents cholinergic loss in a mouse model of Down's syndrome (Hunter et al) 2004;56:675
- Chorea-acanthocytosis**
- chorein detection for the diagnosis of chorea-acanthocytosis (Dobston-Stone et al) 2004;56:299
- temporal lobe epilepsy as the presenting feature of chorea-acanthocytosis in two French-Canadian families (Jansen et al) 2004;56:S44
- Chorein**
- chorein detection for the diagnosis of chorea-acanthocytosis (Dobston-Stone et al) 2004;56:299
- Choroid epithelial cells**
- characterization of folate receptor in cultured choroid epithelial cells (Wollack et al) 2004;56:S131
- Chromosomal abnormalities**
- spectrum of chromosomal abnormalities in the tethered cord syndrome (Bassuk et al) 2004;56:S101
- Chromosome 7q21-36**
- association analyses of 50 candidate genes for autism from 7q21-36 region (Nabi et al) 2004;56:S100
- Chromosome 10q22.1-10q24.1**
- a novel locus for pure recessive hereditary spastic paraplegia maps to 10q22.1-10q24.1 (Meijer et al) 2004;56:579
- Chromosome 15**
- association of chromosome 15 GABA_A receptor subunit genes with autism (Serajee et al) 2004;56:S103
- Chromosome 17q21**
- novel haplotypes in 17q21 are associated with progressive supranuclear palsy (Pastor et al) 2004;56:249
- Chromosome 21q**
- a narcolepsy susceptibility locus maps to a 5Mb region of chromosome 21q (Dauvilliers et al) 2004;56:382
- Chromosome Xq13.4**
- genomic sequence analysis of the *DYT3* region on human chromosome Xq13.4 (Makino et al) 2004;56:S26

Chronic daily headache

outcome of chronic daily headache in childhood (Lewis et al) 2004;56:S108

Chronic fatigue syndrome

exercise lowers pain threshold in chronic fatigue syndrome (Chaudhuri et al) 2004;56:S44

Chronic inflammatory demyelinating polyradiculoneuropathy

case presentations and pathology of CIDP presenting as neoplastic neurofibromas (Polston et al) 2004;56:S60

Cigarette smoking

nicotine-induced loss of Schwann cells in vitro is *not* due to necrosis (Johnson et al) 2004;56:S128

Circadian rhythms

disrupted circadian rhythms in children treated for cranio-pharyngioma (Megerian et al) 2004;56:S123

Circulation, posterior

New England Medical Center Posterior Circulation Registry (Caplan et al) 2004;56:S39

Classic late-infantile neuronal ceroid lipofuscinosis

abundant secretion of misfolded tripeptidyl peptidase I associated with the classic late-infantile neuronal ceroid lipofuscinosis in mammalian cells (Wisniewski et al) 2004;56:S85

Clinical trials

long-term trials: who volunteers? (Harrell et al) 2004;56:S18

reproducibility of quantitative sensory testing in the clinical trial setting (Peltier et al) 2004;56:S60

CLN9 gene

impaired cell adhesion and apoptosis in a novel CLN9 Batten disease variant (Schulz et al) 2004;56:S42

Clonal expansion

B-lymphocyte and plasma cell clonal expansion in monosymptomatic optic neuritis cerebrospinal fluid (Haubold et al) 2004;56:S97

long-term persistence of clonally expanded T cells in patients with polymyositis (Benveniste et al) 2004;56:S67

spectratyping of the T cell receptor β -chain-variable region in the peripheral blood lymphocyte and muscle of patients with sporadic inclusion body myositis: evidence of local expansion of T cell clones (Salajegheh et al) 2004;56:S61

Clopidogrel

development of inhibition of platelet recruitment over time with clopidogrel added to aspirin in prevention of recurrent stroke (Brace et al) 2004;56:S15

Cluster headache

subcutaneous octreotide in cluster headache: randomized placebo-controlled double-blind crossover study (Matharu et al) 2004;56:488, 751 (Correction)

Cobalamin

is the serum cobalamin assay the best predictor of vitamin B12 deficiency? (Haas et al) 2004;56:S34

Cobalamin deficiency

high tumor necrosis factor- α in levels in cerebrospinal fluid of cobalamin-deficient patients (Scalabrino et al) 2004;56:S86

cobalamin deficiency with bilateral optic neuropathy, multiple white matter lesions and normal B12 levels (Rao et al) 2004;56:S38

Cognition

brain volume and cognition in children with neurofibromatosis type 1 (Grewnwood et al) 2004;56:S93

effects of anticonvulsant therapy on cognition and attention in children with new-onset, idiopathic epilepsy: prospective study (Mandelbaum et al) 2004;56:S113

longitudinal study of cognition change during the menopausal transition (Fuh et al) 2004;56:S17

robust response to memantine treatment when functional and behavioral results are combined with cognition (Schmitt et al) 2004;56:S49

Cognitive assessment

validation of a rating scale for bedside cognitive assessment (Roos and Hugo) 2004;56:S68

Cognitive decline

rate of cognitive decline in Alzheimer's disease and spirituality/religiosity (Kaufman et al) 2004;56:S45

Cognitive disorders

enhancing antiretroviral therapy for human immunodeficiency virus cognitive disorders (Letendre et al) 2004;56:416

Cognitive dysfunction, early

MRI correlates of early cognitive dysfunction in asymptomatic boys with X-linked adrenoleukodystrophy: prospective evaluation (Dubey et al) 2004;56:S101

Cognitive function

cerebellar dentate nucleus lesions impair cognitive flexibility but not motor function in monkeys (Schmahmann et al) 2004;56:S10

cognitive outcomes 1 and 3 years after coronary artery bypass grafting compared to nonsurgical controls (Selnes et al) 2004;56:S15

midlife cognitive function and susceptibility to cardiovascular events (Elkins and Johnston) 2004;56:S2

Cognitive impairment, mild

association among plasma lipoprotein subfractions as characterized by analytical isotachopheresis, apolipoprotein E phenotype, Alzheimer's disease, and mild cognitive impairment (Yamada et al) 2004;56:S50

frequency and severity of subcortical ischemic hyperintensities in amnesic mild cognitive impairment (Bocti et al) 2004;56:S16

medial temporal lobe function and structure in mild cognitive impairment (Dickerson et al) 2004;56:27

voxel-based parametric mapping of acetylcholinesterase activity using [^{11}C]PMP positron emission tomography in mild cognitive impairment (Vandenberghe et al) 2004;56:S50

Cognitive impairment, significant

cerebrospinal fluid biomarkers in patients with multiple sclerosis and significant cognitive impairment (Ionete et al) 2004;56:S32

Cognitive neurology

therapeutics in cognitive and behavioral neurology (Small) 2004;56:5 (Editorial)

COH1 gene

accelerated evolution of human microcephaly genes may have led to evolutionary expansion of the human brain (Mochida et al) 2004;56:S87

Coma

vertical conjugate eye deviation in postresuscitation coma (Johkura et al) 2004;56:878

Community hospitals

gamma knife radiosurgery treatment of trigeminal neuralgia in a suburban community hospital: analysis of demographics and clinical results (Landolfi et al) 2004;56:S52

Complementary and alternative medicine

perceptions about herbal medicines relative to conventional drugs amongst the elderly population attending a memory clinic (Sharma et al) 2004;56:S5

Complex I

the ND1 gene of complex I is a mutational hot spot for Leber's hereditary optic neuropathy (Valentino et al) 2004;56:631

Complex I deficiency

SOD2 gene transfer protects against optic neuropathy induced by deficiency of complex I (Qi et al) 2004;56:182

Complex regional pain syndrome

response to intravenous immunoglobulins and experimental evidence for pathogenic antibodies in a case of complex regional pain syndrome (Goebel et al) 2004;56:S51

Computed tomography

diagnostic value of magnetic resonance imaging in children with new onset seizures and normal computed tomography (Benko et al) 2004;56:S99

significance of quantitative assessment of canal stenosis by CT scan and MRI for evaluation of neurological status and prediction of neurological outcome after spinal cord injury (Furlan and Fehlings) 2004;56:S41

Congenital fibre type disproportion

actin mutations are one cause of congenital fibre type disproportion (Laing et al) 2004;56:689

Congenital heart disease

neurological sequelae of bidirectional Glenn procedure in infants with complex congenital heart disease (Song et al) 2004;56:S118

timing of brain injury in newborns with congenital heart disease (Miller et al) 2004;56:S90

Congenital hemiparesis

reorganization in congenital hemiparesis acquired at different gestational ages (Staudt et al) 2004;56:854

Congenital myopathy

congenital myopathy: does timing of muscle biopsy matter? (Johnsen and Bodensteiner) 2004;56:S105

Connexin 32

connexin 32 promoter P2 mutations: a mechanism of peripheral nerve dysfunction (Houlden et al) 2004;56:730

Convergence insufficiency

Parkinson's disease and diplopia (Lepore) 2004;56:S69

Copaxone

protective effect of copaxone in mouse models of ALS depends on genetic background and gender (Ludolph et al) 2004;56:S21

Coronary artery bypass grafting

cognitive outcomes 1 and 3 years after coronary artery bypass grafting compared to nonsurgical controls (Selnes et al) 2004;56:S15

postoperative depression predicts the return of angina 1 and 3 years after coronary artery bypass grafting (Borowicz et al) 2004;56:S1

Corpus callosum

hemispheric mediation of spatial attention: pseudoneglect after callosal stroke (Wolk and Coslett) 2004;56:434

Cortical area allocation

when the best strategy is wrong: optimal allocation of the cortical area can cause focal dystonia in the context of overuse (Sanger) 2004;56:S53

Cortical development

malformation of cortical development: description of the surgical pathology in 41 patients with intractable epilepsy (Morris et al) 2004;56:S97

Cortical dysplasia, focal

insulin signaling pathways in cortical dysplasia and TSC-tubers: tissue microarray analysis (Miyata et al) 2004;56:510

mTOR cascade activation distinguishes tubers from focal cortical dysplasia (Baybis et al) 2004;56:478

non-lesional focal epilepsy surgery: pathology identifies focal cortical dysplasia, gliosis, and mesial temporal sclerosis (Said et al) 2004;56:S112

Cortical excitability

differences in cortical excitability and selective neuronal vulnerability between sporadic and homozygous D90A *SOD1* amyotrophic lateral sclerosis (Turner et al) 2004;56:S22

Corticostriatal terminals

dopamine-deficient mice demonstrate hypersensitive corticostriatal D₂ receptors (Bamford et al) 2004;56:S85

Cost-minimization analysis

cost reduction strategy for secondary prevention of stroke using cost-minimization analysis of antiplatelet drugs (Lourdes et al) 2004;56:S14

Costs

pediatric stroke: cost of illness study (Helden et al) 2004;56:S121

Cough, voluntary

improved prediction of post-stroke aspiration with measures of voluntary cough (Hammond et al) 2004;56:S46

Counseling

counseling patients with neurologic disorders about driving risk: physician survey and retrospective chart analysis (Lee and Erickson) 2004;56:S3

COX10 gene

cytochrome *c* oxidase biogenesis in patient with a mutation in COX10 gene (Coenen et al) 2004;56:560

Craniopharyngioma

disrupted circadian rhythms in children treated for craniopharyngioma (Megerian et al) 2004;56:S123

Craniospinal radiotherapy, reduced

preliminary results of a prospective randomized study of "reduced" craniospinal radiotherapy followed by one of two adjuvant chemotherapy regimens for children with medulloblastoma: Children's Oncology Group study (Packer et al) 2004;56:S89

Creatine

randomized creatine trial in childhood spinal muscular atrophy (Iannaccone et al) 2004;56:S88

Creutzfeldt-Jakob disease

diagnostic value of periodic complexes in Creutzfeldt-Jakob disease (Steinhoff et al) 2004;56:702

Cryptogenic epilepsy

factors predictive of outcome in children with cryptogenic epilepsy (Tang-Wai et al) 2004;56:S126

Cuba

molecular studies of infant spinal muscular atrophy in Cuba (Montejo et al) 2004;56:S29

CURE

CURE, a French epidemiological study on the use of ropinirole in patients with Parkinson's disease: usefulness of "Handipark," a new brief questionnaire (Tison et al) 2004;56:S55

Current perception threshold

current perception threshold test is useful in detecting small fiber neuropathy (Kim et al) 2004;56:S35

Cyclic AMP response element-binding protein

cAMP response element-binding protein activation in ligation preconditioning in neonatal brain (Lee et al) 2004;56:611

Cyclic AMP response element-binding protein family transcription factors

- cAMP response element binding protein family transcription factors: the holy grail of neurological therapeutics? (Ratan) 2004;56:607 (Editorial)
- Cyclooxygenase-2**
inhibition of cyclooxygenase-2 prevents the epileptogenic process with suppression of inflammation and aberrant ectopic granule cell formation (Chu et al) 2004;56:S42
- Cystic leukoencephalopathy, progressive**
progressive cystic leukoencephalopathy: new familial childhood disorder (Naidu et al) 2004;56:S10
- Cytochrome c oxidase**
cytochrome c oxidase biogenesis in patient with a mutation in COX10 gene (Coenen et al) 2004;56:560
- Cytoplasmic inclusions**
NEMO binding domain inhibits the formation of cytoplasmic inclusions: phosphorylated I κ B α as its target protein is a novel component of Lewy bodies (Noda et al) 2004;56:S27
- D-Dimer levels**
D-Dimer levels are associated with stroke severity in women (Bushnell et al) 2004;56:S2
- Daily headache**
new daily persistent headache in children and adolescents (AbdelSalam et al) 2004;56:S126
- Daily headache, chronic**
outcome of chronic daily headache in childhood (Lewis et al) 2004;56:S108
- Death**
audit of the registered cause of death in patients with multiple sclerosis in Northern Ireland (Gray et al) 2004;56:S32
effects of tau and ApoE genotypes on age at onset and age at death in progressive supranuclear palsy (Baba et al) 2004;56:S12
- Death, motor neuron**
neuroprotective effect of insulin-like growth factor-I against glutamate- and axotomy-induced motor neuron death (Iwasaki et al) 2004;56:S12
- Death, nigral**
how many pathways are there to nigral death? (Hardy and Langston) 2004;56:316 (Editorial)
- Death, vascular**
risk of myocardial infarction and vascular death after first ischemic stroke: Northern Manhattan Stroke Study (Dhamoon et al) 2004;56:S1
- Death rates**
effect of government regulations on death rates of severely disabled, cerebral palsy children (Plioplys and Peterman) 2004;56:S125
- Decision-making capacity**
altered decision-making in multiple sclerosis: a sign of impaired emotional reactivity? (Kleeberg et al) 2004;56:787
- Deep brain stimulation**
anti-epileptic property of bilateral subthalamic stimulation in a patient with Parkinson's disease (Bejjani et al) 2004;56:S23
bilateral globus pallidus stimulation for Huntington's disease (Moro et al) 2004;56:290
deep brain stimulation for Parkinson's disease: potential risk of tissue damage associated with external stimulation (Meissner et al) 2004;56:309 (Erratum)
risk of tissue damage and deep brain stimulation with external devices: a technical note (Trottenberg et al) 2004;56:310 (Letter)
- the safety of deep brain stimulation in patients with Parkinson's disease, essential tremor, and other movement disorders (Silay et al) 2004;56:S54
subthalamic stimulation alleviates pain in Parkinson's disease (Bejjani et al) 2004;56:S68
- Deep tendon reflex**
diagnostic role of deep tendon reflex in peripheral neuropathy (Sharma et al) 2004;56:S61
- Deletions**
ketogenic treatment reduced deleted mitochondrial DNAs in cultured human cells (Santra et al) 2004;56:662
- Dementia**
aceruloplasminemia presenting with dementia: high field MR evidence for extremely high levels of brain iron (Zimmerman et al) 2004;56:S51
astrocyte specific viral strains in HIV dementia (Thompson et al) 2004;56:873
changes in activities of daily living among dementia patients treated with galantamine (Gauthier et al) 2004;56:S18
dementia in dementia with Lewy bodies may not be attributable to Alzheimer pathology (Schott et al) 2004;56:604 (Letter)
- Dementia, Alzheimer's**
the interleukin 1 β gene promoter polymorphism (-511) acts as a risk factor for psychosis in Alzheimer's dementia (Craig et al) 2004;56:121
- Dementia, frontotemporal**
clinicopathological correlates in frontotemporal dementia (Hodges et al) 2004;56:399
depression in frontotemporal dementia is associated with decreased left temporal lobe 5HT1a receptor density (Chow et al) 2004;56:S17
diagnostic confidence in the clinical diagnosis of frontotemporal dementia and Alzheimer's disease (Heidebrink et al) 2004;56:S19
in vivo detection of microglial activation in frontotemporal dementia (Cagnin et al) 2004;56:894
- Dementia, mild**
the Q&E is more sensitive than the clock draw, Mini-Cog, and six-item screener in the detection of mild dementia (Dash et al) 2004;56:S19
- Dementia care**
characteristics of ambulatory dementia care in the United States, 1993-2001 (Murman and Lynch) 2004;56:S1
- Dementia with Lewy bodies**
dementia in dementia with Lewy bodies may not be attributable to Alzheimer pathology (Schott et al) 2004;56:604 (Letter)
dementia with Lewy bodies: subtypes in a large community-based autopsy dementia sample (Leverenz et al) 2004;56:S19
involvement of medullary autonomic regions in dementia with Lewy bodies (Benarroch et al) 2004;56:S16
what best predicts dementia with Lewy bodies? (Tiraboschi et al) 2004;56:S50
- Demographics**
unexpected demographic profile in pediatric MS (Krupp et al) 2004;56:S56
- Demyelinating polyradiculoneuropathy, chronic inflammatory**
case presentations and pathology of CIDP presenting as neoplastic neurofibromas (Polston et al) 2004;56:S60
- Dendritic cells**
regulation of differentiation and functional properties of monocytes and monocyte-derived dendritic cells by interferon- β in multiple sclerosis (Zang et al) 2004;56:S59

Dentate nucleus

cerebellar dentate nucleus lesions impair cognitive flexibility but not motor function in monkeys (Schmahmann et al) 2004;56:S10

Depression

depression in frontotemporal dementia is associated with decreased left temporal lobe 5HT1a receptor density (Chow et al) 2004;56:S17

depression in multiple sclerosis and its relation to functional abilities (Iwasaki et al) 2004;56:S33

Depression, late-onset

late-onset depression and parkinsonism in two sisters: heterozygote carriers for Wilson's disease (Sechi et al) 2004;56:S19

Depression, postoperative

postoperative depression predicts the return of angina 1 and 3 years after coronary artery bypass grafting (Borowicz et al) 2004;56:S1

Desmin-myopathy

gene expression profile in desmin-myopathy: absence of upregulation of genes associated with protein accumulation (Raju and Dalakas) 2004;56:S60

Developmental anomalies

developmental brain anomalies secondary to intra-uterine hydrocephalus with aqueductal stenosis (Humphreys and Michaud) 2004;56:S95

Developmental delay

child health and parental stress in school-age children with a preschool diagnosis of developmental delay (Webster et al) 2004;56:S121

rehabilitation service utilization at school age in children with developmental delay (Mazer et al) 2004;56:S126

relationship of epilepsy and IQ in autism spectrum disorders and non-spectrum developmental delay (Spence et al) 2004;56:S125

Developmental delay, global

developmental and functional outcomes in preschool children diagnosed with either global developmental delay or developmental language impairment: comparative study (Shevell et al) 2004;56:S122

school-age language outcomes of children with global developmental delay and developmental language impairment diagnosed before school entry (Webster et al) 2004;56:S119

Developmental disabilities

Rapid Assessment for Developmental Disabilities : new neuropsychological approach (Walsh et al) 2004;56:S87

Developmental dyslexia

preterm subjects at age 12 years show structural and functional MRI findings similar to children with developmental dyslexia (Ment et al) 2004;56:S90

Developmental language impairment

developmental and functional outcomes in preschool children diagnosed with either global developmental delay or developmental language impairment: comparative study (Shevell et al) 2004;56:S122

school-age language outcomes of children with global developmental delay and developmental language impairment diagnosed before school entry (Webster et al) 2004;56:S119

Devic's disease

exploring the relationship of relapsing myelitis and neuromyelitis optica (Devic's disease) and multiple sclerosis (Jacob et al) 2004;56:S33

Dexmethylphenidate

efficacy and safety of once-daily dexmethylphenidate extended-release capsules in pediatric patients with attention-deficit disorder (Greenhill et al) 2004;56:S107

Diabetes

the acute effects of glycemic control on axonal excitability in human diabetics (Kitano et al) 2004;56:462

diabetes underlies common neurological disorders (Sima) 2004;56:459 (Editorial)

Diabetes, type 1

C-peptide prevents nociceptive sensory neuropathy in type 1 diabetes (Kamiya et al) 2004;56:827

Diabetes mellitus

diabetes mellitus, change in motor function, and incident disability in old age (Arvanitakis et al) 2004;56:S16

Diabetic neuropathic pain

duloxetine in treatment of diabetic neuropathic pain (Wernicke et al) 2004;56:S51

Diagnostic tests

utility of diagnostic tests in the evaluation in profound neonatal hypotonia (Eichler et al) 2004;56:S105

Diazepam rectal gel

reduction in number of emergency department visits with diazepam rectal gel use (O'Dell) 2004;56:S109

role of diazepam rectal gel in an emergency treatment plan for patients with intrathecal baclofen (van Lierop et al) 2004;56:S110

Diffuse axonal injury

diffuse axonal injury in children: clinical correlation with hemorrhagic lesions (Tong et al) 2004;56:36

Diffusion anisotropy

characterization of diffusion anisotropy during development in fixed baboon brain (Neil et al) 2004;56:S91

Diffusion-tensor imaging

abnormal brain connectivity in children with early severe social deprivation: diffusion tensor imaging study (Jagadeesan et al) 2004;56:S91

Diphenylarsinic acid poisoning

diphenylarsinic acid poisoning from chemical weapons in Kamisu, Japan (Ishii et al) 2004;56:741

Diplegic cerebral palsy, spastic

functional abnormalities of cerebral cortex in children with spastic diplegic cerebral palsy (Karkare and Chugani) 2004;56:S92

Diplopia

Parkinson's disease and diplopia (Lepore) 2004;56:S69

Disability

diabetes mellitus, change in motor function, and incident disability in old age (Arvanitakis et al) 2004;56:S16

effect of rotigotine on motor activity and disability scores in MPTP-treated common marmosets (Scheller et al) 2004;56:S53

severity and rate of progression of clinical disability in adrenomyeloneuropathy patients (Dubey et al) 2004;56:S20, S127

Disability, developmental

Rapid Assessment for Developmental Disabilities : new neuropsychological approach (Walsh et al) 2004;56:S87

Distal myopathy

abnormal lysosomal and ubiquitin-proteasome pathways in 19p13.3 distal myopathy (Di Blasi et al) 2004;56:133

Distal neuropathy

chronic exposure to 1-bromopropane associated with spastic paraparesis and distal neuropathy: report of six foam-cushion gluers (Majersik et al) 2004;56:S69

Divalproex

comparison of the delayed-release and sprinkle formulations versus the extended-release formulation of divalproex: results of a 14-day, randomized, open-label, cross-over study in child and adolescent outpatients with epilepsy (Kernitsky et al) 2004;56:S115

DNA damage

short-term hyperglycemia produces oxidative damage and apoptosis in neurons (Vincent et al) 2004;56:S20

Donepezil

persistence patterns of treatment with rivastigmine versus donepezil in a Medicaid population (Singh et al) 2004;56:S5

Dopamine β -hydroxylase

a functional polymorphism regulating dopamine β -hydroxylase influences against Parkinson's disease (Healy et al) 2004;56:311 (Correction)

Dopamine loss

inverse relationship between intra-striatal distribution of Bcl-2 protein in normal human brain and the pattern of dopamine loss in Parkinson's disease (Tong et al) 2004;56:S22

Dopamine receptors

differential impact of D1 and D2 dopamine receptor stimulation on bladder function in Parkinson's disease (Brusa et al) 2004;56:S24

dopamine-deficient mice demonstrate hypersensitive corticostriatal D₂ receptors (Bamford et al) 2004;56:S85

Dopaminergic mesencephalic systems

TEMPOL/PNA: recycling antioxidant in dopaminergic mesencephalic systems (Liang et al) 2004;56:S54

Doppler ultrasound, transcranial

elevated pulsatility index by transcranial Doppler is associated with risk of ischemic stroke and TIA (Rajamani et al) 2004;56:S45

Down's syndrome

blood expression profiles for tuberous sclerosis complex 2, neurofibromatosis type 1, and Down's syndrome (Tang et al) 2004;56:808

effect of government regulations on death rates of severely disabled, cerebral palsy children (Plioplys and Peterman) 2004;56:S125

minocycline prevents cholinergic loss in a mouse model of Down's syndrome (Hunter et al) 2004;56:675

Dream loss

total dream loss: a distinct neuropsychological dysfunction after bilateral PCA stroke (Bischof and Bassetti) 2004;56:S83

Driving risks

counseling patients with neurologic disorders about driving risk: physician survey and retrospective chart analysis (Lee and Erickson) 2004;56:S3

decline in visual vigilance in drivers with obstructive sleep apnea syndrome (Rizzo et al) 2004;56:S40

plaques, stops, and virtual cops (Rizzo et al) 2004;56:S49

predictors of a successful driver evaluation after discharge in a stroke patient (Smith-Arena et al) 2004;56:S72

route-following in drivers with Parkinson's disease vs. Alzheimer's disease (Uc et al) 2004;56:S50

Drosophila

molecular and functional analyses of *Drosophila* homologues of autosomal-dominant hereditary spastic para-

plegia genes spastin and atlastin (Martinuzzi et al) 2004;56:S29

Drug delivery

local polymer-based delivery of the glutamate release inhibitor riluzole prolongs survival in a rat intracranial glioma model (Yohay et al) 2004;56:S91

Drugs, antiepileptic

long-term seizure control of AEDs after epilepsy surgery (Schmidt) 2004;56:S24

tapering of antiepileptic drugs in 2-year, seizure-free patients with partial and secondarily generalized epilepsy (Barrera and Harden) 2004;56:S23

worst fear when AED treatment is discontinued is that seizures recur and are intractable — fortunately this "recurrent" nightmare is rare (Camfield and Camfield) 2004;56:S83

Drugs, antiplatelet

cost reduction strategy for secondary prevention of stroke using cost-minimization analysis of antiplatelet drugs (Lourdes et al) 2004;56:S14

Drugs, nonsteroidal antiinflammatory

NSAIDs increase survival in the Sandhoff disease mouse: synergy with *N*-butyldeoxynojirimycin (Jeyakumar et al) 2004;56:642

Duloxetine

duloxetine in treatment of diabetic neuropathic pain (Wernicke et al) 2004;56:S51

Dynactin gene

point mutations of the p150 subunit of dynactin (DCTN1) gene in amyotrophic lateral sclerosis (Muench et al) 2004;56:S30

Dynamical systems models

experimental validation of a dynamical systems model of neural behavior (Bergethon) 2004;56:S66

Dysequilibrium syndrome

dysequilibrium syndrome in Hutterites: autosomal-recessive cerebellar hypoplasia (Glass et al) 2004;56:S100

Dyslexia, developmental

preterm subjects at age 12 years show structural and functional MRI findings similar to children with developmental dyslexia (Ment et al) 2004;56:S90

Dystonia

kinematic and EMG analysis of limb movement in children with dystonia (Jenkins and Mink) 2004;56:S104

Dystonia, cervical

botulinum toxin serotype A compared to B in cervical dystonia: randomized, double-blind, parallel study (Comella et al) 2004;56:S25

Dystonia, DYT1

brainstem pathology in DYT1 primary torsion dystonia (McNaught et al) 2004;56:540, 750 (Correction)

Dystonia, focal

disturbed surround inhibition in focal hand dystonia (Sohn and Hallett) 2004;56:S95

when the best strategy is wrong: optimal allocation of the cortical area can cause focal dystonia in the context of overuse (Sanger) 2004;56:S53

Dystonia, generalized

a novel anti-GAD-antibody-positive neurological syndrome of generalized dystonia responding to immunotherapy (Chaudhuri and Behan) 2004;56:S25

Dystonia, hand

disturbed surround inhibition in focal hand dystonia (Sohn and Hallett) 2004;56:S95

Dystonia, paroxysmal

maple syrup disease presenting as paroxysmal dystonia (Temudo et al) 2004;56:749 (Letter)

Dystonia, torsion

brainstem pathology in DYT1 primary torsion dystonia (McNaught et al) 2004;56:540, 750 (Correction)

Dystrophy, myotonic

low frequency of cardiac conduction abnormalities in myotonic dystrophy type 2: 10-year follow-up study (Meola et al) 2004;56:S35

respiratory involvement in DM2/PROMM (Shoesmith et al) 2004;56:S61

DYT1 dystonia

brainstem pathology in DYT1 primary torsion dystonia (McNaught et al) 2004;56:540, 750 (Correction)

DYT1 gene

microstructural white matter changes in carriers of the DYT1 gene mutation (Carbon et al) 2004;56:283

DYT3 gene

genomic sequence analysis of the DYT3 region on human chromosome Xq13.4 (Makino et al) 2004;56:S26

Early cognitive dysfunction

MRI correlates of early cognitive dysfunction in asymptomatic boys with X-linked adrenoleukodystrophy: prospective evaluation (Dubey et al) 2004;56:S101

Early development

genotype and early development in Rett syndrome: value of international data (Leonard et al) 2004;56:S110

Early neurobehavioral assessments

clinical validity of early neurobehavioral assessments of very preterm infants (Brown et al) 2004;56:S92

Eating

ALSEATS, a more comprehensive instrument for assessing the multidimensional nature of eating in amyotrophic lateral sclerosis patients (Luu et al) 2004;56:S5

Echocardiography

atherosclerosis of the aorta: risk factor, risk marker, or innocent bystander? population-based transesophageal echocardiographic study (Meissner et al) 2004;56:S4

patent foramen ovale: cause or innocent bystander? population-based transesophageal echocardiographic study (Meissner et al) 2004;56:S1

Editorials

anti-neuronal antibodies in patients with cancer (Posner) 2004;56:609

brain lumps and bumps: a neural risk for autism (Fountain) 2004;56:755

cAMP response element binding protein family transcription factors: the holy grail of neurological therapeutics? (Ratan) 2004;56:607

diabetes underlies common neurological disorders (Sima) 2004;56:459

doing more with less: the plight of the failing hippocampus (Grafton) 2004;56:7

how many pathways are there to nigral death? (Hardy and Langston) 2004;56:316

poison and antidote: a novel model to study pathogenesis and therapy of LHON (Manfredi and Beal) 2004;56:171

the preclinical detection of Parkinson's disease: ready for prime time? (Stern) 2004;56:169

roles of the proteasome in neurodegenerative disease: refining the hypothesis (Cookson) 2004;56:315

therapeutics in cognitive and behavioral neurology (Small) 2004;56:5

Egypt

neurology in the pharaonic era (El-Gengaihy and El-Gengaihy) 2004;56:S69

Elderly

diabetes mellitus, change in motor function, and incident disability in old age (Arvanitakis et al) 2004;56:S16

parkinsonian signs and substantia nigra neuron density in decedents elders without PD (Ross et al) 2004;56:532

perceptions about herbal medicines relative to conventional drugs amongst the elderly population attending a memory clinic (Sharma et al) 2004;56:S5

Electroencephalography

can wavelet transform help determine seizure foci from interictal, subdural EEG recordings? (Gaitanis et al) 2004;56:S116

diagnostic value of basic tests (history taking, routine EEG, MRI, and video EEG monitoring) for the decision to perform temporal lobe epilepsy surgery (Uijl et al) 2004;56:S24

diagnostic value of periodic complexes in Creutzfeldt-Jakob disease (Steinhoff et al) 2004;56:702

utility of bedside EEG tools in term encephalopathic infants (Inder et al) 2004;56:S114

Electroencephalography, amplitude

nurses observation versus amplitude EEG in the detection of neonatal seizures (Naqvi et al) 2004;56:S115

Electroencephalography, video

diagnostic value of basic tests (history taking, routine EEG, MRI, and video EEG monitoring) for the decision to perform temporal lobe epilepsy surgery (Uijl et al) 2004;56:S24

usefulness of short-term video-EEG in the differential diagnosis of paroxysmal events in children (Tziperman et al) 2004;56:S116

Electrographic seizures

electrographic seizures after unilateral carotid ligation in postnatal day 12 CD1 mice (Comi et al) 2004;56:S130

Electromyography

electromyography guides toward subgroups of mutations in muscle channelopathies (Fournier et al) 2004;56:650

kinematic and EMG analysis of limb movement in children with dystonia (Jenkins and Mink) 2004;56:S104

significance of visibility versus EMG documentation of fasciculation (Nammour et al) 2004;56:S59

Emergency department laboratory parameters

emergency department laboratory parameters in acute ischemic stroke as potential predictors of 90-day mortality (Stead et al) 2004;56:S46

Emergency department visits

reduction in number of emergency department visits with diazepam rectal gel use (O'Dell) 2004;56:S109

Emergency treatment

role of diazepam rectal gel in an emergency treatment plan for patients with intrathecal baclofen (van Lierop et al) 2004;56:S110

Emotional face recognition

brain activation during emotional face recognition in children with early social deprivation (Behen et al) 2004;56:S94

Emotional reactivity

altered decision-making in multiple sclerosis: a sign of impaired emotional reactivity? (Kleeberg et al) 2004;56:787

Encephalitis, granulomatous amebic

granulomatous amebic encephalitis in a transplant patient: case report (Mendez et al) 2004;56:S70

Encephalitis, West Nile

West Nile encephalitis presenting as opsoclonus-myoclonus-cerebellar ataxia (Khosla et al) 2004;56:S70

Encephalomyelitis, experimental allergic

beneficial effect of erythropoietin on experimental allergic encephalomyelitis (Li et al) 2004;56:767

Encephalomyelitis, experimental autoimmune

attenuation of chronic experimental autoimmune encephalomyelitis by intraventricular transplantation of neural spheres (Ben-Hur et al) 2004;56:S31

Encephalopathy

utility of bedside EEG tools in term encephalopathic infants (Inder et al) 2004;56:S114

Encephalopathy, hypoxic-ischemic

systemic hypothermia selectively protects the cortex in term hypoxic-ischemic encephalopathy (Inder et al) 2004;56:S91

Endoscopy

endoscopic resection of hypothalamic hamartoma (Ng et al) 2004;56:S117

Endothelial activation, early

MR molecular imaging of early endothelial activation in focal ischemia (Barber et al) 2004;56:116

Endothelial cells

interferon- β stabilizes barrier characteristics of brain endothelial cells in vitro (Kraus et al) 2004;56:192

Energy production

increase of intracellular zinc inhibits energy production in motor neurons expressing mutant superoxide dismutase (Kim et al) 2004;56:S21

Environmental enrichment

timing of environmental enrichment is critical for recovery after traumatic brain injury in the developing rat (Giza et al) 2004;56:S89

Epidemiology

clinical epidemiology of epileptic children with periventricular leukomalacia (Deonandan et al) 2004;56:S124

multicenter study of clinical, geographical, and ethnic features of MuSK-antibody-associated myasthenia gravis (Vincent et al) 2004;56:S63

unexpected demographic profile in pediatric MS (Krupp et al) 2004;56:S56

Epidermal growth factor

high tumor necrosis factor- α in levels in cerebrospinal fluid of cobalamin-deficient patients (Scalabrino et al) 2004;56:886

Epidermal growth factor receptors

combinatorial efficacy in glioma therapy through targeting two points within the EGFR signaling pathway (Fan et al) 2004;56:S90

Epilepsy

co-morbidity of epilepsy and headache in patients with Sturge-Weber syndrome (Kossoff et al) 2004;56:S125

comparison of the delayed-release and sprinkle formulations versus the extended-release formulation of divalproex: results of a 14-day, randomized, open-label, cross-over study in child and adolescent outpatients with epilepsy (Kernitsky et al) 2004;56:S115

conversion to lamotrigine monotherapy from valproate monotherapy in adolescent patients with epilepsy (Fakhoury et al) 2004;56:S115

epilepsy characteristics in a population of 69 patients with tuberous sclerosis (Tuck et al) 2004;56:S117

epilepsy following acute near-total hypoxic-ischemic brain injury in the term newborn: predictive factors and seizure pattern (Basheer et al) 2004;56:S123

increased GABA_A receptor $\alpha 1$ subunit expression inhibits development of epilepsy in an animal model of temporal lobe epilepsy (Brooks-Kayal et al) 2004;56:S84

latency to first spike in epileptics (Narayanan et al) 2004;56:S43

relationship of epilepsy and IQ in autism spectrum disorders and non-spectrum developmental delay (Spence et al) 2004;56:S125

switching from immediate-release to extended-release carbamazepine: evaluation of safety, efficacy, and tolerability in adolescents with epilepsy (Wheless) 2004;56:S109

topiramate monotherapy in recently diagnosed epilepsy: response according to seizure type (Glauser et al) 2004;56:S112

use of an external responsive neurostimulator device in adolescents with epilepsy (Kossoff et al) 2004;56:S83

Epilepsy, childhood

are behavior problems more common in children with epilepsy? (Keene et al) 2004;56:S125

clinical epidemiology of epileptic children with periventricular leukomalacia (Deonandan et al) 2004;56:S124

comparison of the delayed-release and sprinkle formulations versus the extended-release formulation of divalproex: results of a 14-day, randomized, open-label, cross-over study in child and adolescent outpatients with epilepsy (Kernitsky et al) 2004;56:S115

effects of anticonvulsant therapy on cognition and attention in children with new-onset, idiopathic epilepsy: prospective study (Mandelbaum et al) 2004;56:S113

efficacy and tolerability of topiramate as monotherapy in epilepsy: pediatric experience (Kothare et al) 2004;56:S116

evidence base for evaluation and care in pediatric epilepsy (Caplin et al) 2004;56:S111

factors predictive of outcome in children with cryptogenic epilepsy (Tang-Wai et al) 2004;56:S126

myoclonic-astatic epilepsy is diagnosed as commonly as Lennox-Gastaut syndrome in a pediatric epilepsy monitoring unit (Lau et al) 2004;56:S115

neuroradiological correlates of epilepsy in children with periventricular leukomalacia (Humphreys et al) 2004;56:S112

utility of theoretical models in outcome and quality of life research: example from childhood epilepsy outcome research (Ronen et al) 2004;56:S6

Epilepsy, cryptogenic

factors predictive of outcome in children with cryptogenic epilepsy (Tang-Wai et al) 2004;56:S126

Epilepsy, familial

absence of LGI1 mutations in familial mesial temporal lobe epilepsy patients with or without auditory hallucinations (Badhwar et al) 2004;56:S23

Epilepsy, generalized

secondary (symptomatic) generalized epilepsy — insights from the Nova Scotia population-based cohort with a 20-year follow-up (Camfield and Camfield) 2004;56:S83

tapering of antiepileptic drugs in 2-year, seizure-free patients with partial and secondarily generalized epilepsy (Barrera and Harden) 2004;56:S23

Epilepsy, idiopathic

effects of anticonvulsant therapy on cognition and attention in children with new-onset, idiopathic epilepsy: prospective study (Mandelbaum et al) 2004;56:S113

Epilepsy, localization-related

frequency of catamenial seizure exacerbation in women with localization-related epilepsy (Herzog et al) 2004;56:431

Epilepsy, mesial temporal lobe

absence of LGI1 mutations in familial mesial temporal lobe epilepsy patients with or without auditory hallucinations (Badhwar et al) 2004;56:S23

Epilepsy, myoclonic

efficacy of zonisamide in juvenile myoclonic epilepsy (Kothare et al) 2004;56:S113

topiramate or valproate in juvenile myoclonic epilepsy (Levisohn et al) 2004;56:S117

Epilepsy, myoclonic-astatic

myoclonic-astatic epilepsy is diagnosed as commonly as Lennox-Gastaut syndrome in a pediatric epilepsy monitoring unit (Laux et al) 2004;56:S115

Epilepsy, partial

a de novo LGI1 mutation in sporadic partial epilepsy with auditory features (Bisulli et al) 2004;56:455 (Letter)

tapering of antiepileptic drugs in 2-year, seizure-free patients with partial and secondarily generalized epilepsy (Barrera and Harden) 2004;56:S23

Epilepsy, posttraumatic

oscillatory activity originating at network lesion boundaries: a model for early posttraumatic epilepsy (Ohayon et al) 2004;56:S23

Epilepsy, progressive myoclonus

laforin preferentially binds neurotoxic starch-like polyglucosans, which form in its absence in progressive myoclonus epilepsy (Minassian et al) 2004;56:S9

progressive myoclonus epilepsy with polyglucosans (Lafora disease): evidence for a third locus (Chan et al) 2004;56:S13

Epilepsy, refractory

heart rate variability during sleep in patients with refractory epilepsy (Li and Xie) 2004;56:S43

successful treatment of refractory epilepsy symptomatic to hypothalamic hamartoma following transcallosal resection: long-term outcome in 25 patients (Ng et al) 2004;56:S85

Epilepsy, rolandic

developmental problems in rolandic epilepsy patients and siblings (Pal and Kugler) 2004;56:S104

is benign rolandic epilepsy genetically determined? (Vadlamudi et al) 2004;56:129

Epilepsy, temporal lobe

increased GABA_A receptor $\alpha 1$ subunit expression inhibits development of epilepsy in an animal model of temporal lobe epilepsy (Brooks-Kayal et al) 2004;56:S84

temporal lobe epilepsy: analysis of failures and the role of reoperation (Salanova et al) 2004;56:S4

temporal lobe epilepsy as the presenting feature of chorea-acanthocytosis in two French-Canadian families (Jansen et al) 2004;56:S44

Epilepsy surgery

ethics consultation for epilepsy surgery candidates: changes in patterns (Ford et al) 2004;56:S43

long-term seizure control of AEDs after epilepsy surgery (Schmidt) 2004;56:S24

malformation of cortical development: description of the surgical pathology in 41 patients with intractable epilepsy (Morris et al) 2004;56:S97

non-lesional focal epilepsy surgery: pathology identifies focal cortical dysplasia, gliosis, and mesial temporal sclerosis (Said et al) 2004;56:S112

Epileptogenesis

high-frequency oscillations recorded in human medial temporal lobe during sleep (Staba et al) 2004;56:108

inhibition of cyclooxygenase-2 prevents the epileptogenic process with suppression of inflammation and aberrant ectopic granule cell formation (Chu et al) 2004;56:S42

Episodic ataxia type 2

functional implications of a novel EA2 mutation in the P/Q-type calcium channel (Spacey et al) 2004;56:213

Epistaxis, recurrent

migraine and recurrent epistaxis in children: case-control study (Jarjour and Jarjour) 2004;56:S122

Epithelial cells, choroid

characterization of folate receptor in cultured choroid epithelial cells (Wollack et al) 2004;56:S131

Erythropoietin

beneficial effect of erythropoietin on experimental allergic encephalomyelitis (Li et al) 2004;56:767

a novel endogenous erythropoietin mediated pathway prevents axonal degeneration (Keswani et al) 2004;56:815

novel endogenous neuroprotective pathway comprising nitric oxide-induced erythropoietin production (Keswani et al) 2004;56:S67

Essential tremor

the safety of deep brain stimulation in patients with Parkinson's disease, essential tremor, and other movement disorders (Silay et al) 2004;56:S54

Ethics consultation

ethics consultation for epilepsy surgery candidates: changes in patterns (Ford et al) 2004;56:S43

Ethnicity

multicenter study of clinical, geographical, and ethnic features of MuSK-antibody-associated myasthenia gravis (Vincent et al) 2004;56:S63

Evidence-based medicine

use of heparin for atrial fibrillation-related stroke: can neurologists learn to practice evidence-based medicine? (Sunbuli et al) 2004;56:S3

Evolution

accelerated evolution of human microcephaly genes may have led to evolutionary expansion of the human brain (Mochida et al) 2004;56:S87

Executive functioning

profiles of executive functioning, behavior, and adaptive skills in children with neurofibromatosis type 1 (Rosser et al) 2004;56:S127

Exercise

exercise lowers pain threshold in chronic fatigue syndrome (Chaudhuri et al) 2004;56:S44

high muscle blood flow in mitochondrial myopathy: evidence from forearm exercise (Taivassalo et al) 2004;56:S62

Experimental allergic encephalomyelitis

beneficial effect of erythropoietin on experimental allergic encephalomyelitis (Li et al) 2004;56:767

Experimental autoimmune encephalomyelitis, chronic

attenuation of chronic experimental autoimmune encephalomyelitis by intravitreal transplantation of neural spheres (Ben-Hur et al) 2004;56:S31

External ophthalmoplegia, progressive

sequence analysis of familial PEO shows additional mutations associated with the 752C[font"MS Reference 1"] \pm [/font"MS Reference 1"]T and 3527C[font"MS Reference 1"] \pm [/font"MS Reference 1"]T changes in the *POLG1* gene (Lamantea and Zeviani) 2004;56:454 (Letter)

External stimulation

deep brain stimulation for Parkinson's disease: potential risk of tissue damage associated with external stimulation (Meissner et al) 2004;56:309 (Erratum)

risk of tissue damage and deep brain stimulation with external devices: a technical note (Trottenberg et al) 2004;56:310 (Letter)

use of an external responsive neurostimulator device in adolescents with epilepsy (Kossoff et al) 2004;56:S83

Extratemporal hypometabolism

does extratemporal hypometabolism affect temporal lobectomy prognosis? (Theodore et al) 2004;56:S42

Extremely Low Gestational Age Neonate (ELGAN) study

standardizing the 1-year neurological exam for the Extremely Low Gestational Age Neonate (ELGAN) study — a multimedia solution? (Kuban and O'Shea) 2004;56:S111

Extremely low gestational age neonates

standardizing the 1-year neurological exam for the Extremely Low Gestational Age Neonate (ELGAN) study — a multimedia solution? (Kuban and O'Shea) 2004;56:S111

Fabry disease

effect of intravenous ascorbate infusion on normal and Fabry cerebral vasculature (Moore et al) 2004;56:S45

Face recognition

brain activation during emotional face recognition in children with early social deprivation (Behen et al) 2004;56:S94

Facial motor evoked potentials

facial motor evoked potentials during microvascular decompression for hemifacial spasm (HFS): new evidence for a hyperexcitable VII nucleus (Wilkinson and Kaufmann) 2004;56:S56

Facial nerve injury

minocycline delays motoneuron degeneration in an adult rat model of facial nerve injury (Ikeda et al) 2004;56:S21

Factor V

the factor V G1691A mutation is a risk for porencephaly: a case-control study (Debus et al) 2004;56:287

Falls prevention

impact of falls prevention strategies in stroke patients admitted to an acute rehabilitation unit (Rabadi et al) 2004;56:S72

Familial Alzheimer's disease

interaction between stroke and apolipoprotein-E ϵ 4 and risk of familial Alzheimer's disease among Caribbean Hispanics (Rippon et al) 2004;56:S49

Familial amyotrophic lateral sclerosis

familial amyotrophic lateral sclerosis due to a Gly41Ser mutation in the SOD1 gene: confirmation of severe phenotype (Subramony et al) 2004;56:S62

molecular therapy for familial amyotrophic lateral sclerosis (Miller et al) 2004;56:S36

ratio of mutant/normal SOD1 is an indicator for the progression of familial ALS (Yamamoto et al) 2004;56:S22

Familial mesial temporal lobe epilepsy

absence of LGI1 mutations in familial mesial temporal lobe epilepsy patients with or without auditory hallucinations (Badhwar et al) 2004;56:S23

Familial motor neuron disease

GM2 gangliosidosis manifesting as familial motor neuron disease (Silvestri et al) 2004;56:S12

Familial oculopharyngeal myopathy

familial oculopharyngeal myopathy without *PABPN1* mutation and intranuclear inclusions (Uyama et al) 2004;56:S63

Familial periodic paralysis

electromyography guides toward subgroups of mutations in muscle channelopathies (Fournier et al) 2004;56:650

Family history

stroke family history is not a determinant of 90-day outcomes: the Ischemic Stroke Genetics Study (Meschia et al) 2004;56:S16

Fasciculation

significance of visibility versus EMG documentation of fasciculation (Nammour et al) 2004;56:S59

Fast ripple oscillations

high-frequency oscillations recorded in human medial temporal lobe during sleep (Staba et al) 2004;56:108

Fatigue

exercise lowers pain threshold in chronic fatigue syndrome (Chaudhuri et al) 2004;56:S44

Fatty acid oxidation

fuel utilization in patients with very long-chain acyl-CoA dehydrogenase deficiency (Ørngreen et al) 2004;56:279

Febrile seizures

serial MRI after experimental febrile seizures: altered T2 signal without neuronal death (Dubé et al) 2004;56:709

Federal regulations

effect of government regulations on death rates of severely disabled, cerebral palsy children (Plioplys and Peterman) 2004;56:S125

Fetal magnetic resonance imaging

role of fetal magnetic resonance imaging in prenatal evaluation of ventriculomegaly (Gabis et al) 2004;56:S93

Fibronectin

Sturge-Weber syndrome: altered blood vessel fibronectin expression and decreased circumference of leptomeningeal blood vessels (Comi et al) 2004;56:S86

FMRI gene

abnormalities in protein acetylation in *FMRI* knockout mouse brain: involvement of synaptically regulated proteins (Van Dine et al) 2004;56:S86

Foam-cushion gluers

chronic exposure to 1-bromopropane associated with spastic paraparesis and distal neuropathy: report of six foam-cushion gluers (Majersik et al) 2004;56:S69

α -Fodrin

calpain cleaves α -fodrin during muscle fiber regeneration in inflammatory myopathy (Murata et al) 2004;56:S36

Folate receptor

characterization of folate receptor in cultured choroid epithelial cells (Wollack et al) 2004;56:S131

Folic acid supplementation

folic acid supplementation enhances repair of the adult central nervous system (Iskandar et al) 2004;56:221

Fragile X

autism spectrum disorder in boys with Fragile X: serial evaluation (Cortell et al) 2004;56:S104

France

CURE, a French epidemiological study on the use of ropinirole in patients with Parkinson's disease: usefulness of "Handipark," a new brief questionnaire (Tison et al) 2004;56:S55

FRDA gene

Friedreich ataxia in carriers of unstable borderline GAA triplet-repeat alleles (Sharma et al) 2004;56:897

French-Canadian families

temporal lobe epilepsy as the presenting feature of chorea-acanthocytosis in two French-Canadian families (Jansen et al) 2004;56:S44

Friedreich ataxia

Friedreich ataxia in carriers of unstable borderline GAA triplet-repeat alleles (Sharma et al) 2004;56:897

Frontal cortex

MeCP2 expression, histone acetylation, and gene expression in Rett syndrome frontal cortex: initial examination (Wang et al) 2004;56:S86

Frontotemporal dementia

clinicopathological correlates in frontotemporal dementia (Hodges et al) 2004;56:399

depression in frontotemporal dementia is associated with decreased left temporal lobe 5HT_{1A} receptor density (Chow et al) 2004;56:S17

diagnostic confidence in the clinical diagnosis of frontotemporal dementia and Alzheimer's disease (Heidebrink et al) 2004;56:S19

in vivo detection of microglial activation in frontotemporal dementia (Cagnin et al) 2004;56:894

G-protein

cloning a novel seizure gene implicates G-protein signaling (Sherr et al) 2004;56:S84

GABA

role of GABA in autism: new clues from hyper-GABAergic states (Acosta et al) 2004;56:S103

GABA_A receptors

association of chromosome 15 GABA_A receptor subunit genes with autism (Serajee et al) 2004;56:S103

increased GABA_A receptor $\alpha 1$ subunit expression inhibits development of epilepsy in an animal model of temporal lobe epilepsy (Brooks-Kayal et al) 2004;56:S84

Galactocerebroside

inoculation with lipids from *Mycoplasma pneumoniae*-induced production of antibodies against a major myelin glycolipid, galactocerebroside (Morita et al) 2004;56:S36

Galantamine

changes in activities of daily living among dementia patients treated with galantamine (Gauthier et al) 2004;56:S18

Gamma knife radiosurgery

gamma knife radiosurgery treatment of trigeminal neuralgia in a suburban community hospital: analysis of demographics and clinical results (Landolfi et al) 2004;56:S52

Ganglioside

an anti-ganglioside antibody-secreting hybridoma induces neuropathy in mice (Sheikh et al) 2004;56:228

effects of phospholipids on the activity of anti-GM1 IgM antibodies in autoimmune neuropathies (Hirakawa et al) 2004;56:S34

ganglioside complexes as new target antigens in Guillain-Barré syndrome (Kaida et al) 2004;56:S67

GD1a-GD1b complex: new target antigen in Guillain-Barré syndrome (Kaida et al) 2004;56:S34

Gangliosidosis

GM2 gangliosidosis manifesting as familial motor neuron disease (Silvestri et al) 2004;56:S12

Gender differences

gender differences in passive listening: fMRI study comparing male and female adults and adolescents (Mitchell et al) 2004;56:S95

protective effect of copaxone in mouse models of ALS depends on genetic background and gender (Ludolph et al) 2004;56:S21

Gene dosage analysis

carrier testing for spinal muscular atrophy: gene dosage analysis may not be sufficient (Kulikova-Schupak et al) 2004;56:S104

Gene expression

analysis of differentially expressed genes in denervated skeletal muscle (Jimi et al) 2004;56:S34

MeCP2 expression, histone acetylation, and gene expression in Rett syndrome frontal cortex: initial examination (Wang et al) 2004;56:S86

microarray analysis of gene expression in the nervous system (Geschwind) 2004;56:S10

Gene expression profiles

blood expression profiles for tuberous sclerosis complex 2, neurofibromatosis type 1, and Down's syndrome (Tang et al) 2004;56:808

gene expression profile in desmin-myopathy: absence of upregulation of genes associated with protein accumulation (Raju and Dalakas) 2004;56:S60

Gene polymorphisms

$\alpha 1$ -antichymotrypsin gene polymorphism and susceptibility to multiple system atrophy (Furiya et al) 2004;56:S28

association of Reelin gene polymorphisms with autism (Serajee et al) 2004;56:S99

case-control study of myelin oligodendrocyte glycoprotein and CD45 polymorphisms in multiple sclerosis in Verona, Italy (Gomez-Lira et al) 2004;56:S31

a functional polymorphism regulating dopamine β -hydroxylase influences against Parkinson's disease (Healy et al) 2004;56:311 (Correction)

the interleukin 1 β gene promoter polymorphism (-511) acts as a risk factor for psychosis in Alzheimer's dementia (Craig et al) 2004;56:121

migraine with aura is associated with the methylenetetrahydrofolate reductase 677C \rightarrow T polymorphism in a population-based sample (Scher et al) 2004;56:S53

serotonin neurotransmitter system in autism: association with HTR4, HTR6, and TDO2 polymorphisms (Nabi et al) 2004;56:S99

single nucleotide polymorphism of platelet-activating factor receptor in Japanese multiple sclerosis (Osoeawa et al) 2004;56:S33

serotonin transporter gene polymorphisms and hallucinations in Parkinson's disease (Goldman et al) 2004;56:S26

Gene transfer

behavioral recovery in Parkinson's disease model by gene transfer of glial cell line-derived neurotrophic factor (Zheng et al) 2004;56:S11

Genes

association analyses of 50 candidate genes for autism from 7q21-36 region (Nabi et al) 2004;56:S100

cloning a novel seizure gene implicates G-protein signaling (Sherr et al) 2004;56:S84

Genetics

genetics of phosphatidylinositol signaling in autism (Nabi et al) 2004;56:S103

is benign rolandic epilepsy genetically determined? (Vadlamudi et al) 2004;56:129

protective effect of copaxone in mouse models of ALS depends on genetic background and gender (Ludolph et al) 2004;56:S21

Genomic sequence analysis

genomic sequence analysis of the *DYT3* region on human chromosome Xq13.4 (Makino et al) 2004;56:S26

Genotype

autosomal recessive forms of Charcot-Marie-Tooth disease: histological phenotypes and genotypes (Vallat et al) 2004;56:S13

effects of τ and ApoE genotypes on age at onset and age at death in progressive supranuclear palsy (Baba et al) 2004;56:S12

genotype and early development in Rett syndrome: value of international data (Leonard et al) 2004;56:S110

genotype determines phenotype in experimental Lyme borreliosis (Pachner et al) 2004;56:S31

Geography

multicenter study of clinical, geographical, and ethnic features of MuSK-antibody-associated myasthenia gravis (Vincent et al) 2004;56:S63

Pediatric Stroke Belt: geographic variations in stroke mortality in U.S. children (Fullerton et al) 2004;56:S118

GHB

movement disorders in SSADH deficiency: more severe phenotype and relevance to GHB toxicity (Pearl et al) 2004;56:S120

GLDC gene

persistent NKH and transient or absent symptoms and a homozygous *GLDC* mutation (Korman et al) 2004;56:139

Glenn procedure, bidirectional

neurological sequelae of bidirectional Glenn procedure in infants with complex congenital heart disease (Song et al) 2004;56:S118

Glial cell line-derived neurotrophic factor

behavioral recovery in Parkinson's disease model by gene transfer of glial cell line-derived neurotrophic factor (Zheng et al) 2004;56:S11

Glial-secreted protein

identification of a glial-secreted protein responsible for the initiation of neuronal migration (Sobeih and Corfas) 2004;56:S128

Glioma

ammonia increases interleukin-1 β -induced inducible nitric oxide synthase expression in C6 glioma cells (Feng et al) 2004;56:S40

combinatorial efficacy in glioma therapy through targeting two points within the EGFR signaling pathway (Fan et al) 2004;56:S90

Glioma, brainstem

study of a concurrent blood-brain barrier disrupting agent and carboplatin with radiation therapy for children with newly diagnosed brain stem gliomas: Children's Oncology Group study (Packer et al) 2004;56:S106

Glioma, intracranial

local polymer-based delivery of the glutamate release inhibitor riluzole prolongs survival in a rat intracranial glioma model (Yohay et al) 2004;56:S91

Gliosis

non-lesional focal epilepsy surgery: pathology identifies focal cortical dysplasia, gliosis, and mesial temporal sclerosis (Said et al) 2004;56:S112

Global developmental delay

developmental and functional outcomes in preschool children diagnosed with either global developmental delay or developmental language impairment: comparative study (Shevell et al) 2004;56:S122

school-age language outcomes of children with global developmental delay and developmental language impairment

diagnosed before school entry (Webster et al) 2004;56:S119

Globus pallidus deep brain stimulation

bilateral globus pallidus stimulation for Huntington's disease (Moro et al) 2004;56:S290

GLRA1 gene

GLRA1 gene abnormality in a family with stiff baby syndrome, excessive startle, and spastic paraparesis (Holden et al) 2004;56:S103

Glucose metabolism

glucose hypometabolism of hypothalamus and thalamus in narcolepsy (Joo et al) 2004;56:S437

uncoupling between glucose metabolism and cerebral blood flow in patients with spinocerebellar ataxia (Kato et al) 2004;56:S26

Glucose tolerance

Impaired Glucose Tolerance Causes Neuropathy (IGTN) study: baseline characteristics and first-year follow-up (Smith et al) 2004;56:S62

GLUT1-deficiency syndrome

transgenic mouse model for the human GLUT1-deficiency syndrome (Heilig et al) 2004;56:S12

Glutamate

interictal extracellular glutamate concentrations are increased in hippocampal sclerosis (Petroff et al) 2004;56:S43

neuroprotective effect of insulin-like growth factor-I against glutamate- and axotomy-induced motor neuron death (Iwasaki et al) 2004;56:S12

Glycemic control

the acute effects of glycemic control on axonal excitability in human diabetics (Kitano et al) 2004;56:S462

Glycine chloride receptors

GLRA1 gene abnormality in a family with stiff baby syndrome, excessive startle, and spastic paraparesis (Holden et al) 2004;56:S103

Glycine_B

prolongation of levodopa responses by glycine_B antagonists in parkinsonian primates (Papa et al) 2004;56:S723

Government regulations

effect of government regulations on death rates of severely disabled, cerebral palsy children (Plioplys and Peterman) 2004;56:S125

Graduate medical education

PediNeuroLogic Exam: web-based tutorial for teaching the pediatric neurological examination (Larsen et al) 2004;56:S110

Granule cells

inhibition of cyclooxygenase-2 prevents the epileptogenic process with suppression of inflammation and aberrant ectopic granule cell formation (Chu et al) 2004;56:S42

Granulocyte colony-stimulating factor

granulocyte colony-stimulating factor promotes angiogenesis leading to the long-term functional recovery in focal cerebral ischemia (Lee et al) 2004;56:S15

granulocyte colony-stimulating factor protects human cortical neurons from in vitro ischemia (Jung et al) 2004;56:S67

Granulomatous amebic encephalitis

granulomatous amebic encephalitis in a transplant patient: case report (Mendez et al) 2004;56:S70

Gray matter

magnetization transfer MRA study of deep gray matter involvement in multiple sclerosis (Bakshi et al) 2004;56:S30

progressive grey and white MTR abnormality in early relapsing-remitting MS (Davies et al) 2004;56:S31

- the resistance to ischemia of white and gray matter after stroke (Falcão et al) 2004;56:695
- white matter volume increase and minocolumns in autism (Casanova) 2004;56:453 (Letter)
- white matter volume increase and minocolumns in autism (Herbert and Ziegler) 2004;56:454 (Reply)
- Gray matter, deep**
- ischemic injury from cerebral venous thrombosis in children preferentially affects subcortical white matter and deep gray nuclei (Ichord) 2004;56:S122
- Gray matter atrophy**
- measurement of cerebral grey and white matter atrophy in patients with multiple sclerosis (Watts et al) 2004;56:S59
- Greater auricular nerve**
- proximal spinal sensory neurophysiological assessment; greater auricular nerve conduction study (Smith and Dyck) 2004;56:S62
- Guillain-Barré syndrome**
- an anti-ganglioside antibody-secreting hybridoma induces neuropathy in mice (Sheikh et al) 2004;56:228
- ganglioside complexes as new target antigens in Guillain-Barré syndrome (Kaida et al) 2004;56:567
- GD1a-GD1b complex: new target antigen in Guillain-Barré syndrome (Kaida et al) 2004;56:S34
- Guillain-Barré syndrome, early**
- BiPAP and early Guillain-Barré syndrome (Wijdicks and Roy) 2004;56:S64
- Hallucinations**
- serotonin transporter gene polymorphisms and hallucinations in Parkinson's disease (Goldman et al) 2004;56:S26
- Hallucinations, auditory**
- absence of LGI1 mutations in familial mesial temporal lobe epilepsy patients with or without auditory hallucinations (Badhwar et al) 2004;56:S23
- Hallucinations, new-onset**
- age-related influences on the clinical characteristics of new-onset hallucinations in Parkinson's disease patients (Goetz et al) 2004;56:S25
- Hamartoma, hypothalamic**
- endoscopic resection of hypothalamic hamartoma (Ng et al) 2004;56:S117
- successful treatment of refractory epilepsy symptomatic to hypothalamic hamartoma following transcallosal resection: long-term outcome in 25 patients (Ng et al) 2004;56:S85
- Hand dystonia**
- disturbed surround inhibition in focal hand dystonia (Sohn and Hallett) 2004;56:S95
- Handipark**
- CURE, a French epidemiological study on the use of ropinirole in patients with Parkinson's disease: usefulness of "Handipark," a new brief questionnaire (Tison et al) 2004;56:S55
- Haplotype**
- novel haplotypes in 17q21 are associated with progressive supranuclear palsy (Pastor et al) 2004;56:249
- Head growth**
- outcome following intrapartum hypoxic-ischemic insult of the acute near-total type in the term newborn: pattern of head growth, cerebral palsy, and brainstem dysfunction (Basheer et al) 2004;56:S120
- Head injury**
- an ApoE-based therapeutic improves outcome and reduces Alzheimer's disease pathology after head injury (Lynch et al) 2004;56:S42
- Headache**
- co-morbidity of epilepsy and headache in patients with Sturge-Weber syndrome (Kossoff et al) 2004;56:S125
- Headache, cluster**
- subcutaneous octreotide in cluster headache: randomized placebo-controlled double-blind crossover study (Matharu et al) 2004;56:488, 751 (Correction)
- Headache, daily**
- new daily persistent headache in children and adolescents (AbdelSalam et al) 2004;56:S126
- outcome of chronic daily headache in childhood (Lewis et al) 2004;56:S108
- Health-care costs**
- pediatric stroke: cost of illness study (Helden et al) 2004;56:S121
- Health-related quality of life**
- health-related quality of life and its relationship to neurological outcome in child survivors of stroke (Friefeld et al) 2004;56:S119
- utility of theoretical models in outcome and quality of life research: example from childhood epilepsy outcome research (Ronen et al) 2004;56:S6
- Heart disease, congenital**
- neurological sequelae of bidirectional Glenn procedure in infants with complex congenital heart disease (Song et al) 2004;56:S118
- timing of brain injury in newborns with congenital heart disease (Miller et al) 2004;56:S90
- Heart failure**
- cardiac and respiratory failure in limb-girdle muscular dystrophy 21 (Poppe et al) 2004;56:738
- Heart rate variability**
- heart rate variability during sleep in patients with refractory epilepsy (Li and Xie) 2004;56:S43
- ictal heart rate changes in neonatal seizures (Cherian et al) 2004;56:S113
- Heart transplantation**
- postmortem intracranial findings in children who have undergone cardiac transplantation (McClure et al) 2004;56:S121
- Heart transplantation, infant**
- predictors of neuropsychological outcome following infant heart transplantation (Freier et al) 2004;56:S88
- Heat shock protein 70**
- C-terminus of Hsp70-interacting protein suppresses polyglutamine aggregation and toxicity in vitro and in vivo (Miller et al) 2004;56:S37
- Heat shock protein 70, inducible**
- microglia potentiate astrocyte injury: reversal by inducible heat shock protein 70 (Zambrano et al) 2004;56:S47
- Height**
- peripheral nerve demyelination: consensus research criteria transformed to linear regression criteria using height (Maccabee et al) 2004;56:S35
- Helper T cells**
- frequency of MBP- and PLP- but not MOG-specific T cells is reduced in multiple sclerosis patients treated with intramuscular interferon- β 1a: correlation with changes in Th1 and Th2 cytokine expression (Lund et al) 2004;56:S57
- Hematological abnormalities**
- hematological abnormalities in the acute stage after traumatic spinal cord injury (Furlan and Fehlings) 2004;56:S41

Hematopoietic cell transplantation

therapeutic effects of normal cells on ABCD1-deficient cells in vitro and hematopoietic cell transplantation on the X-ALD mouse model (Furuya et al) 2004;56:S67

Hemifacial spasm

facial motor evoked potentials during microvascular decompression for hemifacial spasm (HFS): new evidence for a hyperexcitable VII nucleus (Wilkinson and Kaufmann) 2004;56:S56

Hemiparesis

forced use treatment of hemiparesis: serial casting (Gloss et al) 2004;56:S132

Hemiparesis, congenital

reorganization in congenital hemiparesis acquired at different gestational ages (Staudt et al) 2004;56:854

Hemiparesis, ipsilateral

ipsilateral hemiparesis to the affected hemisphere on recurrent stroke patients (Yamamoto et al) 2004;56:S47

Hemiplegia

functional changes in the hemiplegic upper limb after botulinum toxin type A injection into one elbow flexor: single-blind study (Chao et al) 2004;56:S72

Hemiplegia, alternating

case of alternating hemiplegia of childhood successfully treated with topiramate: follow-up of 12 months (Di Rosa et al) 2004;56:S38

Hemophilia

functional cerebral organization in patients with hemophilia who have had an intracranial hemorrhage (Ruocco et al) 2004;56:S97

Hemorrhage, intracerebral

VA Stroke (VAsT) Study: intracerebral hemorrhage versus ischemic stroke (Goldstein et al) 2004;56:S5

Hemorrhage, intracranial

functional cerebral organization in patients with hemophilia who have had an intracranial hemorrhage (Ruocco et al) 2004;56:S97

Hemorrhagic infarction, periventricular

periventricular hemorrhagic infarction: neurological outcome in the modern era of neonatal intensive care (Basan et al) 2004;56:S118

Hemorrhagic lesions

diffuse axonal injury in children: clinical correlation with hemorrhagic lesions (Tong et al) 2004;56:36

Heparin

use of heparin for atrial fibrillation-related stroke: can neurologists learn to practice evidence-based medicine? (Sunbuli et al) 2004;56:S3

Herbal medicine

perceptions about herbal medicines relative to conventional drugs amongst the elderly population attending a memory clinic (Sharma et al) 2004;56:S5

Hereditary neuropathy with liability to pressure palsy (HNPP)

greater occipital nerve involvement in hereditary neuropathy with liability to pressure palsy (HNPP) (Rao et al) 2004;56:S61

Hereditary optic neuropathy, Leber's

the ND1 gene of complex I is a mutational hot spot for Leber's hereditary optic neuropathy (Valentino et al) 2004;56:631

poison and antidote: a novel model to study pathogenesis and therapy of LHON (Manfredi and Beal) 2004;56:171 (Editorial)

Hereditary spastic paraplegia

molecular and functional analyses of *Drosophila* homologues of autosomal-dominant hereditary spastic para-

plegia genes spastin and atlastin (Martinuzzi et al) 2004;56:S29

a novel locus for pure recessive hereditary spastic paraplegia maps to 10q22.1-10q24.1 (Meijer et al) 2004;56:579

Herpes simplex virus type 1

herpes simplex virus type 1 neurotropism studies in organotypic brain slices (Steiner et al) 2004;56:S71

Heterotopia, periventricular nodular

periventricular nodular heterotopia with overlying polymicrogyria occurs in several distinct patterns of malformation: clinical and imaging features (Wieck et al) 2004;56:S93

Hippocampal sclerosis

interictal extracellular glutamate concentrations are increased in hippocampal sclerosis (Petroff et al) 2004;56:S43

Hippocampal volume

serum lipids and hippocampal volume: the link to Alzheimer's disease? (Wolf et al) 2004;56:745

Hippocampus

androgen receptor distribution in hippocampal subfields in aging and Alzheimer's disease (Chang and Hong-Goka) 2004;56:S17

doing more with less: the plight of the failing hippocampus (Grafton) 2004;56:7 (Editorial)

Hispanics, Caribbean

interaction between stroke and apolipoprotein-E $\epsilon 4$ and risk of familial Alzheimer's disease among Caribbean Hispanics (Rippon et al) 2004;56:S49

Histone acetylation

MeCP2 expression, histone acetylation, and gene expression in Rett syndrome frontal cortex: initial examination (Wang et al) 2004;56:S86

Historical perspective

historical perspective of progressive supranuclear palsy (Steele-Richardson-Olszewski syndrome) (Mishra and Misra) 2004;56:S37

neurology in the pharaonic era (El-Gengaihy and El-Gengaihy) 2004;56:S69

History taking

diagnostic value of basic tests (history taking, routine EEG, MRI, and video EEG monitoring) for the decision to perform temporal lobe epilepsy surgery (Uijl et al) 2004;56:S24

Hoehn and Yahr score

cervical radiculomyelopathy and Parkinson's disease: does an added neurological comorbidity affect UPDRS and Hoehn and Yahr scores? (Itin et al) 2004;56:S26

Homocitrullinuria

hyperornithinemia-hyperammonemia-homocitrullinuria syndrome: treatable metabolic disease mimicking cerebral palsy (Walti et al) 2004;56:S107

Homocysteine

homocysteine, brain atrophy, and white matter disease in Alzheimer's disease and cerebral amyloid angiopathy (Gurol et al) 2004;56:S18

Hospital length of stay

do early laboratory parameters in acute ischemic stroke influence hospital length of stay? (Stead et al) 2004;56:S46

Hospitalization, stroke

stroke hospitalization in New York City, 1990 and 2000 (Fang et al) 2004;56:S44

Houston, Texas

neurologic complications associated with influenza A in children during the 2003–2004 influenza season in Houston, Texas (Maricich et al) 2004;56:S122

HSN2 gene

a mutation in the *HSN2* gene causes sensory neuropathy type II in a Lebanese family (Rivière et al) 2004;56:572

HTR4 gene

serotonin neurotransmitter system in autism: association with HTR4, HTR6, and TDO2 polymorphisms (Nabi et al) 2004;56:S99

HTR6 gene

serotonin neurotransmitter system in autism: association with HTR4, HTR6, and TDO2 polymorphisms (Nabi et al) 2004;56:S99

Hu

anti-Hu antibodies and sensorimotor polyneuropathy associated with carcinoid tumorlet of lung (Pasnoor et al) 2004;56:S60

Human immunodeficiency virus

adaptation of the attention network in human immunodeficiency virus brain injury (Chang et al) 2004;56:259

antiretroviral exposure is a risk factor for HIV-associated sensory neuropathies (McArthur et al) 2004;56:S71

astrocyte specific viral strains in HIV dementia (Thompson et al) 2004;56:873

enhancing antiretroviral therapy for human immunodeficiency virus cognitive disorders (Letendre et al) 2004;56:416

interaction of HIV Tat and matrix metalloproteinase: new host defense mechanism (Rumbaugh et al) 2004;56:S70

prospective characterization of movement disorders in an HIV-positive population (Tse et al) 2004;56:S56

Human T-lymphotrophic virus type II

human T-lymphotrophic virus type II and neurological disease (Araujo and Hall) 2004;56:10

Humanin

effect of humanin on ATP production: therapeutic candidate for mitochondrial disorders (Kariya et al) 2004;56:S65

Huntington's disease

baseline characteristics of the Prospective Huntington at Risk Observational Study cohort (Biglan and PHAROS Investigators) 2004;56:S24

bilateral globus pallidus stimulation for Huntington's disease (Moro et al) 2004;56:290

generalized brain and skin proteasome inhibition in Huntington's disease (Seo et al) 2004;56:319

Huntington's disease-like 2

Huntington's disease-like 2 (HDL2) in North America and Japan (Margolis et al) 2004;56:670, 911 (Correction)

Huntington's disease-like disorders

spinocerebellar ataxia type 17 repeat in patients with Huntington's disease-like and ataxia (Cellini et al) 2004;56:163 (Letter)

spinocerebellar ataxia type 17 repeat in patients with Huntington's disease-like and ataxia (Toyoshima et al) 2004;56:163 (Reply)

Hurler syndrome

prevention of neuropathology in the mouse model of Hurler syndrome (Desmaris et al) 2004;56:68

Hutterites

dysequilibrium syndrome in Hutterites: autosomal-recessive cerebellar hypoplasia (Glass et al) 2004;56:S100

Hybridoma

an anti-ganglioside antibody-secreting hybridoma induces neuropathy in mice (Sheikh et al) 2004;56:228

Hydrocephalus, intra-uterine

developmental brain anomalies secondary to intra-uterine hydrocephalus with aqueductal stenosis (Humphreys and Michaud) 2004;56:S95

3-Hydroxy-3-methylglutaryl-CoA lyase deficiency

3-hydroxy-3-methylglutaryl-CoA lyase deficiency in an adult with leukoencephalopathy (Bischof et al) 2004;56:727

γ -Hydroxybutyrate

movement disorders in SSADH deficiency: more severe phenotype and relevance to GHB toxicity (Pearl et al) 2004;56:S120

5-Hydroxytryptamine_{1A} receptors

depression in frontotemporal dementia is associated with decreased left temporal lobe 5HT_{1A} receptor density (Chow et al) 2004;56:S17

5-Hydroxytryptamine_{1B/1D} receptors

activation of 5-HT_{1B/1D} receptor in the periaqueductal gray inhibits nociception (Bartsch et al) 2004;56:371

Hydroxyurea

hydroxyurea induces SMN2 gene expression in SMA cells (Wang and Grzeschik) 2004;56:S87

Hyperammonemia

hyperornithinemia-hyperammonemia-homocitrullinuria syndrome: treatable metabolic disease mimicking cerebral palsy (Walti et al) 2004;56:S107

Hyperglycinemia

IGF-I protects hyperglycemic neurons from apoptosis via Akt activation and caspase inhibition (Leininger et al) 2004;56:S66

Hyperglycinemia, nonketotic

persistent NKH and transient or absent symptoms and a homozygous *GLDC* mutation (Korman et al) 2004;56:139

Hyperglycinemia, short-term

short-term hyperglycinemia produces oxidative damage and apoptosis in neurons (Vincent et al) 2004;56:S20

Hyperornithinemia-hyperammonemia-homocitrullinuria syndrome

hyperornithinemia-hyperammonemia-homocitrullinuria syndrome: treatable metabolic disease mimicking cerebral palsy (Walti et al) 2004;56:S107

Hypertension, intracranial

the incidence of idiopathic intracranial hypertension in Mississippi (Garrett et al) 2004;56:S69

Hypertension, supine

pyridostigmine improves orthostatic hypotension without worsening supine hypertension (Sandroni et al) 2004;56:S9

Hypertonic saline

lung water is increased following experimental stroke: effect of treatment with hypertonic saline (Toung et al) 2004;56:S14

Hypometabolism, extratemporal

does extratemporal hypometabolism affect temporal lobectomy prognosis? (Theodore et al) 2004;56:S42

Hyponatremia

mechanisms of hyponatremia after spinal cord injury: clinical and neuroanatomical evidence for disruption of descending renal sympathetic pathways (Furlan and Fehlings) 2004;56:S41

Hypoperfusion

hypoperfusion without stroke alters motor activation in the opposite hemisphere (Krakauer et al) 2004;56:796

Hypoplasia, cerebellar

dysequilibrium syndrome in Hutterites: autosomal-recessive cerebellar hypoplasia (Glass et al) 2004;56:S100

Hyposmia, idiopathic

idiopathic hyposmia as a preclinical sign of Parkinson's disease (Ponsen et al) 2004;56:173

Hypotension, orthostatic

pyridostigmine improves orthostatic hypotension without worsening supine hypertension (Sandroni et al) 2004;56:S9

Hypothalamic hamartoma

endoscopic resection of hypothalamic hamartoma (Ng et al) 2004;56:S117

successful treatment of refractory epilepsy symptomatic to hypothalamic hamartoma following transcallosal resection: long-term outcome in 25 patients (Ng et al) 2004;56:S85

Hypothalamus

glucose hypometabolism of hypothalamus and thalamus in narcolepsy (Joo et al) 2004;56:437

Hypothermia, systemic

systemic hypothermia selectively protects the cortex in term hypoxic-ischemic encephalopathy (Inder et al) 2004;56:S91

Hypotonia, neonatal

utility of diagnostic tests in the evaluation in profound neonatal hypotonia (Eichler et al) 2004;56:S105

Hypoxia, chronic

adenosine-1-receptor blockade by caffeine attenuates cerebral myelination disturbances induced by chronic hypoxia in the perinatal mouse (Back et al) 2004;56:S89

Hypoxia-induced seizures

hypoxia- or kainic acid-induced seizures alter neuronal nuclear $^{45}\text{Ca}^{2+}$ influx in the newborn rat brain: implications for apoptotic neuronal damage (Valencia et al) 2004;56:S84

Hypoxia-ischemia, perinatal

increased susceptibility of S100B transgenic mice to perinatal hypoxia-ischemia (Wainwright et al) 2004;56:61

Hypoxic-ischemic encephalopathy

systemic hypothermia selectively protects the cortex in term hypoxic-ischemic encephalopathy (Inder et al) 2004;56:S91

Hypoxic-ischemic injury, brain

changing profile of intrapartum hypoxic-ischemic brain injury in term newborns from 1986 to 2001 (Basheer et al) 2004;56:S119

epilepsy following acute near-total hypoxic-ischemic brain injury in the term newborn: predictive factors and seizure pattern (Basheer et al) 2004;56:S123

Hypoxic-ischemic injury, cerebral

evolution of paroxysmal discharges in the neonatal rat following cerebral hypoxic-ischemic injury (Abi-Raad et al) 2004;56:S130

Hypoxic-ischemic injury, intrapartum

outcome following intrapartum hypoxic-ischemic insult of the acute near-total type in the term newborn: pattern of head growth, cerebral palsy, and brainstem dysfunction (Basheer et al) 2004;56:S120

Hypoxic-ischemic injury, severe

significance of myokymia associated with severe hypoxic-ischemic injury (Gutmann and Pawar) 2004;56:S40

Ictal heart rate

ictal heart rate changes in neonatal seizures (Cherian et al) 2004;56:S113

Imaging; see also specific modalities

imaging-guided convection-enhanced delivery and gene therapy of glioblastoma (Voges et al) 2003;54:479

vascular parkinsonism in moyamoya: microvascular biopsy and imaging correlates (Tan et al) 2003;54:838

Imaging, molecular

non-invasive "phenotyping" of patients with spinocerebellar ataxia type 3 and spinocerebellar ataxia type 6 by molecular imaging (Heiss et al) 2004;56:S20

Immune-mediated inflammation

chemokines in a novel model of brain immune-mediated inflammation (Glabinski et al) 2004;56:S32

Immunogenetics

immunogenetic studies in autism: association with IL4R and ICAM5 genes (Serajee et al) 2004;56:S101

Immunoglobulin M

effects of phospholipids on the activity of anti-GM1 IgM antibodies in autoimmune neuropathies (Hirakawa et al) 2004;56:S34

Immunoglobulins, intravenous

response to intravenous immunoglobulins and experimental evidence for pathogenic antibodies in a case of complex regional pain syndrome (Goebel et al) 2004;56:S51

successful management of cataplexy with intravenous immunoglobulins at narcolepsy onset (Dauvilliers et al) 2004;56:905

Immunotherapy

effect of immunotherapy on expression of cytokines and chemokines in relation to β -amyloid and ubiquitin in the muscle of patients with sporadic inclusion body myositis (Schmidt et al) 2004;56:S63

a novel anti-GAD-antibody-positive neurological syndrome of generalized dystonia responding to immunotherapy (Chaudhuri and Behan) 2004;56:S25

Impaired glucose tolerance

Impaired Glucose Tolerance Causes Neuropathy (IGTN) study: baseline characteristics and first-year follow-up (Smith et al) 2004;56:S62

Impaired Glucose Tolerance Causes Neuropathy (IGTN) study

Impaired Glucose Tolerance Causes Neuropathy (IGTN) study: baseline characteristics and first-year follow-up (Smith et al) 2004;56:S62

Inclusion-body myositis, sporadic

effect of immunotherapy on expression of cytokines and chemokines in relation to β -amyloid and ubiquitin in the muscle of patients with sporadic inclusion body myositis (Schmidt et al) 2004;56:S63

spectratyping of the T cell receptor β -chain-variable region in the peripheral blood lymphocyte and muscle of patients with sporadic inclusion body myositis: evidence of local expansion of T cell clones (Salajegheh et al) 2004;56:S61

sporadic inclusion-body myositis as a conformational disorder: novel role of misfolded proteins and proteasome inhibition in sporadic inclusion-body myositis pathogenesis (Askanas et al) 2004;56:S33

India

clinical characteristics of stroke patients who present within window period of 3 hours: study from North-west India (Dhillon et al) 2004;56:S14

Infant heart transplantation

predictors of neuropsychological outcome following infant heart transplantation (Freier et al) 2004;56:S88

Infant spinal muscular atrophy

molecular studies of infant spinal muscular atrophy in Cuba (Montejo et al) 2004;56:S29

Infantile spinocerebellar ataxia type 7

ataxin-7 aggregation and ubiquitination in infantile SCA7 with 180 CAG repeats (Ansorge et al) 2004;56:448

Infants; see also Neonates; Pediatrics

- effect of opioid analgesics on magnetic resonance imaging scores in asphyxiated term infants (Angeles et al) 2004;56:S107
- follow-up of infants with cerebellar infarction and born with history of severe prematurity (Scalais et al) 2004;56:S96
- neurological sequelae of bidirectional Glenn procedure in infants with complex congenital heart disease (Song et al) 2004;56:S118
- systemic hypothermia selectively protects the cortex in term hypoxic-ischemic encephalopathy (Inder et al) 2004;56:S91
- utility of bedside EEG tools in term encephalopathic infants (Inder et al) 2004;56:S114
- zonisamide tolerability in infants 12 months of age and younger (Feng and Wilfong) 2004;56:S114

Infants, preterm

- clinical validity of early neurobehavioral assessments of very preterm infants (Brown et al) 2004;56:S92
- follow-up of infants with cerebellar infarction and born with history of severe prematurity (Scalais et al) 2004;56:S96
- neonatal status epilepticus in preterm babies (Pisani et al) 2004;56:S114

Infarction, cerebellar

- follow-up of infants with cerebellar infarction and born with history of severe prematurity (Scalais et al) 2004;56:S96

Infarction, myocardial

- risk of myocardial infarction and vascular death after first ischemic stroke: Northern Manhattan Stroke Study (Dhamoon et al) 2004;56:S1

Infarction, periventricular hemorrhagic

- periventricular hemorrhagic infarction: neurological outcome in the modern era of neonatal intensive care (Basan et al) 2004;56:S118

Infarction, temporal lobe

- retrieving meaning after temporal lobe infarction: the role of the basal language area (Sharp et al) 2004;56:836

Infection, streptococcal

- comparison of anti-basal ganglia antibodies in PANDAS and Tourette syndrome (Hong et al) 2004;56:S129

Infectious aneurysms, intracranial

- intracranial infectious aneurysms: clinical features, management, and outcome (Kannoth et al) 2004;56:S15

Inferior temporal cortex

- retrieving meaning after temporal lobe infarction: the role of the basal language area (Sharp et al) 2004;56:836

Inflammation

- inflammation in muscle biopsy in acute myasthenia gravis mimicking "inflammatory myopathy" in the acute phase of the experimental autoimmune myasthenia gravis (Achong et al) 2004;56:S64
- inhibition of cyclooxygenase-2 prevents the epileptogenic process with suppression of inflammation and aberrant ectopic granule cell formation (Chu et al) 2004;56:S42

Inflammation, immune-mediated

- chemokines in a novel model of brain immune-mediated inflammation (Glabinski et al) 2004;56:S32

Inflammatory demyelinating polyradiculoneuropathy, chronic

- case presentations and pathology of CIDP presenting as neoplastic neurofibromas (Polston et al) 2004;56:S60

Inflammatory myopathy

- calpain cleaves α -fodrin during muscle fiber regeneration in inflammatory myopathy (Murata et al) 2004;56:S36

inflammation in muscle biopsy in acute myasthenia gravis mimicking "inflammatory myopathy" in the acute phase of the experimental autoimmune myasthenia gravis (Achong et al) 2004;56:S64

Influenza A

- neurologic complications associated with influenza A in children during the 2003-2004 influenza season in Houston, Texas (Maricich et al) 2004;56:S122

Inhibitor κ B α , phosphorylated

- NEMO binding domain inhibits the formation of cytoplasmic inclusions: phosphorylated I κ B α as its target protein is a novel component of Lewy bodies (Noda et al) 2004;56:S27

Injury, astrocyte

- microglia potentiate astrocyte injury: reversal by inducible heat shock protein 70 (Zambrano et al) 2004;56:S47

Injury, brain

- adaptation of the attention network in human immunodeficiency virus brain injury (Chang et al) 2004;56:259
- brain lumps and bumps: a neural risk for autism (Fouldas) 2004;56:755 (Editorial)
- different bioenergetic responses to injury in immature rodents after diffuse traumatic brain injury (Chang et al) 2004;56:S128
- molecular mechanism of ischemic preconditioning on experimental brain injury (Zhang and Hu) 2004;56:S47
- seizures and brain injury in a new model of pediatric stroke: strain-related differences in vulnerability in postnatal day 12 C3HeB/FeJ mice compared to CD1 mice (Comi et al) 2004;56:S130
- timing of brain injury in newborns with congenital heart disease (Miller et al) 2004;56:S90
- timing of environmental enrichment is critical for recovery after traumatic brain injury in the developing rat (Giza et al) 2004;56:S89
- verbal selective learning after traumatic brain injury in children (Hanten et al) 2004;56:847

Injury, diffuse axonal

- diffuse axonal injury in children: clinical correlation with hemorrhagic lesions (Tong et al) 2004;56:36

Injury, facial nerve

- minocycline delays motoneuron degeneration in an adult rat model of facial nerve injury (Ikeda et al) 2004;56:S21

Injury, head

- an ApoE-based therapeutic improves outcome and reduces Alzheimer's disease pathology after head injury (Lynch et al) 2004;56:S42

Injury, hypoxic-ischemic

- epilepsy following acute near-total hypoxic-ischemic brain injury in the term newborn: predictive factors and seizure pattern (Basheer et al) 2004;56:S123
- evolution of paroxysmal discharges in the neonatal rat following cerebral hypoxic-ischemic injury (Abi-Raad et al) 2004;56:S130
- significance of myokymia associated with severe hypoxic-ischemic injury (Gutmann and Pawar) 2004;56:S40

Injury, ischemic

- ischemic injury from cerebral venous thrombosis in children preferentially affects subcortical white matter and deep gray nuclei (Ichord) 2004;56:S122

Injury, spinal cord

- hematological abnormalities in the acute stage after traumatic spinal cord injury (Furlan and Fehlings) 2004;56:S41
- mechanisms of hyponatremia after spinal cord injury: clinical and neuroanatomical evidence for disruption of de-

- scending renal sympathetic pathways (Furlan and Fehlings) 2004;56:S41
- significance of quantitative assessment of canal stenosis by CT scan and MRI for evaluation of neurological status and prediction of neurological outcome after spinal cord injury (Furlan and Fehlings) 2004;56:S41
- Instrumental activities of daily living**
- subjective patient-report versus objective performance-based measurement of activities of daily living in Parkinson's disease (Shulman et al) 2004;56:S54
- Insulin-like growth factor**
- the IGF system regulates osteoprotegerin in human neuroblastoma cells (Schwab et al) 2004;56:S64
- Insulin-like growth factor-I**
- IGF-I protects hyperglycemic neurons from apoptosis via Akt activation and caspase inhibition (Leininger et al) 2004;56:S66
- neuroprotective effect of insulin-like growth factor-I against glutamate- and axotomy-induced motor neuron death (Iwasaki et al) 2004;56:S12
- Insulin receptor substrate-1**
- differential regulation of insulin receptor substrate-1 degradation during apoptosis (Kim et al) 2004;56:S66
- Insulin signaling**
- insulin signaling pathways in cortical dysplasia and TSC-tubers: tissue microarray analysis (Miyata et al) 2004;56:S10
- Intelligence modeling**
- experimental validation of a dynamical systems model of neural behavior (Bergethon) 2004;56:S66
- Intelligence quotient (IQ)**
- relationship of epilepsy and IQ in autism spectrum disorders and non-spectrum developmental delay (Spence et al) 2004;56:S125
- Intensive care, neonatal**
- periventricular hemorrhagic infarction: neurological outcome in the modern era of neonatal intensive care (Bassan et al) 2004;56:S118
- Intensive care units**
- internal review of pain management in the Long Island Jewish Medical Center Intensive Care Unit (Singh and Kanner) 2004;56:S3
- Intercellular adhesion molecule-5**
- immunogenetic studies in autism: association with IL4R and ICAM5 genes (Serajee et al) 2004;56:S101
- Interferon β**
- defining interferon β response status in multiple sclerosis patients (Rudick et al) 2004;56:S48
- dynamics of interferon- β -modulated biomarkers in multiple sclerosis patients with persistent anti-interferon- β -neutralizing antibodies (Weinstock-Guttman et al) 2004;56:S58
- interferon- β stabilizes barrier characteristics of brain endothelial cells in vitro (Kraus et al) 2004;56:S192
- regulation of differentiation and functional properties of monocytes and monocyte-derived dendritic cells by interferon- β in multiple sclerosis (Zang et al) 2004;56:S59
- Interferon β 1a**
- frequency of MBP- and PLP- but not MOG-specific T cells is reduced in multiple sclerosis patients treated with intramuscular interferon- β 1a: correlation with changes in Th1 and Th2 cytokine expression (Lund et al) 2004;56:S57
- Interferon β 1b**
- sustained clinical effectiveness of interferon- β 1b in multiple sclerosis patients (Shimpi et al) 2004;56:S58
- Interleukin 1 β**
- ammonia increases interleukin-1 β -induced inducible nitric oxide synthase expression in C6 glioma cells (Feng et al) 2004;56:S40
- the interleukin 1 β gene promoter polymorphism (-511) acts as a risk factor for psychosis in Alzheimer's dementia (Craig et al) 2004;56:S121
- Interleukin 2**
- treatment of multiple sclerosis with an anti-interleukin-2 receptor monoclonal antibody (Rose et al) 2004;56:S64
- Interleukin 4 receptor**
- immunogenetic studies in autism: association with IL4R and ICAM5 genes (Serajee et al) 2004;56:S101
- International data**
- genotype and early development in Rett syndrome: value of international data (Leonard et al) 2004;56:S110
- InterRett — application of bioinformatics to international Rett syndrome research (Moore et al) 2004;56:S111
- InterRett-IRSA Rett Phenotype Database**
- InterRett — application of bioinformatics to international Rett syndrome research (Moore et al) 2004;56:S111
- Intra-uterine hydrocephalus**
- developmental brain anomalies secondary to intra-uterine hydrocephalus with aqueductal stenosis (Humphreys and Michaud) 2004;56:S95
- Intracerebral hemorrhage**
- VA Stroke (VAsT) Study: intracerebral hemorrhage versus ischemic stroke (Goldstein et al) 2004;56:S5
- Intracranial hemorrhage**
- functional cerebral organization in patients with hemophilia who have had an intracranial hemorrhage (Ruocco et al) 2004;56:S97
- Intracranial hypertension, idiopathic**
- the incidence of idiopathic intracranial hypertension in Mississippi (Garrett et al) 2004;56:S69
- Intracranial infectious aneurysms**
- intracranial infectious aneurysms: clinical features, management, and outcome (Kannoth et al) 2004;56:S15
- Intramedullary Sjogren's syndrome**
- neuropathology in intramedullary Sjogren's syndrome (Garwood et al) 2004;56:S32
- Intrapartum hypoxic-ischemic brain injury**
- changing profile of intrapartum hypoxic-ischemic brain injury in term newborns from 1986 to 2001 (Basheer et al) 2004;56:S119
- outcome following intrapartum hypoxic-ischemic insult of the acute near-total type in the term newborn: pattern of head growth, cerebral palsy, and brainstem dysfunction (Basheer et al) 2004;56:S120
- Intravenous immunoglobulins**
- response to intravenous immunoglobulins and experimental evidence for pathogenic antibodies in a case of complex regional pain syndrome (Goebel et al) 2004;56:S51
- successful management of cataplexy with intravenous immunoglobulins at narcolepsy onset (Dauvilliers et al) 2004;56:S95
- Ion channels**
- developmental regulation of voltage-gated ion channels in trigeminal neurons (Saha and Turman) 2004;56:S39
- electromyography guides toward subgroups of mutations in muscle channelopathies (Fournier et al) 2004;56:S60
- Iron**
- acroparasminemia presenting with dementia: high field MR evidence for extremely high levels of brain iron (Zimmerman et al) 2004;56:S51

- difference in nigral iron between Parkinson's disease and control is in the iron binding not in amount (Friedman et al) 2004;56:S67
- Ischemia**
granulocyte colony-stimulating factor protects human cortical neurons from in vitro ischemia (Jung et al) 2004;56:S67
the resistance to ischemia of white and gray matter after stroke (Falcao et al) 2004;56:695
- Ischemia, brain**
early blood-brain barrier disruption in human focal brain ischemia (Latour et al) 2004;56:468
- Ischemia, cerebral**
granulocyte colony-stimulating factor promotes angiogenesis leading to the long-term functional recovery in focal cerebral ischemia (Lee et al) 2004;56:S15
patterns of cerebral ischemia in children with moyamoya (Rafay et al) 2004;56:S124
- Ischemia, focal**
early blood-brain barrier disruption in human focal brain ischemia (Latour et al) 2004;56:468
granulocyte colony-stimulating factor promotes angiogenesis leading to the long-term functional recovery in focal cerebral ischemia (Lee et al) 2004;56:S15
MR molecular imaging of early endothelial activation in focal ischemia (Barber et al) 2004;56:116
- Ischemia, perinatal**
increased susceptibility of S100B transgenic mice to perinatal hypoxia-ischemia (Wainwright et al) 2004;56:61
- Ischemic disease**
visual evoked potentials and brainstem auditory evoked potentials in patients with multiple sclerosis and cerebral periventricular white matter small vessel ischemic disease (Barrera et al) 2004;56:S31
- Ischemic encephalopathy**
systemic hypothermia selectively protects the cortex in term hypoxic-ischemic encephalopathy (Inder et al) 2004;56:S91
- Ischemic injury**
epilepsy following acute near-total hypoxic-ischemic brain injury in the term newborn: predictive factors and seizure pattern (Basheer et al) 2004;56:S123
ischemic injury from cerebral venous thrombosis in children preferentially affects subcortical white matter and deep gray nuclei (Ichord) 2004;56:S122
- Ischemic injury, cerebral**
evolution of paroxysmal discharges in the neonatal rat following cerebral hypoxic-ischemic injury (Abi-Raad et al) 2004;56:S130
- Ischemic injury, intrapartum**
changing profile of intrapartum hypoxic-ischemic brain injury in term newborns from 1986 to 2001 (Basheer et al) 2004;56:S119
outcome following intrapartum hypoxic-ischemic insult of the acute near-total type in the term newborn: pattern of head growth, cerebral palsy, and brainstem dysfunction (Basheer et al) 2004;56:S120
- Ischemic injury, severe**
significance of myokymia associated with severe hypoxic-ischemic injury (Gutmann and Pawar) 2004;56:S40
- Ischemic preconditioning**
molecular mechanism of ischemic preconditioning on experimental brain injury (Zhang and Hu) 2004;56:S47
- Ischemic stroke**
elevated pulsatility index by transcranial Doppler is associated with risk of ischemic stroke and TIA (Rajamani et al) 2004;56:S45
risk of myocardial infarction and vascular death after first ischemic stroke: Northern Manhattan Stroke Study (Dhamoon et al) 2004;56:S1
use of antithrombotics after TIA and ischemic stroke (Hills and California Acute Stroke Pilot Registry Investigators) 2004;56:S3
VA Stroke (VAsT) Study: intracerebral hemorrhage versus ischemic stroke (Goldstein et al) 2004;56:S5
- Ischemic stroke, acute**
in acute ischemic stroke patients is white matter disease a single pathophysiological entity? (Sajed et al) 2004;56:S46
arundic acid in acute ischemic stroke: pharmacokinetics and coagulation effects (Petigrew et al) 2004;56:S42
do early laboratory parameters in acute ischemic stroke influence hospital length of stay? (Stead et al) 2004;56:S46
emergency department laboratory parameters in acute ischemic stroke as potential predictors of 90-day mortality (Stead et al) 2004;56:S46
- Ischemic stroke, pediatric**
clinical challenges in pediatric ischemic stroke: data on over 1000 children with stroke from the 1-800-NO-CLOTS consultation service (Kuhle et al) 2004;56:S97
- Ischemic stroke, perinatal arterial**
twin gestation without fetal demise may be a risk for perinatal arterial ischemic stroke in term neonates (Golomb et al) 2004;56:S123
- Ischemic Stroke Genetics Study**
stroke family history is not a determinant of 90-day outcomes: the Ischemic Stroke Genetics Study (Meschia et al) 2004;56:S16
- Isotachophoresis**
association among plasma lipoprotein subfractions as characterized by analytical isotachophoresis, apolipoprotein E phenotype, Alzheimer's disease, and mild cognitive impairment (Yamada et al) 2004;56:S50
- Israel**
multiple sclerosis prevalence in Israeli ethnic groups: evidence that lifestyle influences risk (Alter et al) 2004;56:S30
- Italy**
case-control study of myelin oligodendrocyte glycoprotein and CD45 polymorphisms in multiple sclerosis in Verona, Italy (Gomez-Lira et al) 2004;56:S31
- Jansky-Belschowsky disease**
abundant secretion of misfolded tripeptidyl peptidase I associated with the classic late-infantile neuronal ceroid lipofuscinosis in mammalian cells (Wisniewski et al) 2004;56:S85
- Japan**
clinical features of multiple system atrophy in Japan: MSA-C is the most common manifestation of MSA in Japan (Soma et al) 2004;56:S22
diphenylarsinic acid poisoning from chemical weapons in Kamisu, Japan (Ishii et al) 2004;56:S741
Huntington's disease-like 2 (HDL2) in North America and Japan (Margolis et al) 2004;56:670, 911 (Correction)
single nucleotide polymorphism of platelet-activating factor receptor in Japanese multiple sclerosis (Osoeawa et al) 2004;56:S33
- Japanese brain checkpoint**
epidemiology of migraine on a survey of Japanese brain checkpoint (Ikeda et al) 2004;56:S51
- JC virus**
propagation of archetype JC virus in primary cultures of non-neural cells (O'Neill et al) 2004;56:S71

Joubert syndrome

cerebellar nuclei afferents and efferents in Joubert syndrome (Maria et al) 2004;56:S97

Juvenile myoclonic epilepsy

efficacy of zonisamide in juvenile myoclonic epilepsy (Kothare et al) 2004;56:S113

topiramate or valproate in juvenile myoclonic epilepsy (Levisohn et al) 2004;56:S117

Juvenile neuronal ceroid lipofuscinosis

obsessive/compulsive symptoms in juvenile neuronal ceroid lipofuscinosis (Batten disease) 2004;56:S127

Kainic acid-induced seizures

hypoxia- or kainic acid-induced seizures alter neuronal nuclear $^{45}\text{Ca}^{2+}$ influx in the newborn rat brain: implications for apoptotic neuronal damage (Valencia et al) 2004;56:S84

Kernicterus

magnetic resonance imaging findings in children with kernicterus (Shapiro et al) 2004;56:S96

Ketogenic treatment

ketogenic treatment reduced deleted mitochondrial DNAs in cultured human cells (Santra et al) 2004;56:662

L-3-hydroxyacyl-CoA dehydrogenase II

l-3-hydroxyacyl-CoA dehydrogenase II protects in a model of Parkinson's disease (Tieu et al) 2004;56:51

Laboratory parameters

do early laboratory parameters in acute ischemic stroke influence hospital length of stay? (Stead et al) 2004;56:S46
emergency department laboratory parameters in acute ischemic stroke as potential predictors of 90-day mortality (Stead et al) 2004;56:S46

Lafora disease

laforin preferentially binds neurotoxic starch-like polyglucosans, which form in its absence in progressive myoclonus epilepsy (Minassian et al) 2004;56:S9

progressive myoclonus epilepsy with polyglucosans (Lafora disease): evidence for a third locus (Chan et al) 2004;56:S13

Laforin

laforin preferentially binds neurotoxic starch-like polyglucosans, which form in its absence in progressive myoclonus epilepsy (Minassian et al) 2004;56:S9

Lamotrigine

conversion to lamotrigine monotherapy from valproate monotherapy in adolescent patients with epilepsy (Fakhoury et al) 2004;56:S115

onset of action of lamotrigine in children with partial seizures (Duchowny et al) 2004;56:S113

Language-association cortex

language-association cortex asymmetry in autism and specific language impairment (De Fossé et al) 2004;56:757

Language dominance

atypical language dominance associated with early seizure onset and early remote symptomatic cause (Gaillard et al) 2004;56:S83

Language impairment, developmental

developmental and functional outcomes in preschool children diagnosed with either global developmental delay or developmental language impairment: comparative study (Shevell et al) 2004;56:S122

school-age language outcomes of children with global developmental delay and developmental language impairment diagnosed before school entry (Webster et al) 2004;56:S119

Language impairment, specific

language-association cortex asymmetry in autism and specific language impairment (De Fossé et al) 2004;56:757

Language lateralization

learning to read without a left occipital lobe: right-hemispheric shift of visual word form area (Cohen et al) 2004;56:890

Language problems

speech and language problems in children with neurofibromatosis type I (Wright-Talamante et al) 2004;56:S126

Learning

learning-enhancing and anxiolytic effects of memantine in nontransgenic and transgenic mice over-expressing APPswe and PS1 (Tanila et al) 2004;56:S48

Learning, verbal selective

verbal selective learning after traumatic brain injury in children (Hanten et al) 2004;56:847

Learning disabilities, nonverbal

nonverbal learning disabilities: frequency and basis for diagnosis in a learning disability school cohort (Nass et al) 2004;56:S106

Learning to read

learning to read without a left occipital lobe: right-hemispheric shift of visual word form area (Cohen et al) 2004;56:890

Lebanese families

a mutation in the *HSN2* gene causes sensory neuropathy type II in a Lebanese family (Rivière et al) 2004;56:572

Leber's hereditary optic neuropathy

the ND1 gene of complex I is a mutational hot spot for Leber's hereditary optic neuropathy (Valentino et al) 2004;56:631

poison and antidote: a novel model to study pathogenesis and therapy of LHON (Manfredi and Beal) 2004;56:171 (Editorial)

Left occipital lobe

learning to read without a left occipital lobe: right-hemispheric shift of visual word form area (Cohen et al) 2004;56:890

Left temporal lobe

depression in frontotemporal dementia is associated with decreased left temporal lobe 5HT_{1A} receptor density (Chow et al) 2004;56:S17

Lennox-Gastaut syndrome

myoclonic-astatic epilepsy is diagnosed as commonly as Lennox-Gastaut syndrome in a pediatric epilepsy monitoring unit (Laux et al) 2004;56:S115

Leptomeningeal blood vessels

Sturge-Weber syndrome: altered blood vessel fibronectin expression and decreased circumference of leptomeningeal blood vessels (Comi et al) 2004;56:S86

Leptomeningeal metastasis

ventriculoperitoneal shunt in patients with leptomeningeal metastasis (Omuro et al) 2004;56:S65

Leukoencephalopathy

3-hydroxy-3-methylglutaryl-CoA lyase deficiency in an adult with leukoencephalopathy (Bischof et al) 2004;56:727

Leukoencephalopathy, chemotherapy-related

diffusion-weighted MRI correlates of subacute chemotherapy-related leukoencephalopathy (Haykin et al) 2004;56:S65

Leukoencephalopathy, progressive cystic

progressive cystic leukoencephalopathy: new familial childhood disorder (Naidu et al) 2004;56:S10

Leukomalacia, periventricular

clinical epidemiology of epileptic children with periventricular leukomalacia (Deonandan et al) 2004;56:S124
neuroradiological correlates of epilepsy in children with periventricular leukomalacia (Humphreys et al) 2004;56:S112

Levetiracetam

levetiracetam in treatment of tics in Tourette syndrome (Awaad et al) 2004;56:S107
role of levetiracetam in prophylaxis of migraine headaches in childhood (Vaisleib and Neft) 2004;56:S105

Levodopa

levodopa: faster and better word learning in normal humans (Knecht et al) 2004;56:20
prolongation of levodopa responses by glycine_B antagonists in parkinsonian primates (Papa et al) 2004;56:723

Lewy bodies

NEMO binding domain inhibits the formation of cytoplasmic inclusions: phosphorylated I κ B α as its target protein is a novel component of Lewy bodies (Noda et al) 2004;56:S27

Lewy body dementia

dementia in dementia with Lewy bodies may not be attributable to Alzheimer pathology (Schott et al) 2004;56:604 (Letter)
dementia with Lewy bodies: subtypes in a large community-based autopsy dementia sample (Leverenz et al) 2004;56:S19
involvement of medullary autonomic regions in dementia with Lewy bodies (Benarroch et al) 2004;56:S16
what best predicts dementia with Lewy bodies? (Tiraboschi et al) 2004;56:S50

LGI1 gene

absence of LGI1 mutations in familial mesial temporal lobe epilepsy patients with or without auditory hallucinations (Badhwar et al) 2004;56:S23
a de novo LGI1 mutation in sporadic partial epilepsy with auditory features (Bisulli et al) 2004;56:455 (Letter)

Lhermitte's sign

reappraisal of Lhermitte's sign in multiple sclerosis (Al-Araji and Oger) 2004;56:S30

Lifestyle

multiple sclerosis prevalence in Israeli ethnic groups: evidence that lifestyle influences risk (Alter et al) 2004;56:S30

Ligation preconditioning

cAMP response element-binding protein activation in ligation preconditioning in neonatal brain (Lee et al) 2004;56:611

Limb-girdle muscular dystrophy 21

cardiac and respiratory failure in limb-girdle muscular dystrophy 21 (Poppe et al) 2004;56:738

Limb movement

kinematic and EMG analysis of limb movement in children with dystonia (Jenkins and Mink) 2004;56:S104

Lipids

inoculation with lipids from *Mycoplasma pneumoniae*-induced production of antibodies against a major myelin glycolipid, galactocerebroside (Morita et al) 2004;56:S36
serum lipids and hippocampal volume: the link to Alzheimer's disease? (Wolf et al) 2004;56:745

Lipofuscinosis, neuronal ceroid

abundant secretion of misfolded tripeptidyl peptidase I associated with the classic late-infantile neuronal ceroid lipofuscinosis in mammalian cells (Wisniewski et al) 2004;56:S85

obsessive/compulsive symptoms in juvenile neuronal ceroid lipofuscinosis (Batten disease) 2004;56:S127

Lipoproteins

association among plasma lipoprotein subfractions as characterized by analytical isotachopheresis, apolipoprotein E phenotype, Alzheimer's disease, and mild cognitive impairment (Yamada et al) 2004;56:S50

Listening, passive

gender differences in passive listening: fMRI study comparing male and female adults and adolescents (Mitchell et al) 2004;56:S95

Localization-related epilepsy

frequency of catamenial seizure exacerbation in women with localization-related epilepsy (Herzog et al) 2004;56:431

Long Island Jewish Medical Center Intensive Care Unit

internal review of pain management in the Long Island Jewish Medical Center Intensive Care Unit (Singh and Kanner) 2004;56:S3

Low birth weight

magnetic resonance imaging findings in children surviving extremely premature delivery and extremely low birth weight with cerebral palsy (Bodensteiner and Johnsen) 2004;56:S95

Lung tumors

anti-Hu antibodies and sensorimotor polyneuropathy associated with carcinoid tumorlet of lung (Pasnoor et al) 2004;56:S60

Lung water

lung water is increased following experimental stroke: effect of treatment with hypertonic saline (Toung et al) 2004;56:S14

Lupus transverse myelitis

recurrent transverse myelitis as a first manifestation of systemic lupus erythematosus (Pandya and Roby) 2004;56:S37

Lyme neuroborreliosis

genotype determines phenotype in experimental Lyme borreliosis (Pachner et al) 2004;56:361

Lymphocytes, peripheral blood

spectratyping of the T cell receptor β -chain-variable region in the peripheral blood lymphocyte and muscle of patients with sporadic inclusion body myositis: evidence of local expansion of T cell clones (Salajegheh et al) 2004;56:S61

Lysozymes

abnormal lysosomal and ubiquitin-proteasome pathways in 19p13.3 distal myopathy (Di Blasi et al) 2004;56:133

Lysozymal diseases, adult-onset

clinical experience on 156 cases of adult-onset neurological and psychiatric lysosomal and peroxisomal genetic metabolic diseases: diagnostic strategy (Baumann et al) 2004;56:S28

Magnetic resonance imaging

acuteluplasminemia presenting with dementia: high field MR evidence for extremely high levels of brain iron (Zimmerman et al) 2004;56:S51

characterization of diffusion anisotropy during development in fixed baboon brain (Neil et al) 2004;56:S91

diagnostic value of basic tests (history taking, routine EEG, MRI, and video EEG monitoring) for the decision to perform temporal lobe epilepsy surgery (Uijl et al) 2004;56:S24

- diagnostic value of magnetic resonance imaging in children with new onset seizures and normal computed tomography (Benko et al) 2004;56:S99
- effect of opioid analgesics on magnetic resonance imaging scores in asphyxiated term infants (Angeles et al) 2004;56:S107
- human antibody that promotes remyelination enters the central nervous system and decreases lesion load as detected by T2-weighted spinal cord magnetic resonance imaging in a virus-induced murine model of multiple sclerosis (Pirko et al) 2004;56:S57
- magnetic resonance imaging findings in children surviving extremely premature delivery and extremely low birth weight with cerebral palsy (Bodensteiner and Johnsen) 2004;56:S95
- magnetic resonance imaging findings in children with kernicterus (Shapiro et al) 2004;56:S96
- magnetic resonance imaging in the diagnosis of neonatal sinovenous thrombosis (Eichler et al) 2004;56:S96
- magnetic resonance imaging of the brain in early treated patients with phenylketonuria (Izumi et al) 2004;56:S97
- migraine is associated with MRI white matter abnormalities: meta-analysis (Swartz and Kern) 2004;56:S4
- MR molecular imaging of early endothelial activation in focal ischemia (Barber et al) 2004;56:116
- MRI correlates of early cognitive dysfunction in asymptomatic boys with X-linked adrenoleukodystrophy: prospective evaluation (Dubey et al) 2004;56:S101
- preterm subjects at age 12 years show structural and functional MRI findings similar to children with developmental dyslexia (Ment et al) 2004;56:S90
- role of magnetic resonance imaging within diagnostic criteria for multiple sclerosis (Miller et al) 2004;56:273
- serial MRI after experimental febrile seizures: altered T2 signal without neuronal death (Dubé et al) 2004;56:709
- significance of quantitative assessment of canal stenosis by CT scan and MRI for evaluation of neurological status and prediction of neurological outcome after spinal cord injury (Furlan and Fehlings) 2004;56:S41
- Magnetic resonance imaging, diffusion-weighted**
- diffusion-weighted MRI correlates of subacute chemotherapy-related leukoencephalopathy (Haykin et al) 2004;56:S65
- Magnetic resonance imaging, fetal**
- role of fetal magnetic resonance imaging in prenatal evaluation of ventriculomegaly (Gabis et al) 2004;56:S93
- Magnetic resonance imaging, functional**
- adaptive cortical reorganization in acute optic neuritis: longitudinal functional magnetic resonance imaging study (Toosy et al) 2004;56:S58
- gender differences in passive listening: fMRI study comparing male and female adults and adolescents (Mitchell et al) 2004;56:S95
- preterm subjects at age 12 years show structural and functional MRI findings similar to children with developmental dyslexia (Ment et al) 2004;56:S90
- Magnetic resonance imaging, muscle**
- muscle magnetic resonance imaging and ¹H-MRS in spinal muscular atrophy (Acsadi et al) 2004;56:S96
- Magnetic resonance imaging, perfusion**
- perfusion magnetic resonance imaging in childhood central nervous system vasculopathy and stroke (Shellhaas et al) 2004;56:S92
- Magnetic resonance spectroscopy**
- muscle magnetic resonance imaging and ¹H-MRS in spinal muscular atrophy (Acsadi et al) 2004;56:S96
- Magnetization transfer**
- magnetization transfer MRA study of deep gray matter involvement in multiple sclerosis (Bakshi et al) 2004;56:S30
- Magnetization transfer ratio**
- magnetization transfer ratio and myelin in postmortem multiple sclerosis brain (Schmierer et al) 2004;56:407
- progressive grey and white MTR abnormality in early relapsing-remitting MS (Davies et al) 2004;56:S31
- Malformations of cortical development**
- malformation of cortical development: description of the surgical pathology in 41 patients with intractable epilepsy (Morris et al) 2004;56:S97
- Maple syrup disease**
- maple syrup disease presenting as paroxysmal dystonia (Temudo et al) 2004;56:749 (Letter)
- Mapping**
- neuroanatomical correlates of apathy associated with Alzheimer's disease by means of statistical parametric mapping (Moosa et al) 2004;56:S66
- voxel-based parametric mapping of acetylcholinesterase activity using [¹¹C]PMP positron emission tomography in mild cognitive impairment (Vandenberghe et al) 2004;56:S50
- Matrix metalloproteinase**
- interaction of HIV Tat and matrix metalloproteinase: new host defense mechanism (Rumbaugh et al) 2004;56:S70
- Maximal saccade velocity**
- saccade velocity is controlled by polyglutamine size in spinocerebellar ataxia 2 (Velázquez-Pérez et al) 2004;56:444
- Mayo Clinic Family Study**
- familial aggregation of Parkinson's disease: the Mayo Clinic Family Study (Rocca et al) 2004;56:495
- MECP2 gene**
- MECP2 expression, histone acetylation, and gene expression in Rett syndrome frontal cortex: initial examination (Wang et al) 2004;56:S86
- previously unidentified MECP2 open reading frame defines a new protein isoform relevant in Rett syndrome (Mnatzakanian et al) 2004;56:S85
- previously unidentified MECP2 open reading frame defines a new protein isoform relevant to Rett syndrome (Mnatzakanian et al) 2004;56:S29
- Medial temporal lobe**
- high-frequency oscillations recorded in human medial temporal lobe during sleep (Staba et al) 2004;56:108
- medial temporal lobe function and structure in mild cognitive impairment (Dickerson et al) 2004;56:27
- Medical education**
- PediNeuroLogic Exam: web-based tutorial for teaching the pediatric neurological examination (Larsen et al) 2004;56:S110
- Medulloblastoma**
- preliminary results of a prospective randomized study of "reduced" craniospinal radiotherapy followed by one of two adjuvant chemotherapy regimens for children with medulloblastoma: Children's Oncology Group study (Packer et al) 2004;56:S89
- Melanoma**
- carbonic anhydrase-related protein VIII: autoantigen in paraneoplastic cerebellar degeneration (Bataller et al) 2004;56:S75
- Memantine**
- learning-enhancing and anxiolytic effects of memantine in nontransgenic and transgenic mice over-expressing APP^{swe} and PS1 (Tanila et al) 2004;56:S48

- memantine experience in children and adolescents with autistic spectrum disorders (Chez et al) 2004;56:S109
- memantine monotherapy increases brain metabolism and effectively treats mild to moderate Alzheimer's disease (Potkin et al) 2004;56:S48
- memantine monotherapy is effective and safe for the treatment of mild to moderate Alzheimer's disease: randomized, controlled trial (Peskind et al) 2004;56:S49
- robust response to memantine treatment when functional and behavioral results are combined with cognition (Schmitt et al) 2004;56:S49
- Memory loss**
- perceptions about herbal medicines relative to conventional drugs amongst the elderly population attending a memory clinic (Sharma et al) 2004;56:S5
- subject memory complaint: harbinger of disease or marker of higher intellectual level? (Bracco et al) 2004;56:S17
- Meningioma**
- functional significance of S6K overexpression in meningioma progression (Surace et al) 2004;56:295
- Meningitis, pneumococcal**
- neuroprotective effects of brain-derived neurotrophic factor on brain neurons in experimental pneumococcal meningitis (Li and Quanxiang) 2004;56:S128
- Menopause**
- longitudinal study of cognition change during the menopausal transition (Fuh et al) 2004;56:S17
- Mesenchymal stem cells**
- immortalized human bone marrow mesenchymal stem cell lines with neurogenic potentials (Kim et al) 2004;56:S68
- Mesial temporal lobe epilepsy, familial**
- absence of LGI1 mutations in familial mesial temporal lobe epilepsy patients with or without auditory hallucinations (Badhwar et al) 2004;56:S23
- Mesial temporal sclerosis**
- non-lesional focal epilepsy surgery: pathology identifies focal cortical dysplasia, gliosis, and mesial temporal sclerosis (Said et al) 2004;56:S112
- Messages from the editor**
- (Johnson) 2004;56:1
- Metastasis**
- nonconvulsive status epilepticus in metastatic central nervous system disease (Blitshteyn and Jaekle) 2004;56:S64
- Metastasis, leptomeningeal**
- ventriculoperitoneal shunt in patients with leptomeningeal metastasis (Omuro et al) 2004;56:S65
- 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine**
- effect of rotigotine on motor activity and disability scores in MPTP-treated common marmosets (Scheller et al) 2004;56:S53
- neuroprotection by rotigotine: investigations in MPTP-lesioned mice under continuous dopaminergic stimulation (Scheller et al) 2004;56:S54
- Methylenetetrahydrofolate reductase**
- migraine with aura is associated with the methylenetetrahydrofolate reductase 677C→T polymorphism in a population-based sample (Scher et al) 2004;56:S53
- Methylmalonic acidemia**
- methylmalonic acidemia (Robertson, Jr.) 2004;56:S39
- Microarray analysis**
- insulin signaling pathways in cortical dysplasia and TSC-tubers: tissue microarray analysis (Miyata et al) 2004;56:S10
- microarray analysis of gene expression in the nervous system (Geschwind) 2004;56:S10
- Microcephaly**
- accelerated evolution of human microcephaly genes may have led to evolutionary expansion of the human brain (Mochida et al) 2004;56:S87
- Microglia**
- microglia potentiate astrocyte injury: reversal by inducible heat shock protein 70 (Zambrano et al) 2004;56:S47
- Microglial activation**
- in vivo detection of microglial activation in frontotemporal dementia (Cagnin et al) 2004;56:S94
- Microsatellites**
- high prevalence of Di-46, Tetra-48, and Di-Tetra-48 nucleotide microsatellite of TNFα increases susceptibility to multiple sclerosis (Zivadnov et al) 2004;56:S59
- Microvascular decompression**
- facial motor evoked potentials during microvascular decompression for hemifacial spasm (HFS): new evidence for a hyperexcitable VII nucleus (Wilkinson and Kaufmann) 2004;56:S56
- Midazolam**
- midazolam in the treatment of neonatal seizures (Yamanouchi et al) 2004;56:S102
- Migraine**
- comparison of the headache characteristics of chronic migraine in intermittent migraine (Couch and Stewart) 2004;56:S6
- epidemiology of migraine on a survey of Japanese brain checkup 2004;56:S51
- intravenous valproate sodium for status migrainous (Krusz) 2004;56:S52
- migraine and recurrent epistaxis in children: case-control study (Jarjour and Jarjour) 2004;56:S122
- migraine headache in the postpartum period (Pringsheim et al) 2004;56:S52
- migraine is associated with MRI white matter abnormalities: meta-analysis (Swartz and Kern) 2004;56:S4
- role of levetiracetam in prophylaxis of migraine headaches in childhood (Vaisleib and Neft) 2004;56:S105
- Migraine, adolescent**
- adolescent migraine: sumatriptan nasal spray is effective and well tolerated (Rothner et al) 2004;56:S87
- Migraine with aura**
- migraine with aura is associated with the methylenetetrahydrofolate reductase 677C→T polymorphism in a population-based sample (Scher et al) 2004;56:S53
- Mini-Cog**
- the Q&E is more sensitive than the clock draw, Mini-Cog, and six-item screener in the detection of mild dementia (Dash et al) 2004;56:S19
- Minocycline**
- minocycline delays motoneuron degeneration in an adult rat model of facial nerve injury (Ikeda et al) 2004;56:S21
- minocycline prevents cholinergic loss in a mouse model of Down's syndrome (Hunter et al) 2004;56:675
- Misfolded proteins**
- sporadic inclusion-body myositis as a conformational disorder: novel role of misfolded proteins and proteasome inhibition in sporadic inclusion-body myositis pathogenesis (Askanas et al) 2004;56:S33
- Mississippi**
- the incidence of idiopathic intracranial hypertension in Mississippi (Garrett et al) 2004;56:S69

Mitochondria

deficit of in vivo mitochondrial ATP production in OPA1-related dominant optic atrophy (Lodi et al) 2004;56:719

Mitochondrial disorders

effect of humanin on ATP production: therapeutic candidate for mitochondrial disorders (Kariya et al) 2004;56:S65

Mitochondrial DNA

ketogenic treatment reduced deleted mitochondrial DNAs in cultured human cells (Santra et al) 2004;56:662

Mitochondrial myopathy

high muscle blood flow in mitochondrial myopathy: evidence from forearm exercise (Taivassalo et al) 2004;56:S62

Mitochondrial respiratory chain

defective mitochondrial translation caused by a ribosomal protein (MRPS16) mutation (Miller et al) 2004;56:734

Mitoxantrone (Novantrone)

mitoxantrone (Novantrone) for treatment of relapsing neuromyelitis optica (Weinstock-Guttman et al) 2004;56:S58

Molecular imaging

non-invasive "phenotyping" of patients with spinocerebellar ataxia type 3 and spinocerebellar ataxia type 6 by molecular imaging (Heiss et al) 2004;56:S20

Molecular therapy

molecular therapy for familial amyotrophic lateral sclerosis (Miller et al) 2004;56:S36

Monoclonal antibodies

treatment of multiple sclerosis with an anti-interleukin-2 receptor monoclonal antibody (Rose et al) 2004;56:864

Monocytes

regulation of differentiation and functional properties of monocytes and monocyte-derived dendritic cells by interferon- β in multiple sclerosis (Zang et al) 2004;56:S59

Motor activation

hypoperfusion without stroke alters motor activation in the opposite hemisphere (Krakauer et al) 2004;56:796

Motor activity

effect of rotigotine on motor activity and disability scores in MPTP-treated common marmosets (Scheller et al) 2004;56:S53

Motor cortex

effects of transcranial magnetic stimulation of the human motor cortex on subthalamic neuronal activity (Strafella et al) 2004;56:S55

long-term effect of motor cortical repetitive transcranial magnetic stimulation induces (Hayashi et al) 2004;56:77, 311 (Correction)

Motor development

influence of sleep position on the acquisition of early motor milestones (Majnemer and Barr) 2004;56:S100

Motor evoked potentials, facial

facial motor evoked potentials during microvascular decompression for hemifacial spasm (HFS): new evidence for a hyperexcitable VII nucleus (Wilkinson and Kaufmann) 2004;56:S56

Motor function

cerebellar dentate nucleus lesions impair cognitive flexibility but not motor function in monkeys (Schmahmann et al) 2004;56:S10

diabetes mellitus, change in motor function, and incident disability in old age (Arvanitakis et al) 2004;56:S16

influence of somatosensory input on motor function in patients with chronic stroke (Floel et al) 2004;56:206

Motor neuron degeneration

minocycline delays motoneuron degeneration in an adult rat model of facial nerve injury (Ikeda et al) 2004;56:S21

Motor neuron disease, familial

GM2 gangliosidosis manifesting as familial motor neuron disease (Silvestri et al) 2004;56:S12

significance of visibility versus EMG documentation of fasciculation (Nammour et al) 2004;56:S59

Motor neurons

increase of intracellular zinc inhibits energy production in motor neurons expressing mutant superoxide dismutase (Kim et al) 2004;56:S21

neuroprotective effect of insulin-like growth factor-I against glutamate- and axotomy-induced motor neuron death (Iwasaki et al) 2004;56:S12

PGE₂ receptors rescue motor neurons in a model of amyotrophic lateral sclerosis (Bilak et al) 2004;56:240

pleiotrophin is a neurotrophic factor for motor neurons (Mi et al) 2004;56:S9

Motor transcarpal conduction velocity

comparison of motor transcarpal conduction velocity with sensory conduction techniques in diagnosis of carpal tunnel syndrome (Chang) 2004;56:S34

Movement disorders

movement disorders in SSADH deficiency: more severe phenotype and relevance to GHB toxicity (Pearl et al) 2004;56:S120

prospective characterization of movement disorders in an HIV-positive population (Tse et al) 2004;56:S56

the safety of deep brain stimulation in patients with Parkinson's disease, essential tremor, and other movement disorders (Silay et al) 2004;56:S54

Movement disorders, pediatric

is the microinfusion of antineuronal antibodies into rodent striatum a valid method to evaluate autoimmunity in pediatric movement disorders? (Singer et al) 2004;56:S89

Moyamoya

patterns of cerebral ischemia in children with moyamoya (Rafay et al) 2004;56:S124

MRPS16 gene

defective mitochondrial translation caused by a ribosomal protein (MRPS16) mutation (Miller et al) 2004;56:734

Multiple sclerosis

altered decision-making in multiple sclerosis: a sign of impaired emotional reactivity? (Kleeberg et al) 2004;56:787

audit of the registered cause of death in patients with multiple sclerosis in Northern Ireland (Gray et al) 2004;56:S32

autoantibodies against heterogeneous nuclear ribonucleoprotein B1 in CSF of MS patients (Sueoka et al) 2004;56:778

case-control study of myelin oligodendrocyte glycoprotein and CD45 polymorphisms in multiple sclerosis in Verona, Italy (Gomez-Lira et al) 2004;56:S31

cerebrospinal fluid biomarkers in patients with multiple sclerosis and significant cognitive impairment (Ionete et al) 2004;56:S32

clinical implications of benign multiple sclerosis: a 20-year population-based follow-up study (Pittock et al) 2004;56:303

cost of managing relapses in patients with multiple sclerosis (Rao and Yu) 2004;56:S2

defining interferon β response status in multiple sclerosis patients (Rudick et al) 2004;56:548

depression in multiple sclerosis and its relation to functional abilities (Iwasaki et al) 2004;56:S33

dynamics of interferon- β -modulated biomarkers in multiple sclerosis patients with persistent anti-interferon- β -neutralizing antibodies (Weinstock-Guttman et al) 2004;56:S58

evidence for pathogenic heterogeneity in multiple sclerosis (Lucchinetti et al) 2004;56:308 (Letter)

exploring the relationship of relapsing myelitis and neuromyelitis optica (Devic's disease) and multiple sclerosis (Jacob et al) 2004;56:S33

frequency of MBP- and PLP- but not MOG-specific T cells is reduced in multiple sclerosis patients treated with intramuscular interferon- β 1a: correlation with changes in Th1 and Th2 cytokine expression (Lund et al) 2004;56:S57

high prevalence of Di-46, Tetra-48, and Di-Tetra-48 nucleotide microsatellite of TNF α increases susceptibility to multiple sclerosis (Zivadinov et al) 2004;56:S59

human antibody that promotes remyelination enters the central nervous system and decreases lesion load as detected by T2-weighted spinal cord magnetic resonance imaging in a virus-induced murine model of multiple sclerosis (Pirko et al) 2004;56:S37

magnetization transfer MRA study of deep gray matter involvement in multiple sclerosis (Bakshi et al) 2004;56:S30

magnetization transfer ratio and myelin in postmortem multiple sclerosis brain (Schmierer et al) 2004;56:407

measurement of cerebral grey and white matter atrophy in patients with multiple sclerosis (Watts et al) 2004;56:S59

multiple sclerosis prevalence in Israeli ethnic groups: evidence that lifestyle influences risk (Alter et al) 2004;56:S30

pathogenic heterogeneity in multiple sclerosis: a reflection of lesion stage? (Barnett and Prineas) 2004;56:309 (Reply)

quantitative evaluation of accuracy with different brain atrophy techniques (Dwyer et al) 2004;56:S59

reappraisal of Lhermitte's sign in multiple sclerosis (Al-Araji and Oger) 2004;56:S30

regulation of differentiation and functional properties of monocytes and monocyte-derived dendritic cells by interferon- β in multiple sclerosis (Zang et al) 2004;56:S59

role of magnetic resonance imaging within diagnostic criteria for multiple sclerosis (Miller et al) 2004;56:273

single nucleotide polymorphism of platelet-activating factor receptor in Japanese multiple sclerosis (Osoeawa et al) 2004;56:S33

sustained clinical effectiveness of interferon- β 1b in multiple sclerosis patients (Shimpi et al) 2004;56:S58

treatment of multiple sclerosis with an anti-interleukin-2 receptor monoclonal antibody (Rose et al) 2004;56:864

unexpected demographic profile in pediatric MS (Krupp et al) 2004;56:S56

visual evoked potentials and brainstem auditory evoked potentials in patients with multiple sclerosis and cerebral periventricular white matter small vessel ischemic disease (Barrera et al) 2004;56:S31

Multiple sclerosis, benign

clinical implications of benign multiple sclerosis: 20-year, population-based follow-up study (Pittock et al) 2004;56:S57

Multiple sclerosis, early-onset

cerebrospinal fluid characteristics in early onset multiple sclerosis: tool for early diagnosis (Pohl et al) 2004;56:S97

Multiple sclerosis, early relapsing-remitting

progressive grey and white MTR abnormality in early relapsing-remitting MS (Davies et al) 2004;56:S31

Multiple system atrophy

α -1-antichymotrypsin gene polymorphism and susceptibility to multiple system atrophy (Furiya et al) 2004;56:S28

clinical features of multiple system atrophy in Japan: MSA-C is the most common manifestation of MSA in Japan (Soma et al) 2004;56:S22

voxel-based relaxometry: application to multiple system atrophy (Klockgether et al) 2004;56:S27

Muscle

spectratyping of the T cell receptor β -chain-variable region in the peripheral blood lymphocyte and muscle of patients with sporadic inclusion body myositis: evidence of local expansion of T cell clones (Salajegheh et al) 2004;56:S61

Muscle biopsy

congenital myopathy: does timing of muscle biopsy matter? (Johnsen and Bodensteiner) 2004;56:S105

inflammation in muscle biopsy in acute myasthenia gravis mimicking "inflammatory myopathy" in the acute phase of the experimental autoimmune myasthenia gravis (Achong et al) 2004;56:S64

Muscle blood flow

high muscle blood flow in mitochondrial myopathy: evidence from forearm exercise (Taivassalo et al) 2004;56:S62

Muscle-eye-brain disease

POMGnT1 gene alterations in a family with neurological abnormalities (Vervoort et al) 2004;56:143

Muscle fiber regeneration

calpain cleaves α -fodrin during muscle fiber regeneration in inflammatory myopathy (Murata et al) 2004;56:S36

Muscle magnetic resonance imaging

muscle magnetic resonance imaging and ^1H -MRS in spinal muscular atrophy (Acsadi et al) 2004;56:S96

Muscular dystrophy

altered α 1-syntrophin expression of the myofibers in human muscular dystrophies (Wakayama et al) 2004;56:S63

Muscular dystrophy, limb-girdle

cardiac and respiratory failure in limb-girdle muscular dystrophy 21 (Poppe et al) 2004;56:738

MuSK antibodies

multicenter study of clinical, geographical, and ethnic features of MuSK-antibody-associated myasthenia gravis (Vincent et al) 2004;56:S63

Mutations

absence of LGI1 mutations in familial mesial temporal lobe epilepsy patients with or without auditory hallucinations (Badhwar et al) 2004;56:S23

actin mutations are one cause of congenital fibre type disproportion (Laing et al) 2004;56:689

connexin 32 promoter P2 mutations: a mechanism of peripheral nerve dysfunction (Houlden et al) 2004;56:730

cytochrome *c* oxidase biogenesis in patient with a mutation in COX10 gene (Coenen et al) 2004;56:S60

a de novo LGI1 mutation in sporadic partial epilepsy with auditory features (Bisulli et al) 2004;56:455 (Letter)

defective mitochondrial translation caused by a ribosomal protein (MRPS16) mutation (Miller et al) 2004;56:734

- deficient auditory interhemispheric transfer in patients with *PAX6* mutations (Bamiou et al) 2004;56:503
- differences in cortical excitability and selective neuronal vulnerability between sporadic and homozygous D90A *SOD1* amyotrophic lateral sclerosis (Turner et al) 2004;56:S22
- early-onset parkinsonism in heterozygous *parkin* mutation carriers (Inzelberg et al) 2004;56:S28
- electromyography guides toward subgroups of mutations in muscle channelopathies (Fournier et al) 2004;56:650
- the factor V G1691A mutation is a risk for porencephaly: a case-control study (Debus et al) 2004;56:287
- familial amyotrophic lateral sclerosis due to a Gly41Ser mutation in the *SOD 1* gene: confirmation of severe phenotype (Subramony et al) 2004;56:S62
- familial oculopharyngeal myopathy without *PABPN1* mutation and intranuclear inclusions (Uyama et al) 2004;56:S63
- functional implications of a novel EA2 mutation in the P/Q-type calcium channel (Spacey et al) 2004;56:213
- heterogeneity of nemaline myopathy cases with skeletal muscle α -actin gene mutations (Agrawal et al) 2004;56:86
- homozygous *PINK1* C-terminus mutation causing early-onset parkinsonism (Rohé et al) 2004;56:427
- increase of intracellular zinc inhibits energy production in motor neurons expressing mutant superoxide dismutase (Kim et al) 2004;56:S21
- microstructural white matter changes in carriers of the *DYT1* gene mutation (Carbon et al) 2004;56:283
- a mutation in the *HSN2* gene causes sensory neuropathy type II in a Lebanese family (Rivière et al) 2004;56:572
- the *ND1* gene of complex I is a mutational hot spot for Leber's hereditary optic neuropathy (Valentino et al) 2004;56:631
- a novel neurofilament light gene (*NEFL*) mutation *glu210stop* causes early onset Charcot-Marie-Tooth disease with an autosomal recessive inheritance (Yum) 2004;56:S102
- novel *PINK1* mutations in early-onset parkinsonism (Hatanano et al) 2004;56:424, 603 (Correction)
- a novel *RAB7* mutation associated with ulcero-mutilating neuropathy (Houlden et al) 2004;56:586
- persistent NKH and transient or absent symptoms and a homozygous *GLDC* mutation (Korman et al) 2004;56:139
- PINK1* mutations are associated with sporadic early-onset parkinsonism (Valente et al) 2004;56:336
- point mutations of the p150 subunit of dynactin (*DCTN1*) gene in amyotrophic lateral sclerosis (Muench et al) 2004;56:S30
- POMGnT1* gene alterations in a family with neurological abnormalities (Vervoort et al) 2004;56:143
- presenilin-1 Alzheimer's disease mutations: do synaptophysin disturbances play a role in the pathophysiology? (Abdelhak et al) 2004;56:S27
- rapid eye movement sleep behavior disorder in parkinsonism with *parkin* mutations (Kumru et al) 2004;56:599
- ratio of mutant/normal *SOD1* is an indicator for the progression of familial ALS (Yamamoto et al) 2004;56:S22
- sequence analysis of familial PEO shows additional mutations associated with the 752C[font"MS Reference 1"] \pm [/font"MS Reference 1"]T and 3527C[font"MS Reference 1"] \pm [/font"MS Reference 1"]T changes in the *POLG1* gene (Lamantea and Zeviani) 2004;56:454 (Letter)
- sequence-dependent and independent inhibition specific for mutant ataxin-3 by small interfering RNA (Li et al) 2004;56:124
- striking PrP^{Sc} heterogeneity in inherited prion diseases with the D178N mutation (Haik et al) 2004;56:909 (Letter)
- striking PrP^{Sc} heterogeneity in inherited prion diseases with the D178N mutation (Head and Ironside) 2004;56:910 (Reply)
- Myasthenia gravis**
- multicenter study of clinical, geographical, and ethnic features of MuSK-antibody-associated myasthenia gravis (Vincent et al) 2004;56:S63
- Myasthenia gravis, acute**
- inflammation in muscle biopsy in acute myasthenia gravis mimicking "inflammatory myopathy" in the acute phase of the experimental autoimmune myasthenia gravis (Achong et al) 2004;56:S64
- Myasthenia gravis, autoimmune**
- inflammation in muscle biopsy in acute myasthenia gravis mimicking "inflammatory myopathy" in the acute phase of the experimental autoimmune myasthenia gravis (Achong et al) 2004;56:S64
- Mycoplasma pneumoniae**
- inoculation with lipids from *Mycoplasma pneumoniae*-induced production of antibodies against a major myelin glycolipid, galactocerebroside (Morita et al) 2004;56:S36
- Myelin**
- magnetization transfer ratio and myelin in postmortem multiple sclerosis brain (Schmierer et al) 2004;56:407
- Myelin oligodendrocyte glycoprotein**
- case-control study of myelin oligodendrocyte glycoprotein and CD45 polymorphisms in multiple sclerosis in Verona, Italy (Gomez-Lira et al) 2004;56:S31
- Myelitis, relapsing**
- exploring the relationship of relapsing myelitis and neuro-myelitis optica (Devic's disease) and multiple sclerosis (Jacob et al) 2004;56:S33
- Myelitis, transverse**
- outcome of children diagnosed with transverse myelitis (Ness et al) 2004;56:S120
- recurrent transverse myelitis as a first manifestation of systemic lupus erythematosus (Pandya and Roby) 2004;56:S37
- Myocardial infarction**
- risk of myocardial infarction and vascular death after first ischemic stroke: Northern Manhattan Stroke Study (Dhamoon et al) 2004;56:S1
- Myoclonic-astatic epilepsy**
- myoclonic-astatic epilepsy is diagnosed as commonly as Lennox-Gastaut syndrome in a pediatric epilepsy monitoring unit (Laux et al) 2004;56:S115
- Myoclonic epilepsy, juvenile**
- efficacy of zonisamide in juvenile myoclonic epilepsy (Kothare et al) 2004;56:S113
- topiramate or valproate in juvenile myoclonic epilepsy (Levisohn et al) 2004;56:S117
- Myoclonus**
- West Nile encephalitis presenting as opsoclonus-myoclonus-cerebellar ataxia (Khosla et al) 2004;56:S70
- Myoclonus epilepsy, progressive**
- laforin preferentially binds neurotoxic starch-like polyglucosans, which form in its absence in progressive myoclonus epilepsy (Minassian et al) 2004;56:S9
- progressive myoclonus epilepsy with polyglucosans (Lafora disease): evidence for a third locus (Chan et al) 2004;56:S13

Myofibers

altered α 1-syntrophin expression of the myofibers in human muscular dystrophies (Wakayama et al) 2004;56:S63

Myokymia

significance of myokymia associated with severe hypoxic-ischemic injury (Gutmann and Pawar) 2004;56:S40

Myopathy, congenital

congenital myopathy: does timing of muscle biopsy matter? (Johnsen and Bodensteiner) 2004;56:S105

Myopathy, distal

abnormal lysosomal and ubiquitin-proteasome pathways in 19p13.3 distal myopathy (Di Blasi et al) 2004;56:133

Myopathy, inflammatory

calpain cleaves α -fodrin during muscle fiber regeneration in inflammatory myopathy (Murata et al) 2004;56:S36
inflammation in muscle biopsy in acute myasthenia gravis mimicking "inflammatory myopathy" in the acute phase of the experimental autoimmune myasthenia gravis (Achong et al) 2004;56:S64

Myopathy, mitochondrial

high muscle blood flow in mitochondrial myopathy: evidence from forearm exercise (Taivassalo et al) 2004;56:S62

Myopathy, myotonic

respiratory involvement in DM2/PROMM (Shoesmith et al) 2004;56:S61

Myopathy, nemaline

heterogeneity of nemaline myopathy cases with skeletal muscle α -actin gene mutations (Agrawal et al) 2004;56:86

Myopathy, oculopharyngeal

familial oculopharyngeal myopathy without *PABPN1* mutation and intranuclear inclusions (Uyama et al) 2004;56:S63

Myositis, inclusion-body

effect of immunotherapy on expression of cytokines and chemokines in relation to β -amyloid and ubiquitin in the muscle of patients with sporadic inclusion body myositis (Schmidt et al) 2004;56:S63
spectratyping of the T cell receptor β -chain-variable region in the peripheral blood lymphocyte and muscle of patients with sporadic inclusion body myositis: evidence of local expansion of T cell clones (Salajegheh et al) 2004;56:S61
sporadic inclusion-body myositis as a conformational disorder: novel role of misfolded proteins and proteasome inhibition in sporadic inclusion-body myositis pathogenesis (Askanas et al) 2004;56:S33

Myotonia, nondystrophic

electromyography guides toward subgroups of mutations in muscle channelopathies (Fournier et al) 2004;56:650

Myotonic dystrophy type 2

low frequency of cardiac conduction abnormalities in myotonic dystrophy type 2: 10-year follow-up study (Meola et al) 2004;56:S35
respiratory involvement in DM2/PROMM (Shoesmith et al) 2004;56:S61

Myotonic myopathy, proximal

respiratory involvement in DM2/PROMM (Shoesmith et al) 2004;56:S61

Nanofibers

aligned nanofibers support neuronal growth and directionally guide neurites (Corey et al) 2004;56:S72

Narcolepsy

glucose hypometabolism of hypothalamus and thalamus in narcolepsy (Joo et al) 2004;56:437

a narcolepsy susceptibility locus maps to a 5Mb region of chromosome 21q (Dauvilliers et al) 2004;56:382

successful management of cataplexy with intravenous immunoglobulins at narcolepsy onset (Dauvilliers et al) 2004;56:905

Nasal sprays

adolescent migraine: sumatriptan nasal spray is effective and well tolerated (Rothner et al) 2004;56:S87

ND1 gene

the ND1 gene of complex I is a mutational hot spot for Leber's hereditary optic neuropathy (Valentino et al) 2004;56:631

NEFL gene

a novel neurofilament light gene (NEFL) mutation glu210stop causes early onset Charcot-Marie-Tooth disease with an autosomal recessive inheritance (Yum) 2004;56:S102

Nemaline myopathy

heterogeneity of nemaline myopathy cases with skeletal muscle α -actin gene mutations (Agrawal et al) 2004;56:86

NEMO binding domain

NEMO binding domain inhibits the formation of cytoplasmic inclusions: phosphorylated I κ B α as its target protein is a novel component of Lewy bodies (Noda et al) 2004;56:S27

Neocarzinostatin

requirement for caspase 3 expression for Bcl-2-dependent potentiation of neocarzinostatin-induced apoptosis (Mi et al) 2004;56:S129

Neonatal brain

cAMP response element-binding protein activation in ligation preconditioning in neonatal brain (Lee et al) 2004;56:611

hypoxia- or kainic acid-induced seizures alter neuronal nuclear $^{45}\text{Ca}^{2+}$ influx in the newborn rat brain: implications for apoptotic neuronal damage (Valencia et al) 2004;56:S84

Neonatal hypotonia, profound

utility of diagnostic tests in the evaluation in profound neonatal hypotonia (Eichler et al) 2004;56:S105

Neonatal intensive care

periventricular hemorrhagic infarction: neurological outcome in the modern era of neonatal intensive care (Bassan et al) 2004;56:S118

Neonatal seizures

ictal heart rate changes in neonatal seizures (Cherian et al) 2004;56:S113

midazolam in the treatment of neonatal seizures (Yamanouchi et al) 2004;56:S102

nurses observation versus amplitude EEG in the detection of neonatal seizures (Naqvi et al) 2004;56:S115

Neonatal sinovenous thrombosis

magnetic resonance imaging in the diagnosis of neonatal sinovenous thrombosis (Eichler et al) 2004;56:S96

Neonatal status epilepticus

neonatal status epilepticus in preterm babies (Pisani et al) 2004;56:S114

Neonates

evolution of paroxysmal discharges in the neonatal rat following cerebral hypoxic-ischemic injury (Abi-Raad et al) 2004;56:S130

timing of brain injury in newborns with congenital heart disease (Miller et al) 2004;56:S90

Neonates, extremely low gestational age

standardizing the 1-year neurological exam for the Extremely Low Gestational Age Neonate (ELGAN) study — a multimedia solution? (Kuban and O'Shea) 2004; 56:S111

Neonates, term

changing profile of intrapartum hypoxic-ischemic brain injury in term newborns from 1986 to 2001 (Basheer et al) 2004;56:S119

epilepsy following acute near-total hypoxic-ischemic brain injury in the term newborn: predictive factors and seizure pattern (Basheer et al) 2004;56:S123

outcome following intrapartum hypoxic-ischemic insult of the acute near-total type in the term newborn: pattern of head growth, cerebral palsy, and brainstem dysfunction (Basheer et al) 2004;56:S120

twin gestation without fetal demise may be a risk for perinatal arterial ischemic stroke in term neonates (Golomb et al) 2004;56:S123

Neoplastic neurofibroma

case presentations and pathology of CIPD presenting as neoplastic neurofibromas (Polston et al) 2004;56:S60

Nerve conduction studies

proximal spinal sensory neurophysiological assessment; greater auricular nerve conduction study (Smith and Dyck) 2004;56:S62

Nerve growth factor

low-affinity nerve growth factor receptor, p75, as a modulator of resistance to oxidant stress 2004;56:S129

Nerve growth factor receptors

reduction of cortical TrkA but not p75^{NTR} protein in early-stage Alzheimer's disease (Counts et al) 2004;56: 520

Nervous system

microarray analysis of gene expression in the nervous system (Geschwind) 2004;56:S10

Neural behavior

experimental validation of a dynamical systems model of neural behavior (Bergethon) 2004;56:S66

Neural sphere transplantation, intraventricular

attenuation of chronic experimental autoimmune encephalomyelitis by intraventricular transplantation of neural spheres (Ben-Hur et al) 2004;56:S31

Neural stem cells

generation of stable immortalized human neural stem cell lines via tetracycline-responsive oncogene activation for cell therapy in neurological disorders (Kim et al) 2004; 56:S70

Neurites

aligned nanofibers support neuronal growth and directionally guide neurites (Corey et al) 2004;56:S72

Neurobehavioral assessments, early

clinical validity of early neurobehavioral assessments of very preterm infants (Brown et al) 2004;56:S92

Neuroblastoma

the IGF system regulates osteoprotegerin in human neuroblastoma cells (Schwab et al) 2004;56:S64

Neurodegeneration

minocycline delays motoneuron degeneration in an adult rat model of facial nerve injury (Ikeda et al) 2004;56: S21

a novel endogenous erythropoietin mediated pathway prevents axonal degeneration (Keswani et al) 2004;56:815

Neurodegenerative disease

roles of the proteasome in neurodegenerative disease: refining the hypothesis (Cookson) 2004;56:315 (Editorial)

Neurofibroma

case presentations and pathology of CIPD presenting as neoplastic neurofibromas (Polston et al) 2004;56:S60

Neurofibromatosis type 1

blood expression profiles for tuberous sclerosis complex 2, neurofibromatosis type 1, and Down's syndrome (Tang et al) 2004;56:808

brain volume and cognition in children with neurofibromatosis type 1 (Grewnwood et al) 2004;56:S93

profiles of executive functioning, behavior, and adaptive skills in children with neurofibromatosis type 1 (Rosser et al) 2004;56:S127

speech and language problems in children with neurofibromatosis type I (Wright-Talamante et al) 2004;56:S126

Neurological examination, 1-year

standardizing the 1-year neurological exam for the Extremely Low Gestational Age Neonate (ELGAN) study — a multimedia solution? (Kuban and O'Shea) 2004; 56:S111

Neurological examination, pediatric

PediNeuroLogic Exam: web-based tutorial for teaching the pediatric neurological examination (Larsen et al) 2004; 56:S110

Neuromyelitis optica

exploring the relationship of relapsing myelitis and neuromyelitis optica (Devic's disease) and multiple sclerosis (Jacob et al) 2004;56:S33

Neuromyelitis optica, relapsing

mitoxantrone (Novantrone) for treatment of relapsing neuromyelitis optica (Weinstock-Guttman et al) 2004; 56:S58

Neuromyotonia

mechanism of action of voltage-gated K⁺ channel antibodies in acquired neuromyotonia (Tomimitsu et al) 2004;56:440

Neuronal ceroid lipofuscinosis, classic late-infantile

abundant secretion of misfolded tripeptidyl peptidase I associated with the classic late-infantile neuronal ceroid lipofuscinosis in mammalian cells (Wisniewski et al) 2004;56:S85

Neuronal ceroid lipofuscinosis, juvenile

obsessive/compulsive symptoms in juvenile neuronal ceroid lipofuscinosis (Batten disease) 2004;56:S127

Neuronal growth

aligned nanofibers support neuronal growth and directionally guide neurites (Corey et al) 2004;56:S72

Neuronal migration

identification of a glial-secreted protein responsible for the initiation of neuronal migration (Sobeih and Corfas) 2004;56:S128

Neuropathy

an anti-ganglioside antibody-secreting hybridoma induces neuropathy in mice (Sheikh et al) 2004;56:228

Impaired Glucose Tolerance Causes Neuropathy (IGTN) study: baseline characteristics and first-year follow-up (Smith et al) 2004;56:S62

Neuropathy, autoimmune

quantitative sudomotor axon reflex test in patients with autoimmune neuropathies (Kuzumoto et al) 2004;56: S35

Neuropathy, distal

chronic exposure to 1-bromopropane associated with spastic paraparesis and distal neuropathy: report of six foam-cushion gluers (Majersik et al) 2004;56:S69

Neuropathy, optic

cobalamin deficiency with bilateral optic neuropathy, multiple white matter lesions and normal B12 levels (Rao et al) 2004;56:S38

the ND1 gene of complex I is a mutational hot spot for Leber's hereditary optic neuropathy (Valentino et al) 2004;56:631

poison and antidote: a novel model to study pathogenesis and therapy of LHON (Manfredi and Beal) 2004;56:171 (Editorial)

SOD2 gene transfer protects against optic neuropathy induced by deficiency of complex I (Qi et al) 2004;56:182

Neuropathy, oxaliplatin-induced

quantitative sensory testing in the assessment of oxaliplatin-induced neuropathy (Koeppen et al) 2004;56:S65

Neuropathy, peripheral

diagnostic role of deep tendon reflex in peripheral neuropathy (Sharma et al) 2004;56:S61

Neuropathy, sensory

antiretroviral exposure is a risk factor for HIV-associated sensory neuropathies (McArthur et al) 2004;56:S71

C-peptide prevents nociceptive sensory neuropathy in type 1 diabetes (Kamiya et al) 2004;56:827

a mutation in the *HSN2* gene causes sensory neuropathy type II in a Lebanese family (Rivière et al) 2004;56:572

Neuropathy, small fiber

acute burning body syndrome: expanding spectrum of small fiber neuropathy/neuronopathy (Moghekar et al) 2004;56:S36

current perception threshold test is useful in detecting small fiber neuropathy (Kim et al) 2004;56:S35

Neuropathy, transthyretin

accurate and expedited diagnosis of amyloidotic transthyretin neuropathy: proteomic and genomic approach (Klein et al) 2004;56:S29

Neuroplasticity

seizure-induced plasticity and adverse long-term effects of early-life seizures (Chang and Huang) 2004;56:165 (Reply)

seizure-induced plasticity and adverse long-term effects of early-life seizures (Sutula) 2004;56:164 (Letter)

Neuroprotection

neuroprotection by rotigotine: investigations in MPTP-lesioned mice under continuous dopaminergic stimulation (Scheller et al) 2004;56:S54

neuroprotective effect of insulin-like growth factor-I against glutamate- and axotomy-induced motor neuron death (Iwasaki et al) 2004;56:S12

neuroprotective effects of brain-derived neurotrophic factor on brain neurons in experimental pneumococcal meningitis (Li and Quanxiang) 2004;56:S128

novel endogenous neuroprotective pathway comprising nitric oxide-induced erythropoietin production (Keswani et al) 2004;56:S67

Neurostimulation, external

deep brain stimulation for Parkinson's disease: potential risk of tissue damage associated with external stimulation (Meissner et al) 2004;56:309 (Erratum)

risk of tissue damage and deep brain stimulation with external devices: a technical note (Trottenberg et al) 2004;56:310 (Letter)

use of an external responsive neurostimulator device in adolescents with epilepsy (Kossoff et al) 2004;56:S83

Neurotoxicity

anticancer agents are potent neurotoxins in vitro and in vivo (Rzeski et al) 2004;56:S31

lack of neurotoxicity with sirolimus (Maramattom and Wijedicks) 2004;56:S65

Neurotropism

herpes simplex virus type 1 neurotropism studies in organotypic brain slices (Steiner et al) 2004;56:S71

New England Medical Center Posterior Circulation Registry

New England Medical Center Posterior Circulation Registry (Caplan et al) 2004;56:389

New York City, New York

stroke hospitalization in New York City, 1990 and 2000 (Fang et al) 2004;56:S44

Newborns; see Neonates

Nicotine

nicotine-induced loss of Schwann cells in vitro is *not* due to necrosis (Johnson et al) 2004;56:S128

Nitric oxide

novel endogenous neuroprotective pathway comprising nitric oxide-induced erythropoietin production (Keswani et al) 2004;56:S67

Nitric oxide synthase, inducible

ammonia increases interleukin-1 β -induced inducible nitric oxide synthase expression in C6 glioma cells (Feng et al) 2004;56:S40

Nociception

activation of 5-HT_{1B/1D} receptor in the periaqueductal gray inhibits nociception (Bartsch et al) 2004;56:371

C-peptide prevents nociceptive sensory neuropathy in type 1 diabetes (Kamiya et al) 2004;56:827

evidence for graded and labeled-line pathways in human perception of painful sensation (Lenz et al) 2004;56:S52

Nodular heterotopia, periventricular

periventricular nodular heterotopia with overlying polymicrogyria occurs in several distinct patterns of malformation: clinical and imaging features (Wieck et al) 2004;56:S93

Nonsteroidal antiinflammatory drugs

NSAIDs increase survival in the Sandhoff disease mouse: synergy with *N*-butyldeoxynojirimycin (Jeyakumar et al) 2004;56:642

North America

Huntington's disease-like 2 (HDL2) in North America and Japan (Margolis et al) 2004;56:670, 911 (Correction)

Northern Ireland

audit of the registered cause of death in patients with multiple sclerosis in Northern Ireland (Gray et al) 2004;56:S32

Northern Manhattan Stroke Study

risk of myocardial infarction and vascular death after first ischemic stroke: Northern Manhattan Stroke Study (Dhamoon et al) 2004;56:S1

Novantrone; see Mitoxantrone

Nurses

nurses observation versus amplitude EEG in the detection of neonatal seizures (Naqvi et al) 2004;56:S115

Nystagmus

pulse-synchronous eye oscillations revealing bone superior canal dehiscence (Tilikete et al) 2004;56:S56

Observational assessment

nurses observation versus amplitude EEG in the detection of neonatal seizures (Naqvi et al) 2004;56:S115

Obsessive-compulsive behaviors

benefit of selective serotonin reuptake inhibitors is greater for comorbid anxiety than for obsessive-compulsive behaviors in Tourette syndrome (Neary et al) 2004;56:S108

Obsessive/compulsive symptoms

obsessive/compulsive symptoms in juvenile neuronal ceroid lipofuscinosis (Batten disease) 2004;56:S127

Obstetrical brachial plexopathy

improvement in upper limb function in children with obstetrical brachial plexopathy after intramuscular botulinum toxin injections (Limbo et al) 2004;56:S108

Obstructive sleep apnea syndrome

decline in visual vigilance in drivers with obstructive sleep apnea syndrome (Rizzo et al) 2004;56:S40

Occipital nerve

greater occipital nerve involvement in hereditary neuropathy with liability to pressure palsy (HNPP) (Rao et al) 2004;56:S61

Octreotide

subcutaneous octreotide in cluster headache: randomized placebo-controlled double-blind crossover study (Matharu et al) 2004;56:488, 751 (Correction)

Oculopharyngeal myopathy, familial

familial oculopharyngeal myopathy without *PABPN1* mutation and intranuclear inclusions (Uyama et al) 2004;56:S63

OPA1 gene

deficit of in vivo mitochondrial ATP production in OPA1-related dominant optic atrophy (Lodi et al) 2004;56:719

Open-heart surgery

post-operative seizures in children undergoing open-heart surgery for repair of heart defects (Alrifai et al) 2004;56:S117

Open reading frame

previously unidentified MECP2 open reading frame defines a new protein isoform relevant in Rett syndrome (Mnatzakanian et al) 2004;56:S85

Ophthalmoplegia, progressive external

sequence analysis of familial PEO shows additional mutations associated with the 752C[font"MS Reference 1"]±[font"MS Reference 1"]T and 3527C[font"MS Reference 1"]±[font"MS Reference 1"]T changes in the *POLG1* gene (Lamantea and Zeviani) 2004;56:454 (Letter)

Opioid analgesics

effect of opioid analgesics on magnetic resonance imaging scores in asphyxiated term infants (Angeles et al) 2004;56:S107

Opsoclonus-ataxia

longitudinal neurodevelopmental evaluation of children with opsoclonus-ataxia (Mitchell et al) 2004;56:S124

Opsoclonus-myoclonus-cerebellar ataxia

West Nile encephalitis presenting as opsoclonus-myoclonus-cerebellar ataxia (Khosla et al) 2004;56:S70

Optic atrophy

deficit of in vivo mitochondrial ATP production in OPA1-related dominant optic atrophy (Lodi et al) 2004;56:719

Optic neuritis

B-lymphocyte and plasma cell clonal expansion in mono-symptomatic optic neuritis cerebrospinal fluid (Haubold et al) 2004;56:97

Optic neuritis, acute

adaptive cortical reorganization in acute optic neuritis: longitudinal functional magnetic resonance imaging study (Toosy et al) 2004;56:S58

Optic neuropathy

SOD2 gene transfer protects against optic neuropathy induced by deficiency of complex I (Qi et al) 2004;56:182

Optic neuropathy, bilateral

cobalamin deficiency with bilateral optic neuropathy, multiple white matter lesions and normal B12 levels (Rao et al) 2004;56:S38

Optic neuropathy, Leber's hereditary

the ND1 gene of complex I is a mutational hot spot for Leber's hereditary optic neuropathy (Valentino et al) 2004;56:631

poison and antidote: a novel model to study pathogenesis and therapy of LHON (Manfredi and Beal) 2004;56:171 (Editorial)

OROS MPH

OROS MPH provides greater attention-deficit/hyperactivity disorder core symptom response than atomoxetine (Kemner et al) 2004;56:S108

Orthostatic hypotension

pyridostigmine improves orthostatic hypotension without worsening supine hypertension (Sandroni et al) 2004;56:S9

Osteogenesis imperfecta

neurologic outcome in osteogenesis imperfecta patients with basilar invagination (Vanderver et al) 2004;56:S94

Osteoprotegerin

the IGF system regulates osteoprotegerin in human neuroblastoma cells (Schwab et al) 2004;56:S64

Oxaliplatin-induced neuropathy

quantitative sensory testing in the assessment of oxaliplatin-induced neuropathy (Koeppen et al) 2004;56:S65

Oxidant stress

low-affinity nerve growth factor receptor, p75, as a modulator of resistance to oxidant stress 2004;56:S129

Oxidative damage

short-term hyperglycemia produces oxidative damage and apoptosis in neurons (Vincent et al) 2004;56:S20

p75

low-affinity nerve growth factor receptor, p75, as a modulator of resistance to oxidant stress 2004;56:S129

PABPN1 gene

familial oculopharyngeal myopathy without *PABPN1* mutation and intranuclear inclusions (Uyama et al) 2004;56:S63

Pain management

duloxetine in treatment of diabetic neuropathic pain (Wernicke et al) 2004;56:S51

internal review of pain management in the Long Island Jewish Medical Center Intensive Care Unit (Singh and Kanner) 2004;56:S3

response to intravenous immunoglobulins and experimental evidence for pathogenic antibodies in a case of complex regional pain syndrome (Goebel et al) 2004;56:S51

subthalamic stimulation alleviates pain in Parkinson's disease (Bejjani et al) 2004;56:S68

Pain perception

evidence for graded and labeled-line pathways in human perception of painful sensation (Lenz et al) 2004;56:S52

Pain sensation

evidence for graded and labeled-line pathways in human perception of painful sensation (Lenz et al) 2004;56:552

Pain threshold

exercise lowers pain threshold in chronic fatigue syndrome (Chaudhuri et al) 2004;56:S44

Paralysis, periodic

electromyography guides toward subgroups of mutations in muscle channelopathies (Fournier et al) 2004;56:650

Paraneoplastic antibodies

paraneoplastic antibodies coexist and predict cancer, not neurological syndrome (Pittock et al) 2004;56:715

Paraneoplastic autoantibodies

paraneoplastic autoantibodies commonly coexist as complementary predictors of cancer (Pittock et al) 2004;56:S57

Paraneoplastic cerebellar degeneration

carbonic anhydrase-related protein VIII: autoantigen in paraneoplastic cerebellar degeneration (Bataller et al) 2004;56:575

Paraparesis, spastic

chronic exposure to 1-bromopropane associated with spastic paraparesis and distal neuropathy: report of six foam-cushion gliuers (Majersik et al) 2004;56:S69

GLRA1 gene abnormality in a family with stiff baby syndrome, excessive startle, and spastic paraparesis (Holden et al) 2004;56:S103

Paraplegia, spastic

molecular and functional analyses of *Drosophila* homologues of autosomal-dominant hereditary spastic paraplegia genes spastin and atlastin (Martinuzzi et al) 2004;56:S29

a novel locus for pure recessive hereditary spastic paraplegia maps to 10q22.1-10q24.1 (Meijer et al) 2004;56:S79

Parental stress

child health and parental stress in school-age children with a preschool diagnosis of developmental delay (Webster et al) 2004;56:S121

PARK6 gene

the gene responsible for *PARK6* Parkinson's disease, *PINK1*, does not influence common forms of parkinsonism (Healy et al) 2004;56:329

parkin gene

early-onset parkinsonism in heterozygous *parkin* mutation carriers (Inzelberg et al) 2004;56:S28

rapid eye movement sleep behavior disorder in parkinsonism with *parkin* mutations (Kumru et al) 2004;56:599

Parkinsonian signs

parkinsonian signs and substantia nigra neuron density in decedents elders without PD (Ross et al) 2004;56:532

Parkinsonism

association of sleep abnormalities and parkinsonism in Alzheimer's disease (Park et al) 2004;56:S48

the gene responsible for *PARK6* Parkinson's disease, *PINK1*, does not influence common forms of parkinsonism (Healy et al) 2004;56:329

late-onset depression and parkinsonism in two sisters: heterozygote carriers for Wilson's disease (Sechi et al) 2004;56:S19

rapid eye movement sleep behavior disorder in parkinsonism with *parkin* mutations (Kumru et al) 2004;56:599

Parkinsonism, early-onset

early-onset parkinsonism in heterozygous *parkin* mutation carriers (Inzelberg et al) 2004;56:S28

homozygous *PINK1* C-terminus mutation causing early-onset parkinsonism (Rohé et al) 2004;56:427

novel *PINK1* mutations in early-onset parkinsonism (Hatanoto et al) 2004;56:424, 603 (Correction)

PINK1 mutations are associated with sporadic early-onset parkinsonism (Valente et al) 2004;56:336

Parkinson's disease

α -synuclein promoter confers susceptibility to Parkinson's disease (Pals et al) 2004;56:591

age-related influences on the clinical characteristics of new-onset hallucinations in Parkinson's disease patients (Goetz et al) 2004;56:S25

anti-epileptic property of bilateral subthalamic stimulation in a patient with Parkinson's disease (Bejjani et al) 2004;56:S23

behavioral recovery in Parkinson's disease model by gene transfer of glial cell line-derived neurotrophic factor (Zheng et al) 2004;56:S11

cell restorative therapy in the rat model of Parkinson's disease: employing a multiple-target strategy to improve motor outcomes 2004;56:S53

cervical radiculomyelopathy and Parkinson's disease: does an added neurological comorbidity affect UPDRS and Hoehn and Yahr scores? (Itin et al) 2004;56:S26

CURE, a French epidemiological study on the use of ropinirole in patients with Parkinson's disease: usefulness of "Handipark," a new brief questionnaire (Tison et al) 2004;56:S55

deep brain stimulation for Parkinson's disease: potential risk of tissue damage associated with external stimulation (Meissner et al) 2004;56:309 (Erratum)

difference in nigral iron between Parkinson's disease and control is in the iron binding not in amount (Friedman et al) 2004;56:S67

differential impact of D1 and D2 dopamine receptor stimulation on bladder function in Parkinson's disease (Brusa et al) 2004;56:S24

effect of rotigotine on motor activity and disability scores in MPTP-treated common marmosets (Scheller et al) 2004;56:S53

familial aggregation of Parkinson's disease: the Mayo Clinic Family Study (Rocca et al) 2004;56:495

a functional polymorphism regulating dopamine β -hydroxylase influences against Parkinson's disease (Healy et al) 2004;56:311 (Correction)

the gene responsible for *PARK6* Parkinson's disease, *PINK1*, does not influence common forms of parkinsonism (Healy et al) 2004;56:329

identification and characterization of a novel biomarker that specifically predicts Parkinson's disease (Pasinetti) 2004;56:S27

idiopathic hyposmia as a preclinical sign of Parkinson's disease (Ponsen et al) 2004;56:173

inverse relationship between intra-striatal distribution of Bcl-2 protein in normal human brain and the pattern of dopamine loss in Parkinson's disease (Tong et al) 2004;56:S22

L-3-hydroxyacyl-CoA dehydrogenase II protects in a model of Parkinson's disease (Tieu et al) 2004;56:51

neuroprotection by rotigotine: investigations in MPTP-lesioned mice under continuous dopaminergic stimulation (Scheller et al) 2004;56:S54

Parkinson's disease and diplopia (Lepore) 2004;56:S69

the preclinical detection of Parkinson's disease: ready for prime time? (Stern) 2004;56:169 (Editorial)

prolongation of levodopa responses by glycine_B antagonists in parkinsonian primates (Papa et al) 2004;56:723

- rasagiline provides significant symptom benefit as initial monotherapy and as adjunct therapy in early and moderate-to-advanced Parkinson's disease (Salzman et al) 2004;56:S13
- route-following in drivers with Parkinson's disease vs. Alzheimer's disease (Uc et al) 2004;56:S50
- the safety of deep brain stimulation in patients with Parkinson's disease, essential tremor, and other movement disorders (Silay et al) 2004;56:S54
- serotonin transporter gene polymorphisms and hallucinations in Parkinson's disease (Goldman et al) 2004;56:S26
- subjective patient-report versus objective performance-based measurement of activities of daily living in Parkinson's disease (Shulman et al) 2004;56:S54
- subthalamic stimulation alleviates pain in Parkinson's disease (Bejjani et al) 2004;56:S68
- systemic exposure to proteasome inhibitors causes a progressive model of Parkinson's disease (McNaught et al) 2004;56:149
- Parkinson's disease, advanced**
- long term effects of bilateral subthalamotomy for advanced Parkinson's disease (Su et al) 2004;56:S55
- Parkinson's disease, early-onset**
- apathy and psychosis in early onset Parkinson's disease (Chatterjee et al) 2004;56:S25
- Paroxysmal discharges**
- evolution of paroxysmal discharges in the neonatal rat following cerebral hypoxic-ischemic injury (Abi-Raad et al) 2004;56:S130
- Paroxysmal dystonia**
- maple syrup disease presenting as paroxysmal dystonia (Temudo et al) 2004;56:749 (Letter)
- Paroxysmal events**
- usefulness of short-term video-EEG in the differential diagnosis of paroxysmal events in children (Tziperman et al) 2004;56:S116
- Patent foramen ovale**
- patent foramen ovale: cause or innocent bystander? population-based transesophageal echocardiographic study (Meissner et al) 2004;56:S1
- Patient education**
- counseling patients with neurologic disorders about driving risk: physician survey and retrospective chart analysis (Lee and Erickson) 2004;56:S3
- Patient reports**
- subjective patient-report versus objective performance-based measurement of activities of daily living in Parkinson's disease (Shulman et al) 2004;56:S54
- PAX6 gene**
- deficient auditory interhemispheric transfer in patients with PAX6 mutations (Bamiou et al) 2004;56:503
- PCA stroke, bilateral**
- total dream loss: a distinct neuropsychological dysfunction after bilateral PCA stroke (Bischof and Bassetti) 2004;56:583
- Pediatric autoimmune neuropsychiatric disorders associated with streptococcal infection (PANDAS)**
- comparison of anti-basal ganglia antibodies in PANDAS and Tourette syndrome (Hong et al) 2004;56:S129
- Pediatric examination**
- PediNeuroLogic Exam: web-based tutorial for teaching the pediatric neurological examination (Larsen et al) 2004;56:S110
- Pediatric movement disorders**
- is the microinfusion of antineuronal antibodies into rodent striatum a valid method to evaluate autoimmunity in pediatric movement disorders? (Singer et al) 2004;56:S89
- Pediatric stroke**
- clinical challenges in pediatric ischemic stroke: data on over 1000 children with stroke from the 1-800-NO-CLOTS consultation service (Kuhle et al) 2004;56:S97
- health-related quality of life and its relationship to neurological outcome in child survivors of stroke (Friefeld et al) 2004;56:S119
- pediatric stroke: cost of illness study (Helden et al) 2004;56:S121
- Pediatric Stroke Belt: geographic variations in stroke mortality in U.S. children (Fullerton et al) 2004;56:S118
- perfusion magnetic resonance imaging in childhood central nervous system vasculopathy and stroke (Shellhaas et al) 2004;56:S92
- seizures and brain injury in a new model of pediatric stroke: strain-related differences in vulnerability in postnatal day 12 C3HeB/FeJ mice compared to CD1 mice (Comi et al) 2004;56:S130
- Pediatrics; see also Children; Infants**
- clinical and etiologic profile of spastic diplegia in pediatric neurology practice (Tang-Wai et al) 2004;56:S123
- efficacy and safety of once-daily dexamethylphenidate extended-release capsules in pediatric patients with attention-deficit disorder (Greenhill et al) 2004;56:S107
- non-convulsive status epilepticus in the pediatric population (Tay et al) 2004;56:S112
- unexpected demographic profile in pediatric MS (Krupp et al) 2004;56:S56
- PediNeuroLogic Exam**
- PediNeuroLogic Exam: web-based tutorial for teaching the pediatric neurological examination (Larsen et al) 2004;56:S110
- C-peptide**
- C-peptide prevents nociceptive sensory neuropathy in type 1 diabetes (Kamiya et al) 2004;56:827
- Performance testing**
- subjective patient-report versus objective performance-based measurement of activities of daily living in Parkinson's disease (Shulman et al) 2004;56:S54
- Periaqueductal gray**
- activation of 5-HT_{1B/1D} receptor in the periaqueductal gray inhibits nociception (Bartsch et al) 2004;56:371
- Perinatal hypoxia-ischemia**
- increased susceptibility of S100B transgenic mice to perinatal hypoxia-ischemia (Wainwright et al) 2004;56:61
- Perinatal stroke**
- predictors of outcome in perinatal arterial stroke (Lee et al) 2004;56:S119
- risk factors for perinatal stroke: population-based study (Wu et al) 2004;56:S88
- twin gestation without fetal demise may be a risk for perinatal arterial ischemic stroke in term neonates (Golomb et al) 2004;56:S123
- Periodic paralysis, familial**
- electromyography guides toward subgroups of mutations in muscle channelopathies (Fournier et al) 2004;56:650
- Periodic sharp-wave complexes**
- diagnostic value of periodic complexes in Creutzfeldt-Jakob disease (Steinhoff et al) 2004;56:702
- Peripheral blood lymphocytes**
- spectratyping of the T cell receptor β -chain-variable region in the peripheral blood lymphocyte and muscle of patients with sporadic inclusion body myositis: evidence of local expansion of T cell clones (Salajegheh et al) 2004;56:S61

Peripheral myelin protein 22

expression of peripheral myelin protein 22 in human central nervous system (Murakami et al) 2004;56:S36

Peripheral nerve demyelination

peripheral nerve demyelination: consensus research criteria transformed to linear regression criteria using height (Maccabee et al) 2004;56:S35

Peripheral nervous system

connexin 32 promoter P2 mutations: a mechanism of peripheral nerve dysfunction (Houlden et al) 2004;56:730
proximal spinal sensory neurophysiological assessment; greater auricular nerve conduction study (Smith and Dyck) 2004;56:S62

Peripheral neuropathy

diagnostic role of deep tendon reflex in peripheral neuropathy (Sharma et al) 2004;56:S61

Periventricular hemorrhagic infarction

periventricular hemorrhagic infarction: neurological outcome in the modern era of neonatal intensive care (Basan et al) 2004;56:S118

Periventricular leukomalacia

clinical epidemiology of epileptic children with periventricular leukomalacia (Deonandan et al) 2004;56:S124
neuroradiological correlates of epilepsy in children with periventricular leukomalacia (Humphreys et al) 2004;56:S112

Periventricular nodular heterotopia

periventricular nodular heterotopia with overlying polymicrogyria occurs in several distinct patterns of malformation: clinical and imaging features (Wieck et al) 2004;56:S93

Peroxisomal diseases, adult-onset

clinical experience on 156 cases of adult-onset neurological and psychiatric lysosomal and peroxisomal genetic metabolic diseases: diagnostic strategy (Baumann et al) 2004;56:S28

Perry syndrome

respiratory center in a patient with Perry syndrome (Tsuboi et al) 2004;56:S56

Pharaonic era

neurology in the pharaonic era (El-Gengaihy and El-Gengaihy) 2004;56:S69

PHAROS

baseline characteristics of the Prospective Huntington at Risk Observational Study cohort (Biglan and PHAROS Investigators) 2004;56:S24

Phenotype

autosomal recessive forms of Charcot-Marie-Tooth disease: histological phenotypes and genotypes (Vallat et al) 2004;56:S13

distribution and heritability of phenotypic traits in autism (Nabi et al) 2004;56:S105

familial amyotrophic lateral sclerosis due to a Gly41Ser mutation in the SOD 1 gene: confirmation of severe phenotype (Subramony et al) 2004;56:S62

genotype determines phenotype in experimental Lyme borreliosis (Pachner et al) 2004;56:S61

Phenotype, tissue-specific

alternative splicing may contribute to tissue-specific phenotype in aprataxin-related ataxia (Hirano et al) 2004;56:S28

Phenotyping

non-invasive "phenotyping" of patients with spinocerebellar ataxia type 3 and spinocerebellar ataxia type 6 by molecular imaging (Heiss et al) 2004;56:S20

Phenylketonuria

magnetic resonance imaging of the brain in early treated patients with phenylketonuria (Izumi et al) 2004;56:S97

Phosphatidylglycerol

phospholipid microparticles incorporating phosphatidylglycerol inhibit microglial activation, rescue motoneurons, and slow disease in ALS mice (Beers et al) 2004;56:S37

Phosphatidylinositol signaling

genetics of phosphatidylinositol signaling in autism (Nabi et al) 2004;56:S103

Phospholipids

effects of phospholipids on the activity of anti-GM1 IgM antibodies in autoimmune neuropathies (Hirakawa et al) 2004;56:S34

Pick's disease

β -amyloid burden in Alzheimer's and Pick's disease: what is the relationship to α -synuclein aggregation? (Lippa and Mori) 2004;56:S48

PINK1 gene

the gene responsible for *PARK6* Parkinson's disease, *PINK1*, does not influence common forms of parkinsonism (Healy et al) 2004;56:S29

homozygous *PINK1* C-terminus mutation causing early-onset parkinsonism (Rohé et al) 2004;56:427

novel *PINK1* mutations in early-onset parkinsonism (Hatanoto et al) 2004;56:424, 603 (Correction)

PINK1 mutations are associated with sporadic early-onset parkinsonism (Valente et al) 2004;56:S36

Plasma cells

B-lymphocyte and plasma cell clonal expansion in monosymptomatic optic neuritis cerebrospinal fluid (Haubold et al) 2004;56:97

Plasma lipoprotein subfractions

association among plasma lipoprotein subfractions as characterized by analytical isotachopheresis, apolipoprotein E phenotype, Alzheimer's disease, and mild cognitive impairment (Yamada et al) 2004;56:S50

Plasticity

seizure-induced plasticity and adverse long-term effects of early-life seizures (Chang and Huang) 2004;56:165 (Reply)

seizure-induced plasticity and adverse long-term effects of early-life seizures (Sutula) 2004;56:164 (Letter)

Platelet-activating factor receptor

single nucleotide polymorphism of platelet-activating factor receptor in Japanese multiple sclerosis (Osoeawa et al) 2004;56:S33

Pleiotrophin

pleiotrophin is a neurotrophic factor for motor neurons (Mi et al) 2004;56:S9

Pneumococcal meningitis

neuroprotective effects of brain-derived neurotrophic factor on brain neurons in experimental pneumococcal meningitis (Li and Quanxiang) 2004;56:S128

POLG1 gene

sequence analysis of familial PEO shows additional mutations associated with the 752C[font"MS Reference 1"] \pm [/font"MS Reference 1"]T and 3527C[font"MS Reference 1"] \pm [/font"MS Reference 1"]T changes in the *POLG1* gene (Lamantea and Zeviani) 2004;56:454 (Letter)

Polyglucosans

laforin preferentially binds neurotoxic starch-like polyglucosans, which form in its absence in progressive myoclonus epilepsy (Minassian et al) 2004;56:S9

- progressive myoclonus epilepsy with polyglucosans (Lafora disease): evidence for a third locus (Chan et al) 2004; 56:S13
- Polyglutamine**
C-terminus of Hsp70-interacting protein suppresses polyglutamine aggregation and toxicity in vitro and in vivo (Miller et al) 2004;56:S37
- Polymicrogyria**
periventricular nodular heterotopia with overlying polymicrogyria occurs in several distinct patterns of malformation: clinical and imaging features (Wieck et al) 2004; 56:S93
- Polymyositis**
long-term persistence of clonally expanded T cells in patients with polymyositis (Benveniste et al) 2004;56:867
- Polyneuropathy, sensorimotor**
anti-Hu antibodies and sensorimotor polyneuropathy associated with carcinoid tumorlet of lung (Pasnoor et al) 2004;56:S60
- Polyradiculoneuropathy, chronic inflammatory demyelinating**
case presentations and pathology of CIDP presenting as neoplastic neurofibromas (Polston et al) 2004;56:S60
- POMGnT1 gene**
POMGnT1 gene alterations in a family with neurological abnormalities (Vervoort et al) 2004;56:143
- Porencephaly**
the factor V G1691A mutation is a risk for porencephaly: a case-control study (Debus et al) 2004;56:287
- Positive airway pressure, bilevel**
BiPAP and early Guillain-Barré syndrome (Wijdsicks and Roy) 2004;56:S64
- Positron emission tomography**
voxel-based parametric mapping of acetylcholinesterase activity using [¹¹C]PMP positron emission tomography in mild cognitive impairment (Vandenberghe et al) 2004; 56:S50
- Posterior circulation**
New England Medical Center Posterior Circulation Registry (Caplan et al) 2004;56:389
- Potassium channels**
mechanism of action of voltage-gated K⁺ channel antibodies in acquired neuromyotonia (Tomimitsu et al) 2004;56:440
- Pregnancy**
migraine headache in the postpartum period (Pringsheim et al) 2004;56:S52
nicotine-induced loss of Schwann cells in vitro is *not* due to necrosis (Johnson et al) 2004;56:S128
- Premature delivery**
magnetic resonance imaging findings in children surviving extremely premature delivery and extremely low birth weight with cerebral palsy (Bodensteiner and Johnsen) 2004;56:S95
- Preschool children**
developmental and functional outcomes in preschool children diagnosed with either global developmental delay or developmental language impairment: comparative study (Shevell et al) 2004;56:S122
- Presenilin-1**
presenilin-1 Alzheimer's disease mutations: do synaptophysin disturbances play a role in the pathophysiology? (Abdelhak et al) 2004;56:S27
- Pressure palsy**
greater occipital nerve involvement in hereditary neuropathy with liability to pressure palsy (HNPP) (Rao et al) 2004;56:S61
- Preterm infants**
clinical validity of early neurobehavioral assessments of very preterm infants (Brown et al) 2004;56:S92
follow-up of infants with cerebellar infarction and born with history of severe prematurity (Scalais et al) 2004; 56:S96
neonatal status epilepticus in preterm babies (Pisani et al) 2004;56:S114
preterm subjects at age 12 years show structural and functional MRI findings similar to children with developmental dyslexia (Ment et al) 2004;56:S90
- Prion diseases**
striking PrP^{Sc} heterogeneity in inherited prion diseases with the D178N mutation (Haik et al) 2004;56:909 (Letter)
striking PrP^{Sc} heterogeneity in inherited prion diseases with the D178N mutation (Head and Ironside) 2004; 56:910 (Reply)
- Prion protein**
striking PrP^{Sc} heterogeneity in inherited prion diseases with the D178N mutation (Haik et al) 2004;56:909 (Letter)
striking PrP^{Sc} heterogeneity in inherited prion diseases with the D178N mutation (Head and Ironside) 2004; 56:910 (Reply)
- PRNP gene**
striking PrP^{Sc} heterogeneity in inherited prion diseases with the D178N mutation (Haik et al) 2004;56:909 (Letter)
striking PrP^{Sc} heterogeneity in inherited prion diseases with the D178N mutation (Head and Ironside) 2004; 56:910 (Reply)
- Progressive supranuclear palsy**
effects of tau and ApoE genotypes on age at onset and age at death in progressive supranuclear palsy (Baba et al) 2004;56:S12
historical perspective of progressive supranuclear palsy (Steele-Richardson-Olszewski syndrome) (Mishra and Misra) 2004;56:S37
novel haplotypes in 17q21 are associated with progressive supranuclear palsy (Pastor et al) 2004;56:249
- Prostaglandin E₂**
PGE₂ receptors rescue motor neurons in a model of amyotrophic lateral sclerosis (Bilak et al) 2004;56:240
- Proteasome**
abnormal lysosomal and ubiquitin-proteasome pathways in 19p13.3 distal myopathy (Di Blasi et al) 2004;56:133
generalized brain and skin proteasome inhibition in Huntington's disease (Seo et al) 2004;56:319
roles of the proteasome in neurodegenerative disease: refining the hypothesis (Cookson) 2004;56:315 (Editorial)
sporadic inclusion-body myositis as a conformational disorder: novel role of misfolded proteins and proteasome inhibition in sporadic inclusion-body myositis pathogenesis (Askanas et al) 2004;56:S33
- Proteasome inhibitors**
systemic exposure to proteasome inhibitors causes a progressive model of Parkinson's disease (McNaught et al) 2004;56:149
- Protein acetylation**
abnormalities in protein acetylation in *FMRI* knockout mouse brain: involvement of synaptically regulated proteins (Van Dine et al) 2004;56:S86
- Proximal myotonic myopathy**
respiratory involvement in DM2/PROMM (Shoesmith et al) 2004;56:S61

Proximal spinal sensory nerves

proximal spinal sensory neurophysiological assessment; greater auricular nerve conduction study (Smith and Dyck) 2004;56:S62

PS1 gene

learning-enhancing and anxiolytic effects of memantine in nontransgenic and transgenic mice over-expressing APPswe and PS1 (Tanila et al) 2004;56:S48

Pseudoneglect

hemispheric mediation of spatial attention: pseudoneglect after callosal stroke (Wolk and Coslett) 2004;56:434

Psychosis

apathy and psychosis in early onset Parkinson's disease (Chatterjee et al) 2004;56:S25
the interleukin 1 β gene promoter polymorphism (-511) acts as a risk factor for psychosis in Alzheimer's dementia (Craig et al) 2004;56:121

Pulsatility index

elevated pulsatility index by transcranial Doppler is associated with risk of ischemic stroke and TIA (Rajamani et al) 2004;56:S45

Pulse-synchronous eye oscillations

pulse-synchronous eye oscillations revealing bone superior canal dehiscence (Tilikete et al) 2004;56:556

Pyridostigmine

pyridostigmine improves orthostatic hypotension without worsening supine hypertension (Sandroni et al) 2004;56:S9

Q&E

the Q&E is more sensitive than the clock draw, Mini-Cog, and six-item screener in the detection of mild dementia (Dash et al) 2004;56:S19

Quality of life

utility of theoretical models in outcome and quality of life research: example from childhood epilepsy outcome research (Ronen et al) 2004;56:S6

Quality of life, health-related

health-related quality of life and its relationship to neurological outcome in child survivors of stroke (Friefeld et al) 2004;56:S119

Quantitative sensory testing

quantitative sensory testing in the assessment of oxaliplatin-induced neuropathy (Koeppen et al) 2004;56:S65

reproducibility of quantitative sensory testing in the clinical trial setting (Peltier et al) 2004;56:S60

Quantitative sudomotor axon reflex test

quantitative sudomotor axon reflex test in patients with autoimmune neuropathies (Kuzumoto et al) 2004;56:S35

RAB7 gene

a novel RAB7 mutation associated with ulcero-mutilating neuropathy (Houlden et al) 2004;56:586

Radiation therapy

glutamate release inhibitor riluzole reduces cerebellar apoptosis in the immature rat cerebellum after radiation exposure (Yohay et al) 2004;56:S129

study of a concurrent blood-brain barrier disrupting agent and carboplatin with radiation therapy for children with newly diagnosed brain stem gliomas: Children's Oncology Group study (Packer et al) 2004;56:S106

Radiculomyelopathy, cervical

cervical radiculomyelopathy and Parkinson's disease: does an added neurological comorbidity affect UPDRS and Hoehn and Yahr scores? (Itin et al) 2004;56:S26

Radiosurgery, gamma knife

gamma knife radiosurgery treatment of trigeminal neuralgia in a suburban community hospital: analysis of demographics and clinical results (Landolfi et al) 2004;56:S52

Radiotherapy, craniospinal

preliminary results of a prospective randomized study of "reduced" craniospinal radiotherapy followed by one of two adjuvant chemotherapy regimens for children with medulloblastoma: Children's Oncology Group study (Packer et al) 2004;56:S89

Rapamycin, target of

mTOR cascade activation distinguishes tubers from focal cortical dysplasia (Baybis et al) 2004;56:478

Rapid Assessment for Developmental Disabilities (RADD)

Rapid Assessment for Developmental Disabilities : new neuropsychological approach (Walsh et al) 2004;56:S87

Rapid eye movement sleep behavior disorder

rapid eye movement sleep behavior disorder in parkinsonism with *parkin* mutations (Kumru et al) 2004;56:S99

Rasagiline

rasagiline provides significant symptom benefit as initial monotherapy and as adjunct therapy in early and moderate-to-advanced Parkinson's disease (Salzman et al) 2004;56:S13

Reading

learning to read without a left occipital lobe: right-hemispheric shift of visual word form area (Cohen et al) 2004;56:890

role of the "visual word form area" in reading (Hillis et al) 2004;56:S45

Rectal gels

reduction in number of emergency department visits with diazepam rectal gel use (O'Dell) 2004;56:S109

role of diazepam rectal gel in an emergency treatment plan for patients with intrathecal baclofen (van Lierop et al) 2004;56:S110

Reelin gene

association of Reelin gene polymorphisms with autism (Serajee et al) 2004;56:S99

Regulatory T cells

selective loss of regulatory T cells in thymomas (Ströbel et al) 2004;56:901

Rehabilitation

effect of testosterone on functional recovery in the castrate male rat stroke model (Pan et al) 2004;56:S71

impact of falls prevention strategies in stroke patients admitted to an acute rehabilitation unit (Rabadi et al) 2004;56:S72

predictors of a successful driver evaluation after discharge in a stroke patient (Smith-Arena et al) 2004;56:S72

Rehabilitation services

rehabilitation service utilization at school age in children with developmental delay (Mazer et al) 2004;56:S126

Relaxometry, voxel-based

voxel-based relaxometry: application to multiple system atrophy (Klockgether et al) 2004;56:S27

Religiosity

rate of cognitive decline in Alzheimer's disease and spirituality/religiosity (Kaufman et al) 2004;56:S45

Renal dysfunction

mechanisms of hyponatremia after spinal cord injury: clinical and neuroanatomical evidence for disruption of descending renal sympathetic pathways (Furlan and Fehlings) 2004;56:S41

Research, clinical

genotype and early development in Rett syndrome: value of international data (Leonard et al) 2004;56:S110
InterRett — application of bioinformatics to international Rett syndrome research (Moore et al) 2004;56:S111
long-term trials: who volunteers? (Harrell et al) 2004;56:S18

Respiratory center

respiratory center in a patient with Perry syndrome (Tsuboi et al) 2004;56:S56

Respiratory disease

BiPAP and early Guillain-Barré syndrome (Wijdicks and Roy) 2004;56:S64

Respiratory failure

cardiac and respiratory failure in limb-girdle muscular dystrophy 21 (Poppe et al) 2004;56:738

Respiratory involvement

respiratory involvement in DM2/PROMM (Shoesmith et al) 2004;56:S61

Restless legs syndrome

initial evaluation of the frequency of the restless legs syndrome and sleep complaints among patients with amyotrophic lateral sclerosis (Greenough et al) 2004;56:S20
restless legs syndrome in children (Sayed et al) 2004;56:S41, S101

Restless legs syndrome, childhood-onset

childhood-onset restless legs syndrome (Kotagal and Silber) 2004;56:803
clinical spectrum of childhood-onset restless legs syndrome (Kotagal) 2004;56:S100

Resuscitation

vertical conjugate eye deviation in postresuscitation coma (Johkura et al) 2004;56:878

Rett syndrome

cortical architectural study of a model mouse of Rett syndrome (Itoh and Fukuda) 2004;56:S38
genotype and early development in Rett syndrome: value of international data (Leonard et al) 2004;56:S110
InterRett — application of bioinformatics to international Rett syndrome research (Moore et al) 2004;56:S111
MeCP2 expression, histone acetylation, and gene expression in Rett syndrome frontal cortex: initial examination (Wang et al) 2004;56:S86
previously unidentified MECP2 open reading frame defines a new protein isoform relevant in Rett syndrome (Mnatzakanian et al) 2004;56:S85
previously unidentified MECP2 open reading frame defines a new protein isoform relevant to Rett syndrome (Mnatzakanian et al) 2004;56:S29

Ribonucleoprotein B1

autoantibodies against heterogeneous nuclear ribonucleoprotein B1 in CSF of MS patients (Sueoka et al) 2004;56:778

Riluzole

glutamate release inhibitor riluzole reduces cerebellar apoptosis in the immature rat cerebellum after radiation exposure (Yohay et al) 2004;56:S129
local polymer-based delivery of the glutamate release inhibitor riluzole prolongs survival in a rat intracranial glioma model (Yohay et al) 2004;56:S91

Rivastigmine

increased rivastigmine response with more rapid rate of change in Alzheimer's disease (Farlow et al) 2004;56:S17
persistence patterns of treatment with rivastigmine versus donepezil in a Medicaid population (Singh et al) 2004;56:S5

RNA, small interfering

sequence-dependent and independent inhibition specific for mutant ataxin-3 by small interfering RNA (Li et al) 2004;56:124

Rolandic epilepsy

developmental problems in rolandic epilepsy patients and siblings (Pal and Kugler) 2004;56:S104
is benign rolandic epilepsy genetically determined? (Vadlamudi et al) 2004;56:129

Ropinirole

CURE, a French epidemiological study on the use of ropinirole in patients with Parkinson's disease: usefulness of "Handipark," a new brief questionnaire (Tison et al) 2004;56:S55

Rotigotine

effect of rotigotine on motor activity and disability scores in MPTP-treated common marmosets (Scheller et al) 2004;56:S53
neuroprotection by rotigotine: investigations in MPTP-lesioned mice under continuous dopaminergic stimulation (Scheller et al) 2004;56:S54

S6 kinase (S6K) gene

functional significance of S6K overexpression in meningioma progression (Surace et al) 2004;56:295

Saccade velocity

saccade velocity is controlled by polyglutamine size in spinocerebellar ataxia 2 (Velázquez-Pérez et al) 2004;56:444

Saccadic adaptation

saccadic adaptation in children with Arnold-Chiari type II malformation (Salman et al) 2004;56:S39

Safinamide

teasing out mechanisms of safinamide's antiparkinson activity (Stocchi et al) 2004;56:S55

Saline, hypertonic

lung water is increased following experimental stroke: effect of treatment with hypertonic saline (Toung et al) 2004;56:S14

Sandhoff disease

NSAIDs increase survival in the Sandhoff disease mouse: synergy with *N*-butyldeoxynojirimycin (Jeyakumar et al) 2004;56:642

S100B

increased susceptibility of S100B transgenic mice to perinatal hypoxia-ischemia (Wainwright et al) 2004;56:61

School-age children

child health and parental stress in school-age children with a preschool diagnosis of developmental delay (Webster et al) 2004;56:S121
rehabilitation service utilization at school age in children with developmental delay (Mazer et al) 2004;56:S126
school-age language outcomes of children with global developmental delay and developmental language impairment diagnosed before school entry (Webster et al) 2004;56:S119

Schwann cells

nicotine-induced loss of Schwann cells in vitro is *not* due to necrosis (Johnson et al) 2004;56:S128

Seizures

can wavelet transform help determine seizure foci from interictal, subdural EEG recordings? (Gaitanis et al) 2004;56:S116
cloning a novel seizure gene implicates G-protein signaling (Sherr et al) 2004;56:S84
epilepsy following acute near-total hypoxic-ischemic brain injury in the term newborn: predictive factors and seizure pattern (Basheer et al) 2004;56:S123

- long-term seizure control of AEDs after epilepsy surgery (Schmidt) 2004;56:S24
- seizures after bone marrow transplantation: etiologies and implications (Watson and Wijdicks) 2004;56:S44
- seizures and brain injury in a new model of pediatric stroke: strain-related differences in vulnerability in postnatal day 12 C3HeB/FeJ mice compared to CD1 mice (Comi et al) 2004;56:S130
- topiramate monotherapy in recently diagnosed epilepsy: response according to seizure type (Glauser et al) 2004;56:S112
- Seizures, catamenial**
frequency of catamenial seizure exacerbation in women with localization-related epilepsy (Herzog et al) 2004;56:431
- Seizures, early-life**
seizure-induced plasticity and adverse long-term effects of early-life seizures (Chang and Huang) 2004;56:165 (Reply)
seizure-induced plasticity and adverse long-term effects of early-life seizures (Sutula) 2004;56:164 (Letter)
- Seizures, early-onset**
atypical language dominance associated with early seizure onset and early remote symptomatic cause (Gaillard et al) 2004;56:S83
- Seizures, electrographic**
electrographic seizures after unilateral carotid ligation in postnatal day 12 CD1 mice (Comi et al) 2004;56:S130
- Seizures, febrile**
serial MRI after experimental febrile seizures: altered T2 signal without neuronal death (Dubé et al) 2004;56:709
- Seizures, hypoxia-induced**
hypoxia- or kainic acid-induced seizures alter neuronal nuclear $^{45}\text{Ca}^{2+}$ influx in the newborn rat brain: implications for apoptotic neuronal damage (Valencia et al) 2004;56:S84
- Seizures, kainic acid-induced**
hypoxia- or kainic acid-induced seizures alter neuronal nuclear $^{45}\text{Ca}^{2+}$ influx in the newborn rat brain: implications for apoptotic neuronal damage (Valencia et al) 2004;56:S84
- Seizures, neonatal**
ictal heart rate changes in neonatal seizures (Cherian et al) 2004;56:S113
midazolam in the treatment of neonatal seizures (Yamanouchi et al) 2004;56:S102
nurses observation versus amplitude EEG in the detection of neonatal seizures (Naqvi et al) 2004;56:S115
- Seizures, new-onset**
diagnostic value of magnetic resonance imaging in children with new onset seizures and normal computed tomography (Benko et al) 2004;56:S99
- Seizures, partial**
onset of action of lamotrigine in children with partial seizures (Duchowny et al) 2004;56:S113
- Seizures, post-operative**
post-operative seizures in children undergoing open-heart surgery for repair of heart defects (Alrifai et al) 2004;56:S117
- Seizures, recurrent**
worst fear when AED treatment is discontinued is that seizures recur and are intractable — fortunately this "recurrent" nightmare is rare (Camfield and Camfield) 2004;56:S83
- Selective learning**
verbal selective learning after traumatic brain injury in children (Hanten et al) 2004;56:847
- Selective serotonin-reuptake inhibitors**
benefit of selective serotonin reuptake inhibitors is greater for comorbid anxiety than for obsessive-compulsive behaviors in Tourette syndrome (Neary et al) 2004;56:S108
- Semantic processing**
retrieving meaning after temporal lobe infarction: the role of the basal language area (Sharp et al) 2004;56:836
- Sensorimotor polyneuropathy**
anti-Hu antibodies and sensorimotor polyneuropathy associated with carcinoid tumorlet of lung (Pasnoor et al) 2004;56:S60
- Sensory nerve conduction studies**
proximal spinal sensory neurophysiological assessment; greater auricular nerve conduction study (Smith and Dyck) 2004;56:S62
- Sensory neuropathy**
antiretroviral exposure is a risk factor for HIV-associated sensory neuropathies (McArthur et al) 2004;56:S71
C-peptide prevents nociceptive sensory neuropathy in type 1 diabetes (Kamiya et al) 2004;56:827
- Sensory neuropathy type II**
a mutation in the *HSN2* gene causes sensory neuropathy type II in a Lebanese family (Rivière et al) 2004;56:572
- Sensory testing, quantitative**
quantitative sensory testing in the assessment of oxaliplatin-induced neuropathy (Koeppen et al) 2004;56:S65
- Serotonin**
lateralized cortical serotonergic abnormalities in autistic children are associated with social subtypes (Behen et al) 2004;56:S95
serotonergic abnormalities in caudate nucleus in autism (Chandana et al) 2004;56:S94
serotonin neurotransmitter system in autism: association with HTR4, HTR6, and TDO2 polymorphisms (Nabi et al) 2004;56:S99
- Serotonin 5-HT_{1A} receptors**
depression in frontotemporal dementia is associated with decreased left temporal lobe 5HT_{1A} receptor density (Chow et al) 2004;56:S17
- Serotonin 5-HT_{1B/1D} receptors**
activation of 5-HT_{1B/1D} receptor in the periaqueductal gray inhibits nociception (Bartsch et al) 2004;56:371
- Serotypic movements**
behavior therapy for the treatment of serotypic movements in non-autistic children (Miller et al) 2004;56:S109
- Serum cobalamin assay**
is the serum cobalamin assay the best predictor of vitamin B12 deficiency? (Haas et al) 2004;56:S34
- Serum lipids**
serum lipids and hippocampal volume: the link to Alzheimer's disease? (Wolf et al) 2004;56:745
- Shunts, ventriculoperitoneal**
ventriculoperitoneal shunt in patients with leptomeningeal metastasis (Omuro et al) 2004;56:S65
- Single nucleotide polymorphisms**
single nucleotide polymorphism of platelet-activating factor receptor in Japanese multiple sclerosis (Osoeawa et al) 2004;56:S33
- Sinovenous thrombosis neonatal**
magnetic resonance imaging in the diagnosis of neonatal sinovenous thrombosis (Eichler et al) 2004;56:S96
- Sirolimus**
lack of neurotoxicity with sirolimus (Maramattom and Wijdicks) 2004;56:S65

Sjogren's syndrome, intramedullary

neuropathology in intramedullary Sjogren's syndrome (Garwood et al) 2004;56:S32

Skeletal muscle

analysis of differentially expressed genes in denervated skeletal muscle (Jimi et al) 2004;56:S34

electromyography guides toward subgroups of mutations in muscle channelopathies (Fournier et al) 2004;56:650

heterogeneity of nemaline myopathy cases with skeletal muscle α -actin gene mutations (Agrawal et al) 2004;56:86

Skin biopsy

increased expression of vascular endothelial growth factor in skin biopsies of patients with amyotrophic lateral sclerosis (Ono et al) 2004;56:S21

Sleep

heart rate variability during sleep in patients with refractory epilepsy (Li and Xie) 2004;56:S43

high-frequency oscillations recorded in human medial temporal lobe during sleep (Staba et al) 2004;56:108

Sleep, behavioral

sleep in the cuttlefish (Duntley and Morrissey) 2004;56:S68

Sleep abnormalities

association of sleep abnormalities and parkinsonism in Alzheimer's disease (Park et al) 2004;56:S48

Sleep apnea

decline in visual vigilance in drivers with obstructive sleep apnea syndrome (Rizzo et al) 2004;56:S40

Sleep behavior disorders

rapid eye movement sleep behavior disorder in parkinsonism with *parkin* mutations (Kumru et al) 2004;56:S99

Sleep deprivation

effects of active sleep deprivation on the developing brain (Morrissey et al) 2004;56:S40

Sleep disturbances

initial evaluation of the frequency of the restless legs syndrome and sleep complaints among patients with amyotrophic lateral sclerosis (Greenough et al) 2004;56:S20

Sleep position

influence of sleep position on the acquisition of early motor milestones (Majnemer and Barr) 2004;56:S100

Small fiber neuropathy

acute burning body syndrome: expanding spectrum of small fiber neuropathy/neuronopathy (Moghekar et al) 2004;56:S36

current perception threshold test is useful in detecting small fiber neuropathy (Kim et al) 2004;56:S35

SMN2 gene

hydroxyurea induces SMN2 gene expression in SMA cells (Wang and Grzeschik) 2004;56:S87

Social deprivation, early

abnormal brain connectivity in children with early severe social deprivation: diffusion tensor imaging study (Jagadeesan et al) 2004;56:S91

brain activation during emotional face recognition in children with early social deprivation (Behen et al) 2004;56:S94

Social subtypes

lateralized cortical serotonergic abnormalities in autistic children are associated with social subtypes (Behen et al) 2004;56:S95

SOD1 gene

differences in cortical excitability and selective neuronal vulnerability between sporadic and homozygous D90A *SOD1* amyotrophic lateral sclerosis (Turner et al) 2004;56:S22

familial amyotrophic lateral sclerosis due to a Gly41Ser mutation in the *SOD1* gene: confirmation of severe phenotype (Subramony et al) 2004;56:S62

ratio of mutant/normal *SOD1* is an indicator for the progression of familial ALS (Yamamoto et al) 2004;56:S22

SOD2 gene

SOD2 gene transfer protects against optic neuropathy induced by deficiency of complex I (Qi et al) 2004;56:182

Somatosensory input

influence of somatosensory input on motor function in patients with chronic stroke (Floel et al) 2004;56:206

Spasm, hemifacial

facial motor evoked potentials during microvascular decompression for hemifacial spasm (HFS): new evidence for a hyperexcitable VII nucleus (Wilkinson and Kaufmann) 2004;56:S56

Spastic diplegia

clinical and etiologic profile of spastic diplegia in pediatric neurology practice (Tang-Wai et al) 2004;56:S123

Spastic diplegic cerebral palsy

functional abnormalities of cerebral cortex in children with spastic diplegic cerebral palsy (Karkare and Chugani) 2004;56:S92

Spastic paraparesis

chronic exposure to 1-bromopropane associated with spastic paraparesis and distal neuropathy: report of six foam-cushion gluers (Majersik et al) 2004;56:S69

GLRA1 gene abnormality in a family with stiff baby syndrome, excessive startle, and spastic paraparesis (Holden et al) 2004;56:S103

Spastic paraplegia, hereditary

molecular and functional analyses of *Drosophila* homologues of autosomal-dominant hereditary spastic paraplegia genes spastin and atlastin (Martinuzzi et al) 2004;56:S29

a novel locus for pure recessive hereditary spastic paraplegia maps to 10q22.1-10q24.1 (Meijer et al) 2004;56:579

Spastin gene

molecular and functional analyses of *Drosophila* homologues of autosomal-dominant hereditary spastic paraplegia genes spastin and atlastin (Martinuzzi et al) 2004;56:S29

Spatial attention

hemispheric mediation of spatial attention: pseudoneglect after callosal stroke (Wolk and Coslett) 2004;56:434

Speech problems

speech and language problems in children with neurofibromatosis type I (Wright-Talamante et al) 2004;56:S126

Spinal cord injury

hematological abnormalities in the acute stage after traumatic spinal cord injury (Furlan and Fehlings) 2004;56:S41

mechanisms of hyponatremia after spinal cord injury: clinical and neuroanatomical evidence for disruption of descending renal sympathetic pathways (Furlan and Fehlings) 2004;56:S41

significance of quantitative assessment of canal stenosis by CT scan and MRI for evaluation of neurological status and prediction of neurological outcome after spinal cord injury (Furlan and Fehlings) 2004;56:S41

Spinal muscular atrophy

carrier testing for spinal muscular atrophy: gene dosage analysis may not be sufficient (Kulikova-Schupak et al) 2004;56:S104

hydroxyurea induces SMN2 gene expression in SMA cells (Wang and Grzeschik) 2004;56:S87

muscle magnetic resonance imaging and ¹H-MRS in spinal muscular atrophy (Acsadi et al) 2004;56:S96

Spinal muscular atrophy, childhood

randomized creatine trial in childhood spinal muscular atrophy (Iannaccone et al) 2004;56:S88

Spinal muscular atrophy, infant

molecular studies of infant spinal muscular atrophy in Cuba (Montejo et al) 2004;56:S29

Spinocerebellar ataxia

uncoupling between glucose metabolism and cerebral blood flow in patients with spinocerebellar ataxia (Kato et al) 2004;56:S26

Spinocerebellar ataxia type 2

saccade velocity is controlled by polyglutamine size in spinocerebellar ataxia 2 (Velázquez-Pérez et al) 2004;56:444

Spinocerebellar ataxia type 3

non-invasive "phenotyping" of patients with spinocerebellar ataxia type 3 and spinocerebellar ataxia type 6 by molecular imaging (Heiss et al) 2004;56:S20

Spinocerebellar ataxia type 6

non-invasive "phenotyping" of patients with spinocerebellar ataxia type 3 and spinocerebellar ataxia type 6 by molecular imaging (Heiss et al) 2004;56:S20

Spinocerebellar ataxia type 7

ataxin-7 aggregation and ubiquitination in infantile SCA7 with 180 CAG repeats (Ansorge et al) 2004;56:448

Spinocerebellar ataxia type 17

spinocerebellar ataxia type 17 repeat in patients with Huntington's disease-like and ataxia (Cellini et al) 2004;56:163 (Letter)

spinocerebellar ataxia type 17 repeat in patients with Huntington's disease-like and ataxia (Toyoshima et al) 2004;56:163 (Reply)

Spirituality/religiosity

rate of cognitive decline in Alzheimer's disease and spirituality/religiosity (Kaufman et al) 2004;56:S45

SSADH deficiency

movement disorders in SSADH deficiency: more severe phenotype and relevance to GHB toxicity (Pearl et al) 2004;56:S120

Startle response, excessive

GLRA1 gene abnormality in a family with stiff baby syndrome, excessive startle, and spastic paraparesis (Holden et al) 2004;56:S103

Statistical parametric mapping

neuroanatomical correlates of apathy associated with Alzheimer's disease by means of statistical parametric mapping (Moosa et al) 2004;56:S66

Status epilepticus, neonatal

neonatal status epilepticus in preterm babies (Pisani et al) 2004;56:S114

Status epilepticus, nonconvulsive

non-convulsive status epilepticus in the pediatric population (Tay et al) 2004;56:S112

nonconvulsive status epilepticus in metastatic central nervous system disease (Blitshteyn and Jaecle) 2004;56:S64

Status migrainous

intravenous valproate sodium for status migrainous (Krusz) 2004;56:S52

Steele-Richardson-Olszewski syndrome

historical perspective of progressive supranuclear palsy (Steele-Richardson-Olszewski syndrome) (Mishra and Misra) 2004;56:S37

Stem cells, bone marrow mesenchymal

immortalized human bone marrow mesenchymal stem cell lines with neurogenic potentials (Kim et al) 2004;56:S68

Stem cells, neural

generation of stable immortalized human neural stem cell lines via tetracycline-responsive oncogene activation for cell therapy in neurological disorders (Kim et al) 2004;56:S70

Stenting

final 1-year composite endpoint results for the ARChER Trials: ACCULINK for revascularization of carotids in high-risk patients (Atkinson and ARChER Trial Collaborators) 2004;56:S14

Serotonin transporter gene

serotonin transporter gene polymorphisms and hallucinations in Parkinson's disease (Goldman et al) 2004;56:S26

Stiff baby syndrome

GLRA1 gene abnormality in a family with stiff baby syndrome, excessive startle, and spastic paraparesis (Holden et al) 2004;56:S103

Stiff-person syndrome

proteomic studies in stiff-person syndrome: identification of GABA-related peptides as putative biomarkers or target antigens (Rakocevic et al) 2004;56:S10

Streptococcal infection

comparison of anti-basal ganglia antibodies in PANDAS and Tourette syndrome (Hong et al) 2004;56:S129

Stress, oxidant

low-affinity nerve growth factor receptor, p75, as a modulator of resistance to oxidant stress 2004;56:S129

Stress, parental

child health and parental stress in school-age children with a preschool diagnosis of developmental delay (Webster et al) 2004;56:S121

Stroke

clinical characteristics of stroke patients who present within window period of 3 hours: study from North-west India (Dhillon et al) 2004;56:S14

cost reduction strategy for secondary prevention of stroke using cost-minimization analysis of antiplatelet drugs (Lourdes et al) 2004;56:S14

D-Dimer levels are associated with stroke severity in women (Bushnell et al) 2004;56:S2

effect of testosterone on functional recovery in the castrate male rat stroke model (Pan et al) 2004;56:S71

hypoperfusion without stroke alters motor activation in the opposite hemisphere (Krakauer et al) 2004;56:796

impact of falls prevention strategies in stroke patients admitted to an acute rehabilitation unit (Rabadi et al) 2004;56:S72

improved prediction of post-stroke aspiration with measures of voluntary cough (Hammond et al) 2004;56:S46

interaction between stroke and apolipoprotein-E ε4 and risk of familial Alzheimer's disease among Caribbean Hispanics (Rippon et al) 2004;56:S49

lung water is increased following experimental stroke: effect of treatment with hypertonic saline (Toung et al) 2004;56:S14

predictors of a successful driver evaluation after discharge in a stroke patient (Smith-Arena et al) 2004;56:S72

- the resistance to ischemia of white and gray matter after stroke (Falcao et al) 2004;56:695
- retrieving meaning after temporal lobe infarction: the role of the basal language area (Sharp et al) 2004;56:836
- VA Stroke (VAsT) Study: intracerebral hemorrhage versus ischemic stroke (Goldstein et al) 2004;56:S5
- Stroke, atrial fibrillation-related**
- use of heparin for atrial fibrillation-related stroke: can neurologists learn to practice evidence-based medicine? (Sunbuli et al) 2004;56:S3
- Stroke, callosal**
- hemispheric mediation of spatial attention: pseudoneglect after callosal stroke (Wolk and Coslett) 2004;56:434
- Stroke, childhood**
- clinical challenges in pediatric ischemic stroke: data on over 1000 children with stroke from the 1-800-NO-CLOTS consultation service (Kuhle et al) 2004;56:S97
- health-related quality of life and its relationship to neurological outcome in child survivors of stroke (Friefeld et al) 2004;56:S119
- pediatric stroke: cost of illness study (Helden et al) 2004;56:S121
- Pediatric Stroke Belt: geographic variations in stroke mortality in U.S. children (Fullerton et al) 2004;56:S118
- perfusion magnetic resonance imaging in childhood central nervous system vasculopathy and stroke (Shellhaas et al) 2004;56:S92
- seizures and brain injury in a new model of pediatric stroke: strain-related differences in vulnerability in postnatal day 12 C3HeB/FeJ mice compared to CD1 mice (Comi et al) 2004;56:S130
- Stroke, chronic**
- influence of somatosensory input on motor function in patients with chronic stroke (Floel et al) 2004;56:206
- Stroke, ischemic**
- in acute ischemic stroke patients is white matter disease a single pathophysiological entity? (Sajed et al) 2004;56:S46
- arundic acid in acute ischemic stroke: pharmacokinetics and coagulation effects (Pettigrew et al) 2004;56:S42
- clinical challenges in pediatric ischemic stroke: data on over 1000 children with stroke from the 1-800-NO-CLOTS consultation service (Kuhle et al) 2004;56:S97
- do early laboratory parameters in acute ischemic stroke influence hospital length of stay? (Stead et al) 2004;56:S46
- elevated pulsatility index by transcranial Doppler is associated with risk of ischemic stroke and TIA (Rajamani et al) 2004;56:S45
- emergency department laboratory parameters in acute ischemic stroke as potential predictors of 90-day mortality (Stead et al) 2004;56:S46
- risk of myocardial infarction and vascular death after first ischemic stroke: Northern Manhattan Stroke Study (Dhamoon et al) 2004;56:S1
- twin gestation without fetal demise may be a risk for perinatal arterial ischemic stroke in term neonates (Golomb et al) 2004;56:S123
- use of antithrombotics after TIA and ischemic stroke (Hills and California Acute Stroke Pilot Registry Investigators) 2004;56:S3
- VA Stroke (VAsT) Study: intracerebral hemorrhage versus ischemic stroke (Goldstein et al) 2004;56:S5
- Stroke, PCA**
- total dream loss: a distinct neuropsychological dysfunction after bilateral PCA stroke (Bischof and Bassetti) 2004;56:583
- Stroke, pediatric**
- clinical challenges in pediatric ischemic stroke: data on over 1000 children with stroke from the 1-800-NO-CLOTS consultation service (Kuhle et al) 2004;56:S97
- health-related quality of life and its relationship to neurological outcome in child survivors of stroke (Friefeld et al) 2004;56:S119
- pediatric stroke: cost of illness study (Helden et al) 2004;56:S121
- Pediatric Stroke Belt: geographic variations in stroke mortality in U.S. children (Fullerton et al) 2004;56:S118
- perfusion magnetic resonance imaging in childhood central nervous system vasculopathy and stroke (Shellhaas et al) 2004;56:S92
- seizures and brain injury in a new model of pediatric stroke: strain-related differences in vulnerability in postnatal day 12 C3HeB/FeJ mice compared to CD1 mice (Comi et al) 2004;56:S130
- Stroke, perinatal**
- predictors of outcome in perinatal arterial stroke (Lee et al) 2004;56:S119
- risk factors for perinatal stroke: population-based study (Wu et al) 2004;56:S88
- twin gestation without fetal demise may be a risk for perinatal arterial ischemic stroke in term neonates (Golomb et al) 2004;56:S123
- Stroke, recurrent**
- development of inhibition of platelet recruitment over time with clopidogrel added to aspirin in prevention of recurrent stroke (Brace et al) 2004;56:S15
- ipsilateral hemiparesis to the affected hemisphere on recurrent stroke patients (Yamamoto et al) 2004;56:S47
- Stroke family history**
- stroke family history is not a determinant of 90-day outcomes: the Ischemic Stroke Genetics Study (Meschia et al) 2004;56:S16
- Stroke hospitalization**
- stroke hospitalization in New York City, 1990 and 2000 (Fang et al) 2004;56:S44
- Sturge-Weber syndrome**
- co-morbidity of epilepsy and headache in patients with Sturge-Weber syndrome (Kossoff et al) 2004;56:S125
- Sturge-Weber syndrome: altered blood vessel fibronectin expression and decreased circumference of leptomeningeal blood vessels (Comi et al) 2004;56:S86
- Subcortical hyperintensities**
- frequency and severity of subcortical ischemic hyperintensities in amnesic mild cognitive impairment (Bocti et al) 2004;56:S16
- Subject memory complaint**
- subject memory complaint: harbinger of disease or marker of higher intellectual level? (Bracco et al) 2004;56:S17
- Substantia nigra**
- difference in nigral iron between Parkinson's disease and control is in the iron binding not in amount (Friedman et al) 2004;56:S67
- how many pathways are there to nigral death? (Hardy and Langston) 2004;56:316 (Editorial)
- parkinsonian signs and substantia nigra neuron density in decedents elders without PD (Ross et al) 2004;56:S32
- Subthalamic nucleus stimulation**
- anti-epileptic property of bilateral subthalamic stimulation in a patient with Parkinson's disease (Bejjani et al) 2004;56:S23

- deep brain stimulation for Parkinson's disease: potential risk of tissue damage associated with external stimulation (Meissner et al) 2004;56:309 (Erratum)
- effects of transcranial magnetic stimulation of the human motor cortex on subthalamic neuronal activity (Strafella et al) 2004;56:S55
- risk of tissue damage and deep brain stimulation with external devices: a technical note (Trottenberg et al) 2004;56:310 (Letter)
- subthalamic stimulation alleviates pain in Parkinson's disease (Bejjani et al) 2004;56:S68
- Subthalamotomy**
- long term effects of bilateral subthalamotomy for advanced Parkinson's disease (Su et al) 2004;56:S55
- Succinic semialdehyde dehydrogenase deficiency**
- movement disorders in SSADH deficiency: more severe phenotype and relevance to GHB toxicity (Pearl et al) 2004;56:S120
- Sumatriptan nasal spray**
- adolescent migraine: sumatriptan nasal spray is effective and well tolerated (Rothner et al) 2004;56:S87
- Superior canal dehiscence**
- pulse-synchronous eye oscillations revealing bone superior canal dehiscence (Tilikete et al) 2004;56:556
- Superoxide dismutase**
- increase of intracellular zinc inhibits energy production in motor neurons expressing mutant superoxide dismutase (Kim et al) 2004;56:S21
- Supine hypertension**
- pyridostigmine improves orthostatic hypotension without worsening supine hypertension (Sandroni et al) 2004;56:S9
- Supranuclear palsy, progressive**
- effects of tau and ApoE genotypes on age at onset and age at death in progressive supranuclear palsy (Baba et al) 2004;56:S12
- historical perspective of progressive supranuclear palsy (Steele-Richardson-Olszewski syndrome) (Mishra and Misra) 2004;56:S37
- novel haplotypes in 17q21 are associated with progressive supranuclear palsy (Pastor et al) 2004;56:249
- Surgery; see also specific procedures**
- gamma knife radiosurgery treatment of trigeminal neuralgia in a suburban community hospital: analysis of demographics and clinical results (Landolfi et al) 2004;56:S52
- post-operative seizures in children undergoing open-heart surgery for repair of heart defects (Alrifai et al) 2004;56:S117
- Surgery, epilepsy**
- diagnostic value of basic tests (history taking, routine EEG, MRI, and video EEG monitoring) for the decision to perform temporal lobe epilepsy surgery (Uijl et al) 2004;56:S24
- ethics consultation for epilepsy surgery candidates: changes in patterns (Ford et al) 2004;56:S43
- long-term seizure control of AEDs after epilepsy surgery (Schmidt) 2004;56:S24
- malformation of cortical development: description of the surgical pathology in 41 patients with intractable epilepsy (Morris et al) 2004;56:S97
- non-lesional focal epilepsy surgery: pathology identifies focal cortical dysplasia, gliosis, and mesial temporal sclerosis (Said et al) 2004;56:S112
- temporal lobe epilepsy: analysis of failures and the role of reoperation (Salanova et al) 2004;56:S4
- Surgery, open-heart**
- post-operative seizures in children undergoing open-heart surgery for repair of heart defects (Alrifai et al) 2004;56:S117
- Surround inhibition disturbances**
- disturbed surround inhibition in focal hand dystonia (Sohn and Hallett) 2004;56:595
- Sympathetic nervous system**
- mechanisms of hyponatremia after spinal cord injury: clinical and neuroanatomical evidence for disruption of descending renal sympathetic pathways (Furlan and Fehlings) 2004;56:S41
- Synaptophysin**
- presenilin-1 Alzheimer's disease mutations: do synaptophysin disturbances play a role in the pathophysiology? (Abdelhak et al) 2004;56:S27
- α 1-Syntrophin**
- altered α 1-syntrophin expression of the myofibers in human muscular dystrophies (Wakayama et al) 2004;56:S63
- α -Synuclein**
- α -synuclein promoter confers susceptibility to Parkinson's disease (Pals et al) 2004;56:S91
- β -amyloid burden in Alzheimer's and Pick's disease: what is the relationship to α -synuclein aggregation? (Lippa and Mori) 2004;56:S48
- Systemic lupus erythematosus**
- recurrent transverse myelitis as a first manifestation of systemic lupus erythematosus (Pandya and Roby) 2004;56:S37
- T cell receptor β -chain-variable region**
- spectratyping of the T cell receptor β -chain-variable region in the peripheral blood lymphocyte and muscle of patients with sporadic inclusion body myositis: evidence of local expansion of T cell clones (Salajegheh et al) 2004;56:S61
- T cells**
- frequency of MBP- and PLP- but not MOG-specific T cells is reduced in multiple sclerosis patients treated with intramuscular interferon- β 1a: correlation with changes in Th1 and Th2 cytokine expression (Lund et al) 2004;56:S57
- long-term persistence of clonally expanded T cells in patients with polymyositis (Benveniste et al) 2004;56:867
- selective loss of regulatory T cells in thymomas (Ströbel et al) 2004;56:901
- spectratyping of the T cell receptor β -chain-variable region in the peripheral blood lymphocyte and muscle of patients with sporadic inclusion body myositis: evidence of local expansion of T cell clones (Salajegheh et al) 2004;56:S61
- Tau**
- effects of tau and ApoE genotypes on age at onset and age at death in progressive supranuclear palsy (Baba et al) 2004;56:S12
- TDO2 gene**
- serotonin neurotransmitter system in autism: association with HTR4, HTR6, and TDO2 polymorphisms (Nabi et al) 2004;56:S99
- Telephone consultation**
- clinical challenges in pediatric ischemic stroke: data on over 1000 children with stroke from the 1-800-NO-CLOTS consultation service (Kuhle et al) 2004;56:S97
- TEMPOL/PNA**
- TEMPOL/PNA: recycling antioxidant in dopaminergic mesencephalic systems (Liang et al) 2004;56:S54

Temporal lobe epilepsy

- increased GABA_A receptor $\alpha 1$ subunit expression inhibits development of epilepsy in an animal model of temporal lobe epilepsy (Brooks-Kayal et al) 2004;56:S84
- temporal lobe epilepsy: analysis of failures and the role of reoperation (Salanova et al) 2004;56:S4
- temporal lobe epilepsy as the presenting feature of chorea-acanthocytosis in two French-Canadian families (Jansen et al) 2004;56:S44

Temporal lobe epilepsy surgery

- diagnostic value of basic tests (history taking, routine EEG, MRI, and video EEG monitoring) for the decision to perform temporal lobe epilepsy surgery (Uijl et al) 2004;56:S24

Temporal lobe infarction

- retrieving meaning after temporal lobe infarction: the role of the basal language area (Sharp et al) 2004;56:S86

Temporal lobectomy

- does extratemporal hypometabolism affect temporal lobectomy prognosis? (Theodore et al) 2004;56:S42

Testosterone

- effect of testosterone on functional recovery in the castrate male rat stroke model (Pan et al) 2004;56:S71

Tethered cord syndrome

- spectrum of chromosomal abnormalities in the tethered cord syndrome (Bassuk et al) 2004;56:S101

Tetracycline

- generation of stable immortalized human neural stem cell lines via tetracycline-responsive oncogene activation for cell therapy in neurological disorders (Kim et al) 2004;56:S70

Texas

- neurologic complications associated with influenza A in children during the 2003–2004 influenza season in Houston, Texas (Maricich et al) 2004;56:S122

Thalamus

- glucose hypometabolism of hypothalamus and thalamus in narcolepsy (Joo et al) 2004;56:437

Thrombosis, cerebral venous

- cerebral venous thrombosis in adults: multi-center cohort from the United States (Wasay et al) 2004;56:S47
- ischemic injury from cerebral venous thrombosis in children preferentially affects subcortical white matter and deep gray nuclei (Ichord) 2004;56:S122

Thrombosis, sinovenous

- magnetic resonance imaging in the diagnosis of neonatal sinovenous thrombosis (Eichler et al) 2004;56:S96

Thymidine phosphorylase deficiency

- increased blood–brain barrier permeability with thymidine phosphorylase deficiency (Szigeti et al) 2004;56:881

Thymoma

- selective loss of regulatory T cells in thymomas (Ströbel et al) 2004;56:901

Tics

- levetiracetam in treatment of tics in Tourette syndrome (Awaad et al) 2004;56:S107

Tissue microarray analysis

- insulin signaling pathways in cortical dysplasia and TSC-tubers: tissue microarray analysis (Miyata et al) 2004;56:S10

Tissue-specific phenotype

- alternative splicing may contribute to tissue-specific phenotype in aprataxin-related ataxia (Hirano et al) 2004;56:S28

Topiramate

- case of alternating hemiplegia of childhood successfully treated with topiramate: follow-up of 12 months (Di Rosa et al) 2004;56:S38
- efficacy and tolerability of topiramate as monotherapy in epilepsy: pediatric experience (Kothare et al) 2004;56:S116
- efficacy and tolerability of topiramate in children younger than 2 years of age (Fons et al) 2004;56:S116
- topiramate monotherapy in recently diagnosed epilepsy: response according to seizure type (Glauser et al) 2004;56:S112
- topiramate or valproate in juvenile myoclonic epilepsy (Levisohn et al) 2004;56:S117

Torsion dystonia

- brainstem pathology in DYT1 primary torsion dystonia (McNaught et al) 2004;56:540, 750 (Correction)

Tourette syndrome

- benefit of selective serotonin reuptake inhibitors is greater for comorbid anxiety than for obsessive-compulsive behaviors in Tourette syndrome (Neary et al) 2004;56:S108
- comparison of anti-basal ganglia antibodies in PANDAS and Tourette syndrome (Hong et al) 2004;56:S129
- levetiracetam in treatment of tics in Tourette syndrome (Awaad et al) 2004;56:S107

Transcallosal resection

- successful treatment of refractory epilepsy symptomatic to hypothalamic hamartoma following transcallosal resection: long-term outcome in 25 patients (Ng et al) 2004;56:S85

Transcarpal conduction velocity

- comparison of motor transcarpal conduction velocity with sensory conduction techniques in diagnosis of carpal tunnel syndrome (Chang) 2004;56:S34

Transcranial Doppler

- elevated pulsatility index by transcranial Doppler is associated with risk of ischemic stroke and TIA (Rajamani et al) 2004;56:S45

Transcranial magnetic stimulation

- effects of transcranial magnetic stimulation of the human motor cortex on subthalamic neuronal activity (Strafella et al) 2004;56:S55

Transcranial magnetic stimulation, repetitive

- long-term effect of motor cortical repetitive transcranial magnetic stimulation induces (Hayashi et al) 2004;56:77, 311 (Correction)

Transesophageal echocardiography

- atherosclerosis of the aorta: risk factor, risk marker, or innocent bystander? population-based transesophageal echocardiographic study (Meissner et al) 2004;56:S4
- patent foramen ovale: cause or innocent bystander? population-based transesophageal echocardiographic study (Meissner et al) 2004;56:S1

Transient ischemic attacks

- elevated pulsatility index by transcranial Doppler is associated with risk of ischemic stroke and TIA (Rajamani et al) 2004;56:S45
- use of antithrombotics after TIA and ischemic stroke (Hills and California Acute Stroke Pilot Registry Investigators) 2004;56:S3

Transplantation

- granulomatous amebic encephalitis in a transplant patient: case report (Mendez et al) 2004;56:S70
- therapeutic effects of normal cells on ABCD1-deficient cells in vitro and hematopoietic cell transplantation on the X-ALD mouse model (Furuya et al) 2004;56:S67

Transplantation, bone marrow

seizures after bone marrow transplantation: etiologies and implications (Watson and Wijdicks) 2004;56:S44

Transplantation, cardiac

postmortem intracranial findings in children who have undergone cardiac transplantation (McClure et al) 2004;56:S121

predictors of neuropsychological outcome following infant heart transplantation (Freier et al) 2004;56:S88

Transplantation, neural sphere

attenuation of chronic experimental autoimmune encephalomyelitis by intraventricular transplantation of neural spheres (Ben-Hur et al) 2004;56:S31

Transverse myelitis

outcome of children diagnosed with transverse myelitis (Ness et al) 2004;56:S120

Transverse myelitis, recurrent

recurrent transverse myelitis as a first manifestation of systemic lupus erythematosus (Pandya and Roby) 2004;56:S37

Trauma

oscillatory activity originating at network lesion boundaries: a model for early posttraumatic epilepsy (Ohayon et al) 2004;56:S23

Traumatic brain injury

timing of environmental enrichment is critical for recovery after traumatic brain injury in the developing rat (Giza et al) 2004;56:S89

verbal selective learning after traumatic brain injury in children (Hanten et al) 2004;56:S47

Traumatic brain injury, diffuse

different bioenergetic responses to injury in immature rodents after diffuse traumatic brain injury (Chang et al) 2004;56:S128

Traumatic spinal cord injury

hematological abnormalities in the acute stage after traumatic spinal cord injury (Furlan and Fehlings) 2004;56:S41

Tremor, essential

the safety of deep brain stimulation in patients with Parkinson's disease, essential tremor, and other movement disorders (Silay et al) 2004;56:S54

Trigeminal neuralgia

gamma knife radiosurgery treatment of trigeminal neuralgia in a suburban community hospital: analysis of demographics and clinical results (Landolfi et al) 2004;56:S52

Trigeminal neurons

developmental regulation of voltage-gated ion channels in trigeminal neurons (Saha and Turman) 2004;56:S39

Tripeptidyl peptidase I

abundant secretion of misfolded tripeptidyl peptidase I associated with the classic late-infantile neuronal ceroid lipofuscinosis in mammalian cells (Wisniewski et al) 2004;56:S85

TrkA

reduction of cortical TrkA but not p75^{NTR} protein in early-stage Alzheimer's disease (Counts et al) 2004;56:S20

Tuberous sclerosis

epilepsy characteristics in a population of 69 patients with tuberous sclerosis (Tuck et al) 2004;56:S117

Tuberous sclerosis complex

altered brain growth in children with tuberous sclerosis complex and autism (Kagawa et al) 2004;56:S93

insulin signaling pathways in cortical dysplasia and TSC-tubers: tissue microarray analysis (Miyata et al) 2004;56:S10

mTOR cascade activation distinguishes tubers from focal cortical dysplasia (Baybis et al) 2004;56:S478

Tuberous sclerosis complex 2

blood expression profiles for tuberous sclerosis complex 2, neurofibromatosis type 1, and Down's syndrome (Tang et al) 2004;56:S808

Tumor necrosis factor- α

high tumor necrosis factor- α in levels in cerebrospinal fluid of cobalamin-deficient patients (Scalabrino et al) 2004;56:S86

high prevalence of Di-46, Tetra-48, and Di-Tetra-48 nucleotide microsatellite of TNF α increases susceptibility to multiple sclerosis (Zivadinov et al) 2004;56:S59

Twin gestation

twin gestation without fetal demise may be a risk for perinatal arterial ischemic stroke in term neonates (Golomb et al) 2004;56:S123

Ubiquitin

effect of immunotherapy on expression of cytokines and chemokines in relation to β -amyloid and ubiquitin in the muscle of patients with sporadic inclusion body myositis (Schmidt et al) 2004;56:S63

sporadic inclusion-body myositis as a conformational disorder: novel role of misfolded proteins and proteasome inhibition in sporadic inclusion-body myositis pathogenesis (Askanas et al) 2004;56:S33

Ubiquitin-proteasome pathway

abnormal lysosomal and ubiquitin-proteasome pathways in 19p13.3 distal myopathy (Di Blasi et al) 2004;56:S133

Ultrasound, Doppler

elevated pulsatility index by transcranial Doppler is associated with risk of ischemic stroke and TIA (Rajamani et al) 2004;56:S45

Unfolded protein response

sporadic inclusion-body myositis as a conformational disorder: novel role of misfolded proteins and proteasome inhibition in sporadic inclusion-body myositis pathogenesis (Askanas et al) 2004;56:S33

Unified Batten Disease Rating Scale

Unified Batten Disease Rating Scale: description and reliability (Marshall et al) 2004;56:S102

Unified Parkinson's Disease Rating Scale (UPDRS)

cervical radiculomyelopathy and Parkinson's disease: does an added neurological comorbidity affect UPDRS and Hoehn and Yahr scores? (Irin et al) 2004;56:S26

United Kingdom

United Kingdom study of the natural history of neurological complications of Behçet's syndrome (Kidd) 2004;56:S69

United States

effect of government regulations on death rates of severely disabled, cerebral palsy children (Plioplys and Peterman) 2004;56:S125

Upper limb function

improvement in upper limb function in children with obstetrical brachial plexopathy after intramuscular botulinum toxin injections (Limbo et al) 2004;56:S108

VA Stroke (VAST) Study

VA Stroke (VAST) Study: intracerebral hemorrhage versus ischemic stroke (Goldstein et al) 2004;56:S5

Valproate

conversion to lamotrigine monotherapy from valproate monotherapy in adolescent patients with epilepsy (Fakhoury et al) 2004;56:S115
topiramate or valproate in juvenile myoclonic epilepsy (Levisohn et al) 2004;56:S117

Valproate sodium

intravenous valproate sodium for status migrainosus (Krusz) 2004;56:S52

Vanishing white matter disease

detection of disease-associated biomarkers in cerebrospinal fluid in vanishing white matter disease (Vanderver et al) 2004;56:S99

Vascular death

risk of myocardial infarction and vascular death after first ischemic stroke: Northern Manhattan Stroke Study (Dhamoon et al) 2004;56:S1

Vascular endothelial growth factor

increased expression of vascular endothelial growth factor in skin biopsies of patients with amyotrophic lateral sclerosis (Ono et al) 2004;56:S21
vascular endothelial growth factor prolongs survival in a transgenic mouse model of ALS (Zheng et al) 2004;56:564

Venous thrombosis, cerebral

cerebral venous thrombosis in adults: multi-center cohort from the United States (Wasay et al) 2004;56:S47
ischemic injury from cerebral venous thrombosis in children preferentially affects subcortical white matter and deep gray nuclei (Ichord) 2004;56:S122

Ventriculomegaly

role of fetal magnetic resonance imaging in prenatal evaluation of ventriculomegaly (Gabis et al) 2004;56:S93

Ventriculoperitoneal shunt

ventriculoperitoneal shunt in patients with leptomeningeal metastasis (Omuro et al) 2004;56:S65

Ventrolateral medulla

involvement of medullary autonomic regions in dementia with Lewy bodies (Benarroch et al) 2004;56:S16

Verbal selective learning

verbal selective learning after traumatic brain injury in children (Hanten et al) 2004;56:847

Vertical conjugate eye deviation

vertical conjugate eye deviation in postresuscitation coma (Johkura et al) 2004;56:878

Very long-chain acyl-CoA dehydrogenase deficiency

fuel utilization in patients with very long-chain acyl-CoA dehydrogenase deficiency (Ørngreen et al) 2004;56:279

Vestibular cortex

metabolic changes in vestibular and visual cortices in acute vestibular neuritis (Bense et al) 2004;56:624

Vestibular neuritis, acute

metabolic changes in vestibular and visual cortices in acute vestibular neuritis (Bense et al) 2004;56:624

Video electroencephalography

diagnostic value of basic tests (history taking, routine EEG, MRI, and video EEG monitoring) for the decision to perform temporal lobe epilepsy surgery (Uijl et al) 2004;56:S24
usefulness of short-term video-EEG in the differential diagnosis of paroxysmal events in children (Tziperman et al) 2004;56:S116

Visual cortex

metabolic changes in vestibular and visual cortices in acute vestibular neuritis (Bense et al) 2004;56:624

Visual evoked potentials

visual evoked potentials and brainstem auditory evoked potentials in patients with multiple sclerosis and cerebral periventricular white matter small vessel ischemic disease (Barrera et al) 2004;56:S31

Visual word form area

learning to read without a left occipital lobe: right-hemispheric shift of visual word form area (Cohen et al) 2004;56:890
role of the "visual word form area" in reading (Hillis et al) 2004;56:S45

Vitamin B12 deficiency

is the serum cobalamin assay the best predictor of vitamin B12 deficiency? (Haas et al) 2004;56:S34

Voltage-gated ion channels

developmental regulation of voltage-gated ion channels in trigeminal neurons (Saha and Turman) 2004;56:S39

Voluntary cough

improved prediction of post-stroke aspiration with measures of voluntary cough (Hammond et al) 2004;56:S46

Voxel-based parametric mapping

voxel-based parametric mapping of acetylcholinesterase activity using [¹¹C]PMP positron emission tomography in mild cognitive impairment (Vandenberghe et al) 2004;56:S50

Voxel-based relaxometry

voxel-based relaxometry: application to multiple system atrophy (Klockgether et al) 2004;56:S27

VPO25

phospholipid microparticles incorporating phosphatidylglycerol inhibit microglial activation, rescue motoneurons, and slow disease in ALS mice (Beers et al) 2004;56:S37

West Nile encephalitis

West Nile encephalitis presenting as opsoclonus-myoclonus-cerebellar ataxia (Khosla et al) 2004;56:S70

White matter

microstructural white matter changes in carriers of the DYT1 gene mutation (Carbon et al) 2004;56:283
migraine is associated with MRI white matter abnormalities: meta-analysis (Swartz and Kern) 2004;56:S4
progressive grey and white MTR abnormality in early relapsing-remitting MS (Davies et al) 2004;56:S31
the resistance to ischemia of white and gray matter after stroke (Falcao et al) 2004;56:695

White matter, subcortical

ischemic injury from cerebral venous thrombosis in children preferentially affects subcortical white matter and deep gray nuclei (Ichord) 2004;56:S122

White matter atrophy

measurement of cerebral grey and white matter atrophy in patients with multiple sclerosis (Watts et al) 2004;56:S59

White matter disease

in acute ischemic stroke patients is white matter disease a single pathophysiological entity? (Sajed et al) 2004;56:S46
detection of disease-associated biomarkers in cerebrospinal fluid in vanishing white matter disease (Vanderver et al) 2004;56:S99
homocysteine, brain atrophy, and white matter disease in Alzheimer's disease and cerebral amyloid angiopathy (Gurol et al) 2004;56:S18
visual evoked potentials and brainstem auditory evoked potentials in patients with multiple sclerosis and cerebral periventricular white matter small vessel ischemic disease (Barrera et al) 2004;56:S31

White matter lesions

cobalamin deficiency with bilateral optic neuropathy, multiple white matter lesions and normal B12 levels (Rao et al) 2004;56:S38

White matter volume

white matter volume increase and minocolumns in autism (Casanova) 2004;56:453 (Letter)

white matter volume increase and minocolumns in autism (Herbert and Ziegler) 2004;56:454 (Reply)

Wilson's disease

late-onset depression and parkinsonism in two sisters: heterozygote carriers for Wilson's disease (Sechi et al) 2004;56:S19

Women

D-Dimer levels are associated with stroke severity in women (Bushnell et al) 2004;56:S2

frequency of catamenial seizure exacerbation in women with localization-related epilepsy (Herzog et al) 2004;56:431

Word learning

levodopa: faster and better word learning in normal humans (Knecht et al) 2004;56:20

X-linked adrenoleukodystrophy

MRI correlates of early cognitive dysfunction in asymptomatic boys with X-linked adrenoleukodystrophy: prospective evaluation (Dubey et al) 2004;56:S101

neuropsychological profile of asymptomatic boys with X-linked adrenoleukodystrophy who had normal brain MRI (Dubey et al) 2004;56:S38

therapeutic effects of normal cells on ABCD1-deficient cells in vitro and hematopoietic cell transplantation on the X-ALD mouse model (Furuya et al) 2004;56:S67

Zinc

increase of intracellular zinc inhibits energy production in motor neurons expressing mutant superoxide dismutase (Kim et al) 2004;56:S21

Zonisamide

efficacy of zonisamide in juvenile myoclonic epilepsy (Kothare et al) 2004;56:S113

zonisamide tolerability in infants 12 months of age and younger (Feng and Wilfong) 2004;56:S114

